

# thm\_2Esptree\_2Edomain\_\_difference (TM- caaVMnsSoGyF94Sh74NVtQrbwwXXHt)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (1)$$

Let  $c\_2Eoption\_2EIS\_SOME : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2EIS\_SOME A\_27a \in (2^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (2)$$

Let  $c\_2Eoption\_2EIS\_NONE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2EIS\_NONE A\_27a \in (2^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (3)$$

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (4)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (5)$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{A\_27b}}) \quad (6)$$

**Definition 11** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ V0s\ V1t)$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (7)$$

**Definition 12** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P\ x) \text{ then } (\lambda x. x \in A \wedge P\ x) \text{ else } (\lambda x. x \in A \wedge \neg P\ x)$

**Definition 13** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone. V0x))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (8)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (9)$$

**Definition 14** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27a)\ V0e)$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (10)$$

**Definition 15** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (\lambda x. \neg x \in A\_27a))$

**Definition 16** We define  $c\_Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

Let  $ty\_2Esptree\_2Espt : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Esptree\_2Espt A0) \quad (11)$$

Let  $c\_2Esptree\_2Edifference : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Esptree\_2Edifference \\ & A\_27a A\_27b \in (((ty\_2Esptree\_2Espt A\_27a)^{(ty\_2Esptree\_2Espt A\_27b)})^{(ty\_2Esptree\_2Espt A\_27a)}) \end{aligned} \quad (12)$$

**Definition 17** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_2Esum\_2EABS$

**Definition 18** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption\_2E$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (13)$$

Let  $c\_2Esptree\_2Elookup : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Esptree\_2Elookup A\_27a \in ((( \\ & ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esptree\_2Espt A\_27a)})^{ty\_2Enum\_2Enum}) \end{aligned} \quad (14)$$

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E\_40$

Let  $c\_2Esptree\_2Edomain : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Esptree\_2Edomain A\_27a \in ((2^{ty\_2Enum\_2Enum})^{(ty\_2Esptree\_2Espt A\_27a)}) \quad (15)$$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (18)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (21)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0a \in A\_27a.(\exists V1x \in A\_27a.(V1x = V0a))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1a \in A\_27a.((\exists V2x \in A\_27a.((V2x = V1a) \wedge (p \ (ap \ V0P \ V2x)))) \Leftrightarrow (p \ (ap \ V0P \ V1a)))))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0f \in (2^{A\_27a}).(\forall V1v \in A\_27a.((\forall V2x \in A\_27a.((V2x = V1v) \Rightarrow (p \ (ap \ V0f \ V2x)))) \Leftrightarrow (p \ (ap \ V0f \ V1v)))))) \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption \ A\_27a).((V0opt = (c\_2Eoption\_2ENONE \ A\_27a)) \vee (\exists V1x \in A\_27a.(V0opt = (ap \ (c\_2Eoption\_2ESOME \ A\_27a) \ V1x)))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. (((ap\ (c.2Eoption\_2ESOME\ A.27a)\ V0x) = (ap\ (c.2Eoption\_2ESOME\ A.27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \quad (31)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\neg((c.2Eoption\_2ENONE\ A.27a) = (ap\ (c.2Eoption\_2ESOME\ A.27a)\ V0x)))) \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1X \in ( \\ & ty\_2Eoption\_2Eoption\ A.27a). (\forall V2x \in A.27a. (((ap\ (ap\ ( \\ & ap\ (c.2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption\ A.27a))\ V0P)\ V1X)\ ( \\ & c.2Eoption\_2ENONE\ A.27a)) = (c.2Eoption\_2ENONE\ A.27a)) \Leftrightarrow ((p\ V0P) \Rightarrow \\ & (p\ (ap\ (c.2Eoption\_2EIS\_NONE\ A.27a)\ V1X)))) \wedge (((ap\ (ap\ (ap\ (c.2Ebool\_2ECOND \\ & (ty\_2Eoption\_2Eoption\ A.27a))\ V0P)\ (c.2Eoption\_2ENONE\ A.27a)) \\ & V1X) = (c.2Eoption\_2ENONE\ A.27a)) \Leftrightarrow ((p\ (ap\ (c.2Eoption\_2EIS\_SOME \\ & A.27a)\ V1X)) \Rightarrow (p\ V0P))) \wedge (((ap\ (ap\ (ap\ (c.2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption \\ & A.27a))\ V0P)\ V1X)\ (c.2Eoption\_2ENONE\ A.27a)) = (ap\ (c.2Eoption\_2ESOME \\ & A.27a)\ V2x)) \Leftrightarrow ((p\ V0P) \wedge (V1X = (ap\ (c.2Eoption\_2ESOME\ A.27a)\ V2x)))) \wedge \\ & (((ap\ (ap\ (ap\ (c.2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption\ A.27a)) \\ & V0P)\ (c.2Eoption\_2ENONE\ A.27a))\ V1X) = (ap\ (c.2Eoption\_2ESOME \\ & A.27a)\ V2x)) \Leftrightarrow ((\neg(p\ V0P)) \wedge (V1X = (ap\ (c.2Eoption\_2ESOME\ A.27a) \\ & V2x)))))))))) \quad (33) \end{aligned}$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in (2^{A.27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V2x)\ V1t)))))) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in (2^{A.27a}). (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V2x)\ (ap\ (ap\ (c.2Epred\_set\_2EDIFF\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V2x)\ V0s)) \wedge (\neg(p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V2x)\ V1t)))))) \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0m1 \in (ty\_2Esptree\_2Espt\ A\_27a).(\forall V1m2 \in (ty\_2Esptree\_2Espt \\
& \quad A\_27b).(\forall V2k \in ty\_2Enum\_2Enum.((ap\ (ap\ (c\_2Esptree\_2Elookup \\
& \quad A\_27a)\ V2k)\ (ap\ (ap\ (c\_2Esptree\_2Edifference\ A\_27a\ A\_27b)\ V0m1) \\
& \quad V1m2)) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption\ A\_27a)) \\
& \quad (ap\ (ap\ (c\_2Emin\_2E3D\ (ty\_2Eoption\_2Eoption\ A\_27b))\ (ap\ (ap\ ( \\
& \quad c\_2Esptree\_2Elookup\ A\_27b)\ V2k)\ V1m2))\ (c\_2Eoption\_2ENONE\ A\_27b))) \\
& \quad (ap\ (ap\ (c\_2Esptree\_2Elookup\ A\_27a)\ V2k)\ V0m1))\ (c\_2Eoption\_2ENONE \\
& \quad A\_27a))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in (ty\_2Esptree\_2Espt \\
& \quad A\_27a).(\forall V1k \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad ty\_2Enum\_2Enum)\ V1k)\ (ap\ (c\_2Esptree\_2Edomain\ A\_27a)\ V0t))) \Leftrightarrow \\
& \quad (\exists V2v \in A\_27a.((ap\ (ap\ (c\_2Esptree\_2Elookup\ A\_27a)\ V1k) \\
& \quad V0t) = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V2v))))))
\end{aligned} \tag{37}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0t1 \in (ty\_2Esptree\_2Espt\ A\_27a).(\forall V1t2 \in (ty\_2Esptree\_2Espt \\
& \quad A\_27b).((ap\ (c\_2Esptree\_2Edomain\ A\_27a)\ (ap\ (ap\ (c\_2Esptree\_2Edifference \\
& \quad A\_27a\ A\_27b)\ V0t1)\ V1t2)) = (ap\ (ap\ (c\_2Epred\_set\_2EDIFF\ ty\_2Enum\_2Enum) \\
& \quad (ap\ (c\_2Esptree\_2Edomain\ A\_27a)\ V0t1))\ (ap\ (c\_2Esptree\_2Edomain \\
& \quad A\_27b)\ V1t2))))))
\end{aligned}$$