



Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 8** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B))$

**Definition 9** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 10** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B))$

**Definition 11** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 12** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) 2)) (\lambda V2t \in 2))$

Let  $ty\_2Esptree\_2Espt : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Esptree\_2Espt A0) \quad (7)$$

Let  $c\_2Esptree\_2Edomain : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Esptree\_2Edomain A\_27a \in ((2^{ty\_2Enum\_2Enum})^{(ty\_2Esptree\_2Espt A\_27a)}) \quad (8)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 14** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_2Ebool\_2E\_21) 2)) (\lambda V2t \in 2)))$

**Definition 16** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 17** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 18** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a}))) A\_27a)$



**Definition 33** We define  $c\_2\text{Epred\_set\_2EINSERT}$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2\text{Epred\_set\_2EINSERT} A\_27a) V0x V1s)$

Let  $c\_2\text{Esptree\_2Efoldi} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2\text{Esptree\_2Efoldi } A\_27a \ A\_27b \in (((A\_27a^{(ty\_2Esptree\_2Espt } A\_27b)})^{A\_27a})^{ty\_2Enum\_2Enum})^{((A\_27a^{A\_27a})^{A\_27b})^{ty\_2Enum\_2Enum}} \quad (16)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m)) \quad (17)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B V1n) V0m)))) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m)) \quad (19)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow ((\forall V0s \in (2^{A\_27a}).((ap (ap (c\_2Epred\_set\_2EUNION A\_27a) (c\_2Epred\_set\_2EEMPTY A\_27a)) V0s) = V0s)) \wedge (\forall V1s \in (2^{A\_27a}).((ap (ap (c\_2Epred\_set\_2EUNION A\_27a) V1s) (c\_2Epred\_set\_2EEMPTY A\_27a)) = V1s))) \quad (20)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).((ap (ap (c\_2Epred\_set\_2EIMAGE A\_27a A\_27a) (\lambda V1x \in A\_27a.V1x)) V0s) = V0s)) \quad (21)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& (\forall V0a \in A\_27a. ((ap\ c\_2Esptree\_2Elrnext\ c\_2Enum\_2E0) = ( \\
ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))) \wedge \\
& ((\forall V1n \in ty\_2Enum\_2Enum. (\forall V2a \in A\_27b. ((ap\ c\_2Esptree\_2Elrnext \\
& (ap\ c\_2Earithmetic\_2ENUMERAL\ V1n)) = (ap\ c\_2Esptree\_2Elrnext \\
& V1n)))) \wedge ((ap\ c\_2Esptree\_2Elrnext\ c\_2Earithmetic\_2EZERO) = \\
(ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))) \wedge \\
& ((\forall V3n \in ty\_2Enum\_2Enum. ((ap\ c\_2Esptree\_2Elrnext\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V3n)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2A\ (ap\ c\_2Earithmetic\_2ENUMERAL \\
& (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO)))\ (ap\ c\_2Esptree\_2Elrnext \\
& V3n)))) \wedge (\forall V4n \in ty\_2Enum\_2Enum. ((ap\ c\_2Esptree\_2Elrnext \\
& (ap\ c\_2Earithmetic\_2EBIT2\ V4n)) = (ap\ (ap\ c\_2Earithmetic\_2E\_2A \\
& (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT2\ c\_2Earithmetic\_2EZERO))) \\
& (ap\ c\_2Esptree\_2Elrnext\ V4n))))))))) \\
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in (ty\_2Esptree\_2Espt \\
& A\_27a). (\forall V1a \in (2^{ty\_2Enum\_2Enum}). (\forall V2i \in ty\_2Enum\_2Enum. \\
& ((ap\ (ap\ (ap\ (ap\ (c\_2Esptree\_2Efoldi\ (2^{ty\_2Enum\_2Enum})\ A\_27a) \\
& (\lambda V3k \in ty\_2Enum\_2Enum. (\lambda V4v \in A\_27a. (\lambda V5a \in (2^{ty\_2Enum\_2Enum}). \\
& (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ ty\_2Enum\_2Enum)\ V3k)\ V5a)))))) \\
& V2i)\ V1a)\ V0t) = (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ ty\_2Enum\_2Enum) \\
& V1a)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum) \\
& (\lambda V6n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V2i)\ ( \\
& ap\ (ap\ c\_2Earithmetic\_2E\_2A\ (ap\ c\_2Esptree\_2Elrnext\ V2i))\ V6n)))) \\
& (ap\ (c\_2Esptree\_2Edomain\ A\_27a)\ V0t))))))))) \\
\end{aligned} \tag{23}$$

### Theorem 1

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in (ty\_2Esptree\_2Espt \\
& A\_27a). ((ap\ (c\_2Esptree\_2Edomain\ A\_27a)\ V0t) = (ap\ (ap\ (ap\ (ap\ ( \\
& c\_2Esptree\_2Efoldi\ (2^{ty\_2Enum\_2Enum})\ A\_27a)\ (\lambda V1k \in ty\_2Enum\_2Enum. \\
& (\lambda V2v \in A\_27a. (\lambda V3a \in (2^{ty\_2Enum\_2Enum}). (ap\ (ap\ (c\_2Epred\_set\_2EINSERT \\
& ty\_2Enum\_2Enum)\ V1k)\ V3a))))))\ c\_2Enum\_2E0)\ (c\_2Epred\_set\_2EEMPTY \\
& ty\_2Enum\_2Enum))\ V0t))) \\
\end{aligned}$$