

# thm\_2Esptree\_2Edomain\_list\_insert (TMYbXd69fERjnaSp1ZNurAd5kLtd8V3biTg)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})(ty\_2Elist\_2Elist A\_27a)) \quad (2)$$

**Definition 3** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 4** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (3)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (4)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2E$   
 Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b})}) \quad (5)$$

**Definition 9** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2E$

**Definition 10** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2. V0t))$ .

**Definition 11** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_23D\_23D\_23E V0t) c\_2Ebool\_2E\_2F$

**Definition 12** We define  $c\_2Emin\_2E\_240$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge P x) \text{ of type } \iota \Rightarrow \iota)$ .

**Definition 13** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap (c\_2E$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \quad (6)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum \\ A0 A1) \quad (7)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (8)$$

**Definition 14** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_2Esum\_2EABS\_sum$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (9)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in \\ ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (10)$$

**Definition 15** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption\_ABS$

Let  $ty\_2Esptree\_2Espt : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Esptree\_2Espt\ A0) \quad (11)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (12)$$

Let  $c\_2Esptree\_2Elookup : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esptree\_2Elookup\ A\_27a \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esptree\_2Espt\ A\_27a)})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 16** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

Let  $c\_2Esptree\_2Edomain : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esptree\_2Edomain\ A\_27a \in ((2^{ty\_2Enum\_2Enum})^{(ty\_2Esptree\_2Espt\ A\_27a)}) \quad (14)$$

**Definition 17** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone))\ (\lambda V0x \in ty\_2Eone\_2Eone$

Let  $c\_2Esptree\_2Einsert : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esptree\_2Einsert\ A\_27a \in (((ty\_2Esptree\_2Espt\ A\_27a)^{(ty\_2Esptree\_2Espt\ A\_27a)})^{A\_27a})^{ty\_2Enum\_2Enum} \quad (15)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (16)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (17)$$

Let  $c\_2Esptree\_2Elist\_insert : \iota$  be given. Assume the following.

$$c\_2Esptree\_2Elist\_insert \in (((ty\_2Esptree\_2Espt\ ty\_2Eone\_2Eone)^{(ty\_2Esptree\_2Espt\ ty\_2Eone\_2Eone)})^{(ty\_2Esptree\_2Espt\ ty\_2Eone\_2Eone)}) \quad (18)$$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (23)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). (((p\ V0P) \wedge (\forall V2x \in A\_27a.(p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x))))))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0b \in 2. (\forall V1f \in (A\_27b^{A\_27a}). (\forall V2g \in (A\_27b^{A\_27a}). (\forall V3x \in A\_27a. ((ap\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (A\_27b^{A\_27a})\ V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V0b)\ (ap\ V1f\ V3x))\ (ap\ V2g\ V3x)))))))))) \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in (A\_27b^{A\_27a}).(\forall V1b \in 2.(\forall V2x \in A\_27a. \\ (\forall V3y \in A\_27a.((ap\ V0f\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V1b)\ (ap\ V0f \\ V2x))\ (ap\ V0f\ V3y)))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}). \\ (((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ A\_27a).(p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a.(p\ (ap\ V0P\ (ap\ (ap\ ( \\ c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ A\_27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0x \in A\_27a.((p\ (ap\ (ap \\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a) \\ (c\_2Elist\_2ENIL\ A\_27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A\_27a.(\forall V2h \in \\ A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist\ A\_27a).(p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ A\_27a)\ V1x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\ A\_27a)\ V2h)\ V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ V1x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ V3t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ (2^{A\_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ A\_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\ A\_27a.(\forall V2s \in (2^{A\_27a}).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ V0x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ V1y) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (34)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (36)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (37)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in 2. (((p V0p) \Leftrightarrow (p (ap (ap (ap (c_2Ebool.2ECOND 2) V1q) V2r) V3s))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee (\neg(p V0p)))))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg(p V0p) \Rightarrow (p V1q)) \Rightarrow (p V0p)))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (50)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0k2 \in \text{ty\_2Enum\_2Enum}. \\ & \quad (\forall V1v \in A\_27a. (\forall V2t \in (\text{ty\_2Esptree\_2Espt } A\_27a). \\ & \quad (\forall V3k1 \in \text{ty\_2Enum\_2Enum}. ((\text{ap } (\text{ap } (\text{c\_2Esptree\_2Elookup} \\ & \quad A\_27a) V3k1) (\text{ap } (\text{ap } (\text{ap } (\text{c\_2Esptree\_2Einsert } A\_27a) V0k2) V1v) \\ & \quad V2t)) = (\text{ap } (\text{ap } (\text{ap } (\text{c\_2Ebool\_2ECOND } (\text{ty\_2Eoption\_2Eoption } A\_27a)) \\ & \quad (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } \text{ty\_2Enum\_2Enum}) V3k1) V0k2)) (\text{ap } (\text{c\_2Eoption\_2ESOME} \\ & \quad A\_27a) V1v)) (\text{ap } (\text{ap } (\text{c\_2Esptree\_2Elookup } A\_27a) V3k1) V2t))))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0t \in (\text{ty\_2Esptree\_2Espt} \\ & \quad A\_27a). (\forall V1k \in \text{ty\_2Enum\_2Enum}. ((p (\text{ap } (\text{ap } (\text{c\_2Ebool\_2EIN} \\ & \quad \text{ty\_2Enum\_2Enum}) V1k) (\text{ap } (\text{c\_2Esptree\_2Edomain } A\_27a) V0t)))) \Leftrightarrow \\ & \quad (\exists V2v \in A\_27a. ((\text{ap } (\text{ap } (\text{c\_2Esptree\_2Elookup } A\_27a) V1k) \\ & \quad V0t) = (\text{ap } (\text{c\_2Eoption\_2ESOME } A\_27a) V2v)))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in (\text{ty\_2Esptree\_2Espt } \text{ty\_2Eone\_2Eone}). ((\text{ap } (\text{ap } \text{c\_2Esptree\_2Elist\_insert} \\ & \quad (\text{c\_2Elist\_2ENIL } \text{ty\_2Enum\_2Enum})) V0t) = V0t)) \wedge (\forall V1n \in \text{ty\_2Enum\_2Enum}. \\ & \quad (\forall V2ns \in (\text{ty\_2Elist\_2Elist } \text{ty\_2Enum\_2Enum}). (\forall V3t \in \\ & \quad (\text{ty\_2Esptree\_2Espt } \text{ty\_2Eone\_2Eone}). ((\text{ap } (\text{ap } \text{c\_2Esptree\_2Elist\_insert} \\ & \quad (\text{ap } (\text{ap } (\text{c\_2Elist\_2ECONS } \text{ty\_2Enum\_2Enum}) V1n) V2ns)) V3t) = (\text{ap} \\ & \quad (\text{ap } \text{c\_2Esptree\_2Elist\_insert } V2ns) (\text{ap } (\text{ap } (\text{ap } (\text{c\_2Esptree\_2Einsert} \\ & \quad \text{ty\_2Eone\_2Eone}) V1n) \text{c\_2Eone\_2Eone}) V3t)))))) \end{aligned} \quad (53)$$

### Theorem 1

$$\begin{aligned} & (\forall V0xs \in (\text{ty\_2Elist\_2Elist } \text{ty\_2Enum\_2Enum}). (\forall V1x \in \\ & \quad \text{ty\_2Enum\_2Enum}. (\forall V2t \in (\text{ty\_2Esptree\_2Espt } \text{ty\_2Eone\_2Eone}). \\ & \quad ((p (\text{ap } (\text{ap } (\text{c\_2Ebool\_2EIN } \text{ty\_2Enum\_2Enum}) V1x) (\text{ap } (\text{c\_2Esptree\_2Edomain} \\ & \quad \text{ty\_2Eone\_2Eone}) (\text{ap } (\text{ap } \text{c\_2Esptree\_2Elist\_insert } V0xs) V2t)))) \Leftrightarrow \\ & \quad ((p (\text{ap } (\text{ap } (\text{c\_2Ebool\_2EIN } \text{ty\_2Enum\_2Enum}) V1x) (\text{ap } (\text{c\_2Elist\_2ELIST\_TO\_SET} \\ & \quad \text{ty\_2Enum\_2Enum}) V0xs))) \vee (p (\text{ap } (\text{ap } (\text{c\_2Ebool\_2EIN } \text{ty\_2Enum\_2Enum}) \\ & \quad V1x) (\text{ap } (\text{c\_2Esptree\_2Edomain } \text{ty\_2Eone\_2Eone}) V2t)))))) \end{aligned}$$