

thm_2Esptree_2Edomain_list_to_num_set
(TManYnaswmNgBtK7gfVaq5fDakgeu4M82Ws)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELIST_TO_SET A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (2)$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.V2t)))$

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.V2t)))$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Emin_2E_40 (2^{A_27a}))$

Let $ty_2Esptree_2Espt : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Esptree_2Espt A0) \quad (3)$$

Let $c_2Esptree_2EBS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Esptree_2EBS\ A_27a \in (((ty_2Esptree_2Espt\ A_27a)^{(ty_2Esptree_2Espt\ A_27a)})^{A_27a})^{(ty_2Esptree_2Espt\ A_27a)}) \quad (4)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (5)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (7)$$

Definition 11 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Definition 13 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 14 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 15 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 16 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 17 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (12)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b}})^{A_27a}) \quad (13)$$

Definition 18 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ x\ y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (14)$$

Definition 19 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b)^{A_27a}.\lambda V1s \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ f\ s)$

Definition 20 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27a)\ s\ t)$

Let $c_2Esptree_2EBN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Esptree_2EBN\ A_27a \in (((ty_2Esptree_2Espt\ A_27a)^{(ty_2Esptree_2Espt\ A_27a)})^{(ty_2Esptree_2Espt\ A_27a)}) \quad (15)$$

Definition 21 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27a)\ x\ s)$

Let $c_2Esptree_2ELS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Esptree_2ELS\ A_27a \in ((ty_2Esptree_2Espt\ A_27a)^{A_27a}) \quad (16)$$

Definition 22 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (17)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (18)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (19)$$

Definition 23 We define c_Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_Esum_2EABS$
Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (20)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (21)$$

Definition 24 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_ABS$
Let $c_2Esptree_2Elookup : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Esptree_2Elookup A_27a \in (((ty_2Eoption_2Eoption A_27a)^{(ty_2Esptree_2Espt A_27a)})^{ty_2Enum_2Enum}) \quad (22)$$

Definition 25 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E40$
Let $c_2Esptree_2Edomain : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Esptree_2Edomain A_27a \in ((2^{ty_2Enum_2Enum})^{(ty_2Esptree_2Espt A_27a)}) \quad (23)$$

Definition 26 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone$
Let $c_2Esptree_2Einsert : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Esptree_2Einsert A_27a \in (((ty_2Esptree_2Espt A_27a)^{(ty_2Esptree_2Espt A_27a)})^{A_27a})^{ty_2Enum_2Enum} \quad (24)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (25)$$

Let $c_2Esptree_2ELN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Esptree_2ELN A_27a \in (ty_2Esptree_2Espt A_27a) \quad (26)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (27)$$

Let $c_2Esptree_2Elist_to_num_set : \iota$ be given. Assume the following.

$$c_2Esptree_2Elist_to_num_set \in ((ty_2Esptree_2Espt ty_2Eone_2Eone)^{(ty_2Elist_2Elist ty_2Enum_2Enum)}) \quad (28)$$

Assume the following.

$$True \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (33)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (37)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p V0P) \wedge (\forall V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A_27a.((p V0P) \wedge (p (ap V1Q V3x))))))) \quad (38)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0b \in 2. (\forall V1f \in (A_27b^{A_27a}). (\forall V2g \in (A_27b^{A_27a}). \\
& \quad (\forall V3x \in A_27a. ((ap\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (A_27b^{A_27a})) \\
V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V0b)\ (ap \\
V1f\ V3x))\ (ap\ V2g\ V3x)))))) \\
& \hspace{15em} (39)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. \\
& \quad (\forall V3y \in A_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a) \\
V1b)\ V2x)\ V3y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27b)\ V1b)\ (ap\ V0f \\
V2x))\ (ap\ V0f\ V3y)))))) \\
& \hspace{15em} (40)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\
& \quad (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
A_27a). (p\ (ap\ V0P\ V1t))) \Rightarrow (\forall V2h \in A_27a. (p\ (ap\ V0P\ (ap\ (ap\ (\\
c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
A_27a). (p\ (ap\ V0P\ V3l)))) \\
& \hspace{15em} (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0x \in A_27a. ((p\ (ap\ (ap \\
(c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a) \\
(c_2Elist_2ENIL\ A_27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A_27a. (\forall V2h \in \\
A_27a. (\forall V3t \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
A_27a)\ V1x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS \\
A_27a)\ V2h)\ V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
V1x)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ V3t)))))) \\
& \hspace{15em} (42)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
(2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))) \\
& \hspace{15em} (43)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg (p\ (ap\ (ap \\
(c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a)))) \\
& \hspace{15em} (44)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in \\ & A.27a. (\forall V2s \in (2^{A.27a}). ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a) \\ & V0x)\ (ap\ (ap\ (c.2Epred_set.2EINSERT\ A.27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ & V1y) \vee (p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V0x)\ V2s)))))) \end{aligned} \quad (45)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (47)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \end{aligned} \quad (49)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (50)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\ & ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))) \end{aligned} \quad (53)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p)))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in 2. (((p V0p) \Leftrightarrow (p (ap (ap (ap (c.2Ebool.2ECOND 2) V1q) V2r) V3s))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee \neg(p V3s))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee \neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee \neg(p V3s))) \wedge (\neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee \neg(p V0p)))))))))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q)) \Rightarrow (p V0p))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q)) \Rightarrow \neg(p V1q)))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q)) \Rightarrow \neg(p V0p)))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q)) \Rightarrow \neg(p V1q)))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p V0p)) \Rightarrow (p V0p))) \quad (61)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0k2 \in ty.2Enum.2Enum. \\ & (\forall V1v \in A.27a. (\forall V2t \in (ty.2Esptree.2Espt A.27a). \\ & (\forall V3k1 \in ty.2Enum.2Enum. ((ap (ap (c.2Esptree.2Elookup \\ & A.27a) V3k1) (ap (ap (ap (c.2Esptree.2Einsert A.27a) V0k2) V1v) \\ & V2t)) = (ap (ap (ap (c.2Ebool.2ECOND (ty.2Eoption.2Eoption A.27a)) \\ & (ap (ap (c.2Emin.2E_3D ty.2Enum.2Enum) V3k1) V0k2)) (ap (c.2Eoption.2ESOME \\ & A.27a) V1v)) (ap (ap (c.2Esptree.2Elookup A.27a) V3k1) V2t)))))) \quad (62) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c.2Esptree.2Edomain\ A.27a) \\
& (c.2Esptree.2ELN\ A.27a)) = (c.2Epred_set.2EEMPTY\ ty.2Enum.2Enum)) \wedge \\
& ((\forall V0v0 \in A.27a.((ap\ (c.2Esptree.2Edomain\ A.27a)\ (ap\ (c.2Esptree.2ELS \\
& A.27a)\ V0v0)) = (ap\ (ap\ (c.2Epred_set.2EINSERT\ ty.2Enum.2Enum) \\
& c.2Enum.2E0)\ (c.2Epred_set.2EEMPTY\ ty.2Enum.2Enum)))) \wedge ((\\
& \forall V1t1 \in (ty.2Esptree.2Espt\ A.27a).(\forall V2t2 \in (ty.2Esptree.2Espt \\
& A.27a).((ap\ (c.2Esptree.2Edomain\ A.27a)\ (ap\ (ap\ (c.2Esptree.2EBN \\
& A.27a)\ V1t1)\ V2t2)) = (ap\ (ap\ (c.2Epred_set.2EUNION\ ty.2Enum.2Enum) \\
& (ap\ (ap\ (c.2Epred_set.2EIMAGE\ ty.2Enum.2Enum\ ty.2Enum.2Enum) \\
& (\lambda V3n \in ty.2Enum.2Enum.(ap\ (ap\ c.2Earithmetic.2E.2B\ (ap\ (ap \\
& c.2Earithmetic.2E.2A\ (ap\ c.2Earithmetic.2ENUMERAL\ (ap\ c.2Earithmetic.2EBIT2 \\
& c.2Earithmetic.2EZERO)))\ V3n))\ (ap\ c.2Earithmetic.2ENUMERAL \\
& (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO))))))\ (ap\ (c.2Esptree.2Edomain \\
& A.27a)\ V1t1)))\ (ap\ (ap\ (c.2Epred_set.2EIMAGE\ ty.2Enum.2Enum \\
& ty.2Enum.2Enum)\ (\lambda V4n \in ty.2Enum.2Enum.(ap\ (ap\ c.2Earithmetic.2E.2B \\
& (ap\ (ap\ c.2Earithmetic.2E.2A\ (ap\ c.2Earithmetic.2ENUMERAL\ (ap \\
& c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO)))\ V4n))\ (ap\ c.2Earithmetic.2ENUMERAL \\
& (ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO))))))\ (ap\ (c.2Esptree.2Edomain \\
& A.27a)\ V2t2)))))) \wedge (\forall V5t1 \in (ty.2Esptree.2Espt\ A.27a). \\
& (\forall V6v1 \in A.27a.(\forall V7t2 \in (ty.2Esptree.2Espt\ A.27a). \\
& ((ap\ (c.2Esptree.2Edomain\ A.27a)\ (ap\ (ap\ (ap\ (c.2Esptree.2EBS \\
& A.27a)\ V5t1)\ V6v1)\ V7t2)) = (ap\ (ap\ (c.2Epred_set.2EUNION\ ty.2Enum.2Enum) \\
& (ap\ (ap\ (c.2Epred_set.2EUNION\ ty.2Enum.2Enum)\ (ap\ (ap\ (c.2Epred_set.2EINSERT \\
& ty.2Enum.2Enum)\ c.2Enum.2E0)\ (c.2Epred_set.2EEMPTY\ ty.2Enum.2Enum)))) \\
& (ap\ (ap\ (c.2Epred_set.2EIMAGE\ ty.2Enum.2Enum\ ty.2Enum.2Enum) \\
& (\lambda V8n \in ty.2Enum.2Enum.(ap\ (ap\ c.2Earithmetic.2E.2B\ (ap\ (ap \\
& c.2Earithmetic.2E.2A\ (ap\ c.2Earithmetic.2ENUMERAL\ (ap\ c.2Earithmetic.2EBIT2 \\
& c.2Earithmetic.2EZERO)))\ V8n))\ (ap\ c.2Earithmetic.2ENUMERAL \\
& (ap\ c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO))))))\ (ap\ (c.2Esptree.2Edomain \\
& A.27a)\ V5t1)))\ (ap\ (ap\ (c.2Epred_set.2EIMAGE\ ty.2Enum.2Enum \\
& ty.2Enum.2Enum)\ (\lambda V9n \in ty.2Enum.2Enum.(ap\ (ap\ c.2Earithmetic.2E.2B \\
& (ap\ (ap\ c.2Earithmetic.2E.2A\ (ap\ c.2Earithmetic.2ENUMERAL\ (ap \\
& c.2Earithmetic.2EBIT2\ c.2Earithmetic.2EZERO)))\ V9n))\ (ap\ c.2Earithmetic.2ENUMERAL \\
& (ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO))))))\ (ap\ (c.2Esptree.2Edomain \\
& A.27a)\ V7t2)))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0t \in (ty.2Esptree.2Espt \\
& A.27a).(\forall V1k \in ty.2Enum.2Enum.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& ty.2Enum.2Enum)\ V1k)\ (ap\ (c.2Esptree.2Edomain\ A.27a)\ V0t))) \Leftrightarrow \\
& (\exists V2v \in A.27a.((ap\ (ap\ (c.2Esptree.2Elookup\ A.27a)\ V1k) \\
& V0t) = (ap\ (c.2Eoption.2ESOME\ A.27a)\ V2v))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (((ap\ c_2Esptree_2Elist_to_num_set\ (c_2Elist_2ENIL\ ty_2Enum_2Enum)) = \\
& \quad (c_2Esptree_2ELN\ ty_2Eone_2Eone)) \wedge (\forall V0n \in ty_2Enum_2Enum. \\
& (\forall V1ns \in (ty_2Elist_2Elist\ ty_2Enum_2Enum). ((ap\ c_2Esptree_2Elist_to_num_set \\
& \quad (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Enum_2Enum)\ V0n)\ V1ns)) = (ap\ (ap\ (\\
& \quad \quad ap\ (c_2Esptree_2Einsert\ ty_2Eone_2Eone)\ V0n)\ c_2Eone_2Eone) \\
& \quad \quad (ap\ c_2Esptree_2Elist_to_num_set\ V1ns))))))
\end{aligned} \tag{65}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Enum_2Enum. (\forall V1xs \in (ty_2Elist_2Elist \\
& \quad ty_2Enum_2Enum). (p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Enum_2Enum)\ V0x) \\
& \quad (ap\ (c_2Esptree_2Edomain\ ty_2Eone_2Eone)\ (ap\ c_2Esptree_2Elist_to_num_set \\
& \quad V1xs)))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Enum_2Enum)\ V0x)\ (ap\ (c_2Elist_2ELIST_TO_SET \\
& \quad ty_2Enum_2Enum)\ V1xs))))))
\end{aligned}$$