

thm\_2Esptree\_2Edomain\_\_sing  
(TMHnBDUSvr4anSRj6jR3jEh5hRQPak4bFXk)

October 26, 2020

Let  $ty\_2Esptree\_2Espt : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Esptree\_2Espt\ A0) \quad (1)$$

Let  $c\_2Esptree\_2EBS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esptree\_2EBS\ A\_27a \in (((ty\_2Esptree\_2Espt\ A\_27a)^{(ty\_2Esptree\_2Espt\ A\_27a)})_{A\_27a})_{(ty\_2Esptree\_2Espt\ A\_27a)} \quad (2)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (3)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (5)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o\ (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (7)$$

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c\_Emin\_2E\_3D (2^{A-27a})))$

**Definition 5** We define  $c\_Eenum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap c\_Eenum\_2EABS\_num ($

Let  $c\_Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 6** We define  $c\_Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_Earithmetic\_2E\_2B$

**Definition 7** We define  $c\_Earithmetic\_2EZERO$  to be  $c\_Eenum\_2E0$ .

**Definition 8** We define  $c\_Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap (ap c\_Earithmetic\_2E\_2B$

**Definition 9** We define  $c\_Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

**Definition 10** We define  $c\_Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A-27a}). (ap V1f V0x)))$

**Definition 11** We define  $c\_Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow Q)$  of type  $\iota$ .

**Definition 12** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_Ebool\_2E\_21 2) (\lambda V2t \in 2. (ap (c\_Ebool\_2E\_21 2) V2t))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A-27b})^{A-27a}}) \quad (11)$$

**Definition 13** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Epair\_2EABS\_prod A\_27a A\_27b) (ap (c\_2Epair\_2EABS\_prod A\_27a A\_27b) V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A-27a})^{((ty\_2Epair\_2Eprod A\_27a 2)^{A-27b})}) \quad (12)$$

**Definition 14** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A-27a}). \lambda V1s \in A\_27b. (ap (c\_2Epair\_2EABS\_prod A\_27a A\_27b) (ap (c\_2Epair\_2EABS\_prod A\_27a A\_27b) V1s))$

**Definition 15** We define  $c\_Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_Ebool\_2E\_21 2) (\lambda V2t \in 2. (ap (c\_Ebool\_2E\_21 2) V2t))))$

**Definition 16** We define  $c\_2\text{Epred\_set\_2EUNION}$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c$

Let  $c\_2\text{Esptree\_2EBN} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2EBN } A\_27a \in (((ty\_2\text{Esptree\_2Espt } A\_27a)^{(ty\_2\text{Esptree\_2Espt } A\_27a)})^{(ty\_2\text{Esptree\_2Espt } A\_27a)})^{(ty\_2\text{Esptree\_2Espt } A\_27a)} \quad (13)$$

Let  $c\_2\text{Esptree\_2ELS} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2ELS } A\_27a \in ((ty\_2\text{Esptree\_2Espt } A\_27a)^{A\_27a})^{A\_27a} \quad (14)$$

**Definition 17** We define  $c\_2\text{Ebool\_2EF}$  to be  $(ap (c\_2\text{Ebool\_2E.21 } 2) (\lambda V0t \in 2.V0t))$ .

**Definition 18** We define  $c\_2\text{Epred\_set\_2EEMPTY}$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2\text{Ebool\_2EF})$ .

Let  $c\_2\text{Esptree\_2ELN} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2ELN } A\_27a \in (ty\_2\text{Esptree\_2Espt } A\_27a)^{A\_27a} \quad (15)$$

**Definition 19** We define  $c\_2\text{Epred\_set\_2EINSERT}$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c$

Let  $c\_2\text{Esptree\_2Einsert} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2Einsert } A\_27a \in (((ty\_2\text{Esptree\_2Espt } A\_27a)^{(ty\_2\text{Esptree\_2Espt } A\_27a)})^{A\_27a})^{ty\_2\text{Enum\_2Enum}} \quad (16)$$

Let  $c\_2\text{Esptree\_2Edomain} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2Edomain } A\_27a \in ((2^{ty\_2\text{Enum\_2Enum}})^{(ty\_2\text{Esptree\_2Espt } A\_27a)})^{A\_27a} \quad (17)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (((\text{ap } (c_{.2Esptree\_2Edomain } A_{.27a}) \\
& (c_{.2Esptree\_2ELN } A_{.27a})) = (c_{.2Epred\_set\_2EEMPTY } ty_{.2Enum\_2Enum})) \wedge \\
& ((\forall V0v0 \in A_{.27a}. ((\text{ap } (c_{.2Esptree\_2Edomain } A_{.27a}) (\text{ap } (c_{.2Esptree\_2ELS} \\
& A_{.27a}) V0v0)) = (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EINSERT } ty_{.2Enum\_2Enum}) \\
& c_{.2Enum\_2E0}) (c_{.2Epred\_set\_2EEMPTY } ty_{.2Enum\_2Enum})))) \wedge (( \\
& \forall V1t1 \in (ty_{.2Esptree\_2Espt } A_{.27a}). (\forall V2t2 \in (ty_{.2Esptree\_2Espt} \\
& A_{.27a}). ((\text{ap } (c_{.2Esptree\_2Edomain } A_{.27a}) (\text{ap } (\text{ap } (c_{.2Esptree\_2EBN} \\
& A_{.27a}) V1t1) V2t2)) = (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EUNION } ty_{.2Enum\_2Enum}) \\
& (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EIMAGE } ty_{.2Enum\_2Enum } ty_{.2Enum\_2Enum}) \\
& (\lambda V3n \in ty_{.2Enum\_2Enum}. (\text{ap } (\text{ap } c_{.2Earithmetic\_2E\_2B} (\text{ap } (\text{ap} \\
& c_{.2Earithmetic\_2E\_2A} (\text{ap } c_{.2Earithmetic\_2ENUMERAL} (\text{ap } c_{.2Earithmetic\_2EBIT2} \\
& c_{.2Earithmetic\_2EZERO})))) V3n)) (\text{ap } c_{.2Earithmetic\_2ENUMERAL} \\
& (\text{ap } c_{.2Earithmetic\_2EBIT2} c_{.2Earithmetic\_2EZERO})))))) (\text{ap } (c_{.2Esptree\_2Edomain} \\
& A_{.27a}) V1t1))) (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EIMAGE } ty_{.2Enum\_2Enum} \\
& ty_{.2Enum\_2Enum}) (\lambda V4n \in ty_{.2Enum\_2Enum}. (\text{ap } (\text{ap } c_{.2Earithmetic\_2E\_2B} \\
& (\text{ap } (\text{ap } c_{.2Earithmetic\_2E\_2A} (\text{ap } c_{.2Earithmetic\_2ENUMERAL} (\text{ap} \\
& c_{.2Earithmetic\_2EBIT2} c_{.2Earithmetic\_2EZERO})))) V4n)) (\text{ap } c_{.2Earithmetic\_2ENUMERAL} \\
& (\text{ap } c_{.2Earithmetic\_2EBIT1} c_{.2Earithmetic\_2EZERO})))))) (\text{ap } (c_{.2Esptree\_2Edomain} \\
& A_{.27a}) V2t2)))))) \wedge (\forall V5t1 \in (ty_{.2Esptree\_2Espt } A_{.27a}). \\
& (\forall V6v1 \in A_{.27a}. (\forall V7t2 \in (ty_{.2Esptree\_2Espt } A_{.27a}). \\
& ((\text{ap } (c_{.2Esptree\_2Edomain } A_{.27a}) (\text{ap } (\text{ap } (\text{ap } (c_{.2Esptree\_2EBS} \\
& A_{.27a}) V5t1) V6v1) V7t2)) = (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EUNION } ty_{.2Enum\_2Enum}) \\
& (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EUNION } ty_{.2Enum\_2Enum}) (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EINSERT} \\
& ty_{.2Enum\_2Enum}) c_{.2Enum\_2E0}) (c_{.2Epred\_set\_2EEMPTY } ty_{.2Enum\_2Enum})))) \\
& (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EIMAGE } ty_{.2Enum\_2Enum } ty_{.2Enum\_2Enum}) \\
& (\lambda V8n \in ty_{.2Enum\_2Enum}. (\text{ap } (\text{ap } c_{.2Earithmetic\_2E\_2B} (\text{ap } (\text{ap} \\
& c_{.2Earithmetic\_2E\_2A} (\text{ap } c_{.2Earithmetic\_2ENUMERAL} (\text{ap } c_{.2Earithmetic\_2EBIT2} \\
& c_{.2Earithmetic\_2EZERO})))) V8n)) (\text{ap } c_{.2Earithmetic\_2ENUMERAL} \\
& (\text{ap } c_{.2Earithmetic\_2EBIT2} c_{.2Earithmetic\_2EZERO})))))) (\text{ap } (c_{.2Esptree\_2Edomain} \\
& A_{.27a}) V5t1))) (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EIMAGE } ty_{.2Enum\_2Enum} \\
& ty_{.2Enum\_2Enum}) (\lambda V9n \in ty_{.2Enum\_2Enum}. (\text{ap } (\text{ap } c_{.2Earithmetic\_2E\_2B} \\
& (\text{ap } (\text{ap } c_{.2Earithmetic\_2E\_2A} (\text{ap } c_{.2Earithmetic\_2ENUMERAL} (\text{ap} \\
& c_{.2Earithmetic\_2EBIT2} c_{.2Earithmetic\_2EZERO})))) V9n)) (\text{ap } c_{.2Earithmetic\_2ENUMERAL} \\
& (\text{ap } c_{.2Earithmetic\_2EBIT1} c_{.2Earithmetic\_2EZERO})))))) (\text{ap } (c_{.2Esptree\_2Edomain} \\
& A_{.27a}) V7t2)))))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0k \in ty_{.2Enum\_2Enum}. ( \\
& \forall V1v \in A_{.27a}. (\forall V2t \in (ty_{.2Esptree\_2Espt } A_{.27a}). ( \\
& (\text{ap } (c_{.2Esptree\_2Edomain } A_{.27a}) (\text{ap } (\text{ap } (\text{ap } (c_{.2Esptree\_2Einsert} \\
& A_{.27a}) V0k) V1v) V2t)) = (\text{ap } (\text{ap } (c_{.2Epred\_set\_2EINSERT } ty_{.2Enum\_2Enum}) \\
& V0k) (\text{ap } (c_{.2Esptree\_2Edomain } A_{.27a}) V2t))))))
\end{aligned} \tag{19}$$

**Theorem 1**

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0k \in \text{ty\_2Enum\_2Enum}. ( \\ \forall V1v \in A_{27a}. ((\text{ap } (c\_2Esptree\_2Edomain } A_{27a}) (\text{ap } (\text{ap } (\text{ap } \\ (c\_2Esptree\_2Einsert } A_{27a}) V0k) V1v) (c\_2Esptree\_2ELN } A_{27a}))) = \\ (\text{ap } (\text{ap } (c\_2Epred\_set\_2EINSERT } \text{ty\_2Enum\_2Enum}) V0k) (c\_2Epred\_set\_2EMPTY \\ \text{ty\_2Enum\_2Enum})))))) \end{aligned}$$