

thm_2Esptree_2Elookup__fromAList__toAList
(TMWRJMPoZzqovi6mk5sfP5PaL7oG12X4wP6)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{3}$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ENIL\ A.27a \in (ty_2Elist_2Elist\ A.27a) \tag{4}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{6}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 7 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2E$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (8)$$

Let $ty_2Esptree_2Espt : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Esptree_2Espt A0) \quad (9)$$

Let $c_2Esptree_2Efoldi : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Esptree_2Efoldi A_27a A_27b \in (((A_27a^{(ty_2Esptree_2Espt A_27b)})^{A_27a})^{ty_2Enum_2Enum})^{((A_27a^{A_27a})^{A_27b})^{ty_2Enum_2Enum}} \quad (10)$$

Definition 8 We define $c_2Esptree_2EtoAlist$ to be $\lambda A_27a : \iota. (ap (ap (ap (c_2Esptree_2Efoldi (ty_2Elist$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (11)$$

Let $c_2Ealist_2EALOOKUP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Ealist_2EALOOKUP A_27a A_27b \in (((ty_2Eoption_2Eoption A_27a)^{A_27b})^{ty_2Elist_2Elist (ty_2Epair_2Eprod A_27b A_27a)}) \quad (12)$$

Let $c_2Esptree_2Einsert : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Esptree_2Einsert A_27a \in (((ty_2Esptree_2Espt A_27a)^{(ty_2Esptree_2Espt A_27a)})^{A_27a})^{ty_2Enum_2Enum} \quad (13)$$

Definition 9 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Definition 10 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 11 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (14)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (15)$$

Definition 12 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0p \in (ty_2Epair_2Eprod\ A_27a\ A_27b)$.

Let $c_2Esptree_2ELN : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Esptree_2ELN\ A_27a \in (ty_2Esptree_2Espt \\ A_27a) \end{aligned} \quad (16)$$

Let $c_2Elist_2Elist_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2Elist_CASE \\ A_27a\ A_27b \in (((A_27b^{(A_27b^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}})^{A_27b})^{(ty_2Elist_2Elist\ A_27a)}) \end{aligned} \quad (17)$$

Definition 13 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E.21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 14 We define $c_2Ebool_2E.7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E.3D.3D.3E\ V0t)\ c_2Ebool_2E.7E))$.

Definition 15 We define $c_2Emin_2E.40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** $(the\ (\lambda x.x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 16 We define $c_2Ebool_2E.3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E.40\ A_27a)\ V0P)))$.

Definition 17 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}).(ap\ (c_2Ebool_2E.21\ A_27a)\ V0R)$.

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \quad (18)$$

Definition 18 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (c_2Ebool_2EARB\ V1t1\ V2t2))))$.

Definition 19 We define $c_2Erelation_2ERESTRICT$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1a \in A_27a. \lambda V2b \in A_27b. (c_2Ebool_2EARB\ V1a\ V2b)$.

Definition 20 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a. \lambda V2b \in A_27b. (c_2Erelation_2ERESTRICT\ A_27a\ A_27b\ V0R\ V1a\ V2b)$.

Definition 21 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in A_27a. \lambda V2M \in A_27b. (c_2Erelation_2ETC\ A_27a\ A_27b\ V0R\ V1M\ V2M)$.

Definition 22 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in A_27a. \lambda V2M \in A_27b. (c_2Erelation_2Eapprox\ A_27a\ A_27b\ V0R\ V1M\ V2M)$.

Definition 23 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M$

Definition 24 We define $c_2Esptree_2EfromAList$ to be $\lambda A_27a : \iota. (ap (ap (c_2Erelation_2EWFREC (ty_2Elist_2EfromAList A_27a) V0R) V1M))$

Let $c_2Esptree_2Elookup : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Esptree_2Elookup A_27a \in (((ty_2Eoption_2Eoption A_27a)^{(ty_2Esptree_2Espt A_27a)})^{ty_2Enum_2Enum}) \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (21)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in (ty_2Esptree_2Espt A_27a). (\forall V1x \in ty_2Enum_2Enum. ((ap (ap (c_2Ealist_2EALOOKUP A_27a ty_2Enum_2Enum) (ap (c_2Esptree_2EtoAList A_27a) V0t)) V1x) = (ap (ap (c_2Esptree_2Elookup A_27a) V1x) V0t)))))) \quad (23)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0ls \in (ty_2Elist_2Elist (ty_2Epair_2Eprod ty_2Enum_2Enum A_27a)). (\forall V1x \in ty_2Enum_2Enum. ((ap (ap (c_2Esptree_2Elookup A_27a) V1x) (ap (c_2Esptree_2EfromAList A_27a) V0ls)) = (ap (ap (c_2Ealist_2EALOOKUP A_27a ty_2Enum_2Enum) V0ls) V1x)))))) \quad (24)$$

Theorem 1

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in (ty_2Esptree_2Espt A_27a). (\forall V1x \in ty_2Enum_2Enum. ((ap (ap (c_2Esptree_2Elookup A_27a) V1x) (ap (c_2Esptree_2EfromAList A_27a) (ap (c_2Esptree_2EtoAList A_27a) V0t))) = (ap (ap (c_2Esptree_2Elookup A_27a) V1x) V0t))))))$$