

# thm\_2Esptree\_2Elookup\_\_map1 (TMbLbhMobzpfH6y9SuFoayEFtjoXh3Y4UQ)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_2T` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}).(ap (ap (c_2Emin_2E_3D (2^{A_{27a}}))$

**Definition 5** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

**Definition 6** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define `c_2Ebool_2E_3F` to be  $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}).(ap V0P (ap (c_2Emin_2E_40 A_{27a} P))$

Let `ty_2Eoption_2Eoption` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (1)$$

Let `c_2Eoption_2EOPTION__MAP` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow c\_2Eoption\_2EOPTION\_MAP A_{27a} A_{27b} \in (((ty\_2Eoption\_2Eoption A_{27b})^{(ty\_2Eoption\_2Eoption A_{27a})})^{(A_{27b}^{A_{27a}})}) \quad (2)$$

**Definition 8** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let `c_2Enum_2EZERO__REP` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (3)$$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (4)$$

Let `c_2Enum_2EABS__num` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (5)$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Esptree\_2Espt : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Esptree\_2Espt\ A0) \quad (6)$$

Let  $c\_2Esptree\_2Emapi0 : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esptree\_2Emapi0\ A\_27a\ A\_27b \in (((ty\_2Esptree\_2Espt\ A\_27a)^{(ty\_2Esptree\_2Espt\ A\_27b)})^{ty\_2Enum\_2Enum})^{((A\_27a^{A\_27b})^{ty\_2Enum\_2Enum})} \quad (7)$$

**Definition 10** We define  $c\_2Esptree\_2Emapi$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in ((A\_27a^{A\_27b})^{ty\_2Enum\_2Enum})$

Let  $c\_2Esptree\_2Espt\_acc : \iota$  be given. Assume the following.

$$c\_2Esptree\_2Espt\_acc \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (8)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (9)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (10)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (11)$$

**Definition 11** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (12)$$

**Definition 12** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0x)$

**Definition 13** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone.\ V0x))$

**Definition 14** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 15** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ (c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E)\ V0t))$

**Definition 16** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

**Definition 17** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) ($

Let  $c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Eoption\_2Eoption\_CASE A\_27a A\_27b \in (((A\_27b^{(A\_27b^{A\_27a})})^{A\_27b})^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (13)$$

Let  $c\_2Esptree\_2Elookup : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Esptree\_2Elookup A\_27a \in (((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esptree\_2Espt A\_27a)})^{ty\_2Enum\_2Enum}) \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1a \in A\_27a.((\exists V2x \in A\_27a.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption A\_27a).((V0opt = (c\_2Eoption\_2ENONE A\_27a)) \vee (\exists V1x \in A\_27a.(V0opt = (ap (c\_2Eoption\_2ESOME A\_27a) V1x)))))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ((\forall V0v \in A\_27b.(\forall V1f \in (A\_27b^{A\_27a}).((ap (ap (ap (c\_2Eoption\_2Eoption\_CASE A\_27a A\_27b) (c\_2Eoption\_2ENONE A\_27a)) V0v) V1f) = V0v))) \wedge (\forall V2x \in A\_27a.(\forall V3v \in A\_27b.(\forall V4f \in (A\_27b^{A\_27a}).((ap (ap (ap (c\_2Eoption\_2Eoption\_CASE A\_27a A\_27b) (ap (c\_2Eoption\_2ESOME A\_27a) V2x)) V3v) V4f) = (ap V4f V2x))))))) \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ & A\_27a. (((ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V0x) = (ap\ (c\_2Eoption\_2ESOME \\ & A\_27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0f \in (A\_27b^{A\_27a}). (\forall V1x \in (ty\_2Eoption\_2Eoption \\ & A\_27a). (\forall V2y \in A\_27b. (((ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\ & A\_27a\ A\_27b)\ V0f)\ V1x) = (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V2y)) \Leftrightarrow (\exists V3z \in \\ & A\_27a. ((V1x = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V3z)) \wedge (V2y = (ap\ V0f \\ & V3z)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0f \in (A\_27a^{A\_27b}). (\forall V1x \in (ty\_2Eoption\_2Eoption \\ & A\_27b). (((ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP\ A\_27b\ A\_27a)\ V0f) \\ & V1x) = (c\_2Eoption\_2ENONE\ A\_27a)) \Leftrightarrow (V1x = (c\_2Eoption\_2ENONE\ A\_27b))) \wedge \\ & (((c\_2Eoption\_2ENONE\ A\_27a) = (ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\ & A\_27b\ A\_27a)\ V0f)\ V1x)) \Leftrightarrow (V1x = (c\_2Eoption\_2ENONE\ A\_27b)))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0k \in ty\_2Enum\_2Enum. ((ap\ (ap\ c\_2Esptree\_2Espt\_acc\ c\_2Enum\_2E0)\ V0k) = V0k)) \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0f \in ((A\_27b^{A\_27a})^{ty\_2Enum\_2Enum}). (\forall V1pt \in (ty\_2Esptree\_2Espt \\ & A\_27a). (\forall V2i \in ty\_2Enum\_2Enum. (\forall V3k \in ty\_2Enum\_2Enum. \\ & ((ap\ (ap\ (c\_2Esptree\_2Elookup\ A\_27b)\ V3k)\ (ap\ (ap\ (ap\ (c\_2Esptree\_2Emapi0 \\ & A\_27b\ A\_27a)\ V0f)\ V2i)\ V1pt)) = (ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE \\ & A\_27a\ (ty\_2Eoption\_2Eoption\ A\_27b))\ (ap\ (ap\ (c\_2Esptree\_2Elookup \\ & A\_27a)\ V3k)\ V1pt))\ (c\_2Eoption\_2ENONE\ A\_27b))\ (\lambda V4v \in A\_27a. \\ & (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ (ap\ (ap\ V0f\ (ap\ (ap\ c\_2Esptree\_2Espt\_acc \\ & V2i)\ V3k))\ V4v)))))) \end{aligned} \quad (26)$$

### Theorem 1

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0k \in ty\_2Enum\_2Enum. (\forall V1f \in ((A\_27a^{A\_27b})^{ty\_2Enum\_2Enum}). \\ & (\forall V2pt \in (ty\_2Esptree\_2Espt\ A\_27b). ((ap\ (ap\ (c\_2Esptree\_2Elookup \\ & A\_27a)\ V0k)\ (ap\ (ap\ (c\_2Esptree\_2Emapi\ A\_27a\ A\_27b)\ V1f)\ V2pt)) = \\ & (ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP\ A\_27b\ A\_27a)\ (ap\ V1f\ V0k))\ (ap \\ & (ap\ (c\_2Esptree\_2Elookup\ A\_27b)\ V0k)\ V2pt)))) \end{aligned}$$