

thm\_2Esptree\_2Esptspt\_\_LN  
(TMNBHJFLUY1fJpurpSBJpRytibNbBD157xX)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $ty\_2Esptree\_2Espt : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Esptree\_2Espt A0) \quad (1)$$

Let  $c\_2Esptree\_2EBS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Esptree\_2EBS A\_27a \in (((ty\_2Esptree\_2Espt A\_27a)^{(ty\_2Esptree\_2Espt A\_27a)})^{A\_27a})^{(ty\_2Esptree\_2Espt A\_27a)} \quad (2)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (3)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (5)$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (7)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic\_2E\_2B))$

**Definition 10** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 11** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic\_2E\_2B))$

**Definition 12** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

**Definition 13** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ V2t\ V0t1))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (11)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (12)$$

**Definition 16** We define  $c\_2\text{Epred\_set\_2EIMAGE}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 17** We define  $c\_2\text{Ebool\_2E\_5C\_2F}$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2\text{Ebool\_2E\_21 } 2) (\lambda V2t \in$

**Definition 18** We define  $c\_2\text{Epred\_set\_2EUNION}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2$

Let  $c\_2\text{Esptree\_2EBN} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2EBN } A\_27a \in (((ty\_2\text{Esptree\_2Espt } A\_27a)^{(ty\_2\text{Esptree\_2Espt } A\_27a)})^{(ty\_2\text{Esptree\_2Espt } A\_27a)}) \quad (13)$$

**Definition 19** We define  $c\_2\text{Epred\_set\_2EINSERT}$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2$

Let  $c\_2\text{Esptree\_2ELS} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2ELS } A\_27a \in ((ty\_2\text{Esptree\_2Espt } A\_27a)^{A\_27a}) \quad (14)$$

**Definition 20** We define  $c\_2\text{Epred\_set\_2EEMPTY}$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2\text{Ebool\_2EF}).$

Let  $c\_2\text{Esptree\_2ELN} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2ELN } A\_27a \in (ty\_2\text{Esptree\_2Espt } A\_27a) \quad (15)$$

Let  $ty\_2\text{Eoption\_2Eoption} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty\_2\text{Eoption\_2Eoption } A0) \quad (16)$$

Let  $c\_2\text{Esptree\_2Elookup} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2Elookup } A\_27a \in (((ty\_2\text{Eoption\_2Eoption } A\_27a)^{(ty\_2\text{Esptree\_2Espt } A\_27a)})^{ty\_2\text{Enum\_2Enum}}) \quad (17)$$

Let  $c\_2\text{Esptree\_2Edomain} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2Edomain } A\_27a \in ((2^{ty\_2\text{Enum\_2Enum}})^{(ty\_2\text{Esptree\_2Espt } A\_27a)}) \quad (18)$$

Let  $c\_2\text{Esptree\_2Esubspt} : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2\text{Esptree\_2Esubspt } A\_27a \in ((2^{(ty\_2\text{Esptree\_2Espt } A\_27a)})^{(ty\_2\text{Esptree\_2Espt } A\_27a)}) \quad (19)$$

Assume the following.

$$\text{True} \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & (p V0t)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ & (2^{A\_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a.((p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2x) V1t)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\neg(p (ap (ap (c\_2Ebool\_2EIN A\_27a) V0x) (c\_2Epred\_set\_2EEMPTY A\_27a)))))) \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (((ap (c\_2Esptree\_2Edomain A\_27a) \\ & (c\_2Esptree\_2ELN A\_27a)) = (c\_2Epred\_set\_2EEMPTY ty\_2Enum\_2Enum)) \wedge \\ & ((\forall V0v0 \in A\_27a. ((ap (c\_2Esptree\_2Edomain A\_27a) (ap (c\_2Esptree\_2ELS \\ & A\_27a) V0v0)) = (ap (ap (c\_2Epred\_set\_2EINSERT ty\_2Enum\_2Enum) \\ & c\_2Enum\_2E0) (c\_2Epred\_set\_2EEMPTY ty\_2Enum\_2Enum)))))) \wedge (( \\ & \forall V1t1 \in (ty\_2Esptree\_2Espt A\_27a). (\forall V2t2 \in (ty\_2Esptree\_2Espt \\ & A\_27a). ((ap (c\_2Esptree\_2Edomain A\_27a) (ap (ap (c\_2Esptree\_2EBN \\ & A\_27a) V1t1) V2t2)) = (ap (ap (c\_2Epred\_set\_2EUNION ty\_2Enum\_2Enum) \\ & (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Enum\_2Enum ty\_2Enum\_2Enum) \\ & (\lambda V3n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B (ap (ap \\ & c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 \\ & c\_2Earithmetic\_2EZERO))) V3n)) (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO)))))) (ap (c\_2Esptree\_2Edomain \\ & A\_27a) V1t1))) (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Enum\_2Enum \\ & ty\_2Enum\_2Enum) (\lambda V4n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL (ap \\ & c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) V4n)) (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) (ap (c\_2Esptree\_2Edomain \\ & A\_27a) V2t2)))))) \wedge (\forall V5t1 \in (ty\_2Esptree\_2Espt A\_27a). \\ & (\forall V6v1 \in A\_27a. (\forall V7t2 \in (ty\_2Esptree\_2Espt A\_27a). \\ & ((ap (c\_2Esptree\_2Edomain A\_27a) (ap (ap (ap (c\_2Esptree\_2EBS \\ & A\_27a) V5t1) V6v1) V7t2)) = (ap (ap (c\_2Epred\_set\_2EUNION ty\_2Enum\_2Enum) \\ & (ap (ap (c\_2Epred\_set\_2EUNION ty\_2Enum\_2Enum) (ap (ap (c\_2Epred\_set\_2EINSERT \\ & ty\_2Enum\_2Enum) c\_2Enum\_2E0) (c\_2Epred\_set\_2EEMPTY ty\_2Enum\_2Enum)))) \\ & (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Enum\_2Enum ty\_2Enum\_2Enum) \\ & (\lambda V8n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B (ap (ap \\ & c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT2 \\ & c\_2Earithmetic\_2EZERO))) V8n)) (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO)))))) (ap (c\_2Esptree\_2Edomain \\ & A\_27a) V5t1)))) (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Enum\_2Enum \\ & ty\_2Enum\_2Enum) (\lambda V9n \in ty\_2Enum\_2Enum. (ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL (ap \\ & c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) V9n)) (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) (ap (c\_2Esptree\_2Edomain \\ & A\_27a) V7t2))))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0sp1 \in (ty\_2Esptree\_2Espt \\
& \quad A\_27a). (\forall V1sp2 \in (ty\_2Esptree\_2Espt\ A\_27a). ((p\ (ap\ (ap \\
& \quad (c\_2Esptree\_2Esptspt\ A\_27a)\ V0sp1)\ V1sp2)) \Leftrightarrow (\forall V2k \in ty\_2Enum\_2Enum. \\
& \quad ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ ty\_2Enum\_2Enum)\ V2k)\ (ap\ (c\_2Esptree\_2Edomain \\
& \quad A\_27a)\ V0sp1))) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ ty\_2Enum\_2Enum)\ V2k) \\
& \quad (ap\ (c\_2Esptree\_2Edomain\ A\_27a)\ V1sp2))) \wedge ((ap\ (ap\ (c\_2Esptree\_2Elookup \\
& \quad A\_27a)\ V2k)\ V1sp2) = (ap\ (ap\ (c\_2Esptree\_2Elookup\ A\_27a)\ V2k)\ V0sp1))))))))) \\
& \hspace{15em} (34)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0sp \in (ty\_2Esptree\_2Espt \\
& \quad A\_27a). (((p\ (ap\ (ap\ (c\_2Esptree\_2Esptspt\ A\_27a)\ (c\_2Esptree\_2ELN \\
& \quad A\_27a)\ V0sp)) \Leftrightarrow True) \wedge ((p\ (ap\ (ap\ (c\_2Esptree\_2Esptspt\ A\_27a) \\
& \quad V0sp)\ (c\_2Esptree\_2ELN\ A\_27a))) \Leftrightarrow ((ap\ (c\_2Esptree\_2Edomain\ A\_27a) \\
& \quad V0sp) = (c\_2Epred\_set\_2EEMPTY\ ty\_2Enum\_2Enum))))))
\end{aligned}$$