

thm_2Estring_2EORD__CHR__RWT
(TMcKUdPsCynzV6jDBMxec74iobK1E46hYj7)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p (ap P x))$) of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P \in 2^A.(ap V0P (ap (c_2Emin_2E_40 A P)))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in 2^A.(ap (ap (c_2Emin_2E_3D (2^A-27a)) P) P)$

Definition 6 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_EF))$

Let $ty_2Estring_2Echar : \iota$ be given. Assume the following.

$$nonempty\ ty_2Estring_2Echar \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Estring_2ECHR : \iota$ be given. Assume the following.

$$c_2Estring_2ECHR \in (ty_2Estring_2Echar^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_Estring_EORD : \iota$ be given. Assume the following.

$$c_Estring_EORD \in (ty_Enum_Enum^{ty_Estring_Echar}) \quad (4)$$

Let $c_Enum_EZERO_REP : \iota$ be given. Assume the following.

$$c_Enum_EZERO_REP \in \omega \quad (5)$$

Let $c_Enum_EABS_num : \iota$ be given. Assume the following.

$$c_Enum_EABS_num \in (ty_Enum_Enum^{\omega}) \quad (6)$$

Definition 11 We define c_Enum_E0 to be $(ap\ c_Enum_EABS_num\ c_Enum_EZERO_REP)$.

Definition 12 We define $c_Earithmetic_EZERO$ to be c_Enum_E0 .

Let $c_Enum_EREP_num : \iota$ be given. Assume the following.

$$c_Enum_EREP_num \in (\omega^{ty_Enum_Enum}) \quad (7)$$

Let $c_Enum_ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_ESUC_REP \in (\omega^{\omega}) \quad (8)$$

Definition 13 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap\ c_Enum_EABS_num\ m)$

Let $c_Earithmetic_E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_E_2B \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (9)$$

Definition 14 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_Enum_Enum.(ap\ (ap\ c_Earithmetic_E_2B\ n))$

Definition 15 We define $c_Earithmetic_EBIT2$ to be $\lambda V0n \in ty_Enum_Enum.(ap\ (ap\ c_Earithmetic_E_2B\ n))$

Definition 16 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Definition 17 We define $c_Eprim_rec_E_3C$ to be $\lambda V0m \in ty_Enum_Enum.\lambda V1n \in ty_Enum_Enum$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (13)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).((\neg(\forall V1x \in \\ A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee \\ (p V0A)))) \end{aligned} \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (20)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (23)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0r \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0r) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 \\
& (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT1 \\
& (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT1 \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))))) \Leftrightarrow \\
& ((ap c_2Estring_2EORD (ap c_2Estring_2ECHR V0r) = V0r))
\end{aligned} \tag{29}$$

Theorem 1

$$\begin{aligned}
& (\forall V0r \in ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0r) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 \\
& (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT1 \\
& (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT1 (ap c_2Earithmetic_2EBIT1 \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))))) \Rightarrow \\
& ((ap c_2Estring_2EORD (ap c_2Estring_2ECHR V0r) = V0r))
\end{aligned}$$