

thm\_2Estring\_2EisPREFIX\_IND  
(TMbA5cLGFzd58rBhuR85TzwxvgbyoBF12VX)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_EF$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \tag{3}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (4)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (5)$$

**Definition 10** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (6)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (7)$$

**Definition 11** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ V0x)$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (8)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (9)$$

**Definition 12** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota.$

**Definition 13** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone.V0x))$

**Definition 14** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

**Definition 15** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (\lambda V0x \in ty\_2Eone\_2Eone.V0x))$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (10)$$

Let  $ty\_2Estring\_2Echar : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Estring\_2Echar \quad (11)$$

Let  $c\_2Estring\_2EDEST\_STRING : \iota$  be given. Assume the following.

$$c\_2Estring\_2EDEST\_STRING \in ((ty\_2Eoption\_2Eoption (ty\_2Epair\_2Eprod ty\_2Estring\_2Echar (ty\_2Elist\_2Elist ty\_2Estring\_2Echar)))^{(ty\_2Elist\_2Elist ty\_2Estring\_2Echar)}) \quad (12)$$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (25)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0f \in (2^{A_{.27a}}).(\forall V1v \in A_{.27a}.((\forall V2x \in A_{.27a}.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (26)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{(ty_{.2Elist_{.2Elist}} A_{.27a})}).(((p (ap V0P (c_{.2Elist_{.2ENIL}} A_{.27a}))) \wedge (\forall V1t \in (ty_{.2Elist_{.2Elist}} A_{.27a}).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_{.27a}.(p (ap V0P (ap (c_{.2Elist_{.2ECONS}} A_{.27a} V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_{.2Elist_{.2Elist}} A_{.27a}).(p (ap V0P V3l)))))) \quad (27)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27a}.(((ap (c_{.2Eoption_{.2ESOME}} A_{.27a} V0x) = (ap (c_{.2Eoption_{.2ESOME}} A_{.27a} V1y))) \Leftrightarrow (V0x = V1y)))))) \quad (28)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\neg((c_{.2Eoption_{.2ENONE}} A_{.27a}) = (ap (c_{.2Eoption_{.2ESOME}} A_{.27a} V0x)))))) \quad (29)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in A_{.27b}.(((ap (ap (c_{.2Epair_{.2E_{.2C}} A_{.27a} A_{.27b}) V0x) V1y) = (ap (ap (c_{.2Epair_{.2E_{.2C}} A_{.27a} A_{.27b}) V2a) V3b))) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \quad (30)$$

Assume the following.

$$\begin{aligned}
&(((ap\ c\_2Estring\_2EDEST\_STRING\ (c\_2Elist\_2ENIL\ ty\_2Estring\_2Echar)) = \\
&\ (c\_2Eoption\_2ENONE\ (ty\_2Epair\_2Eprod\ ty\_2Estring\_2Echar\ (ty\_2Elist\_2Elist \\
&\ ty\_2Estring\_2Echar)))) \wedge (\forall V0c \in ty\_2Estring\_2Echar. ( \\
\forall V1rst \in (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar). ((ap\ c\_2Estring\_2EDEST\_STRING \\
&\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ty\_2Estring\_2Echar)\ V0c)\ V1rst)) = (ap \\
&\ (c\_2Eoption\_2ESOME\ (ty\_2Epair\_2Eprod\ ty\_2Estring\_2Echar\ (ty\_2Elist\_2Elist \\
&\ ty\_2Estring\_2Echar)))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Estring\_2Echar \\
&\ (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar))\ V0c)\ V1rst))))))
\end{aligned} \tag{31}$$

**Theorem 1**

$$\begin{aligned}
&(\forall V0P \in ((2^{(ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar)})(ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar)). \\
&\ (\forall V1s1 \in (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar). (\forall V2s2 \in \\
&\ (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar). (\forall V3c \in ty\_2Estring\_2Echar. \\
&\ (\forall V4t1 \in (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar). (\forall V5t2 \in \\
&\ (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar). (((ap\ c\_2Estring\_2EDEST\_STRING \\
&\ V1s1) = (ap\ (c\_2Eoption\_2ESOME\ (ty\_2Epair\_2Eprod\ ty\_2Estring\_2Echar \\
&\ (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar)))\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
&\ ty\_2Estring\_2Echar\ (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar)) \\
&\ V3c)\ V4t1)))) \wedge ((ap\ c\_2Estring\_2EDEST\_STRING\ V2s2) = (ap\ (c\_2Eoption\_2ESOME \\
&\ (ty\_2Epair\_2Eprod\ ty\_2Estring\_2Echar\ (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar))) \\
&\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Estring\_2Echar\ (ty\_2Elist\_2Elist \\
&\ ty\_2Estring\_2Echar))\ V3c)\ V5t2)))))) \Rightarrow (p\ (ap\ (ap\ V0P\ V4t1)\ V5t2)))))) \Rightarrow \\
&\ (p\ (ap\ (ap\ V0P\ V1s1)\ V2s2)))))) \Rightarrow (\forall V6v \in (ty\_2Elist\_2Elist \\
&\ ty\_2Estring\_2Echar). (\forall V7v1 \in (ty\_2Elist\_2Elist\ ty\_2Estring\_2Echar). \\
&\ (p\ (ap\ (ap\ V0P\ V6v)\ V7v1))))))
\end{aligned}$$