

thm_2Esum__num_2ESUM__FOLDL (TMJGdUS- RWGaSyESCjgvFLBwuzutpsjWpMxy)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Elist_2ECONS A.27a \in (((ty_2Elist_2Elist A.27a)^{(ty_2Elist_2Elist A.27a)})^{A.27a}) \quad (2)$$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Elist_2EFOLDL A.27a A.27b \in (((A.27b)^{(ty_2Elist_2Elist A.27a)})^{A.27b})^{((A.27b)^{A.27a})^{A.27b}} \quad (3)$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Elist_2ESNOC A.27a \in (((ty_2Elist_2Elist A.27a)^{(ty_2Elist_2Elist A.27a)})^{A.27a}) \quad (4)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Elist_2ENIL A.27a \in (ty_2Elist_2Elist A.27a) \quad (5)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (6)$$

Let $c_2Erich_list_2ECOUNT_LIST : \iota$ be given. Assume the following.

$$c_2Erich_list_2ECOUNT_LIST \in ((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (8)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (11)$$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num ($

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (12)$$

Definition 6 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (13)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B \\ & V1n) V0m)))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. (((ap (ap c_2Earithmetic_2E_2B V0m) \\ & V2p) = (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))) \end{aligned} \quad (15)$$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad (\forall V0f \in ((A_27b^{A_27a})^{A_27b}). (\forall V1e \in A_27b. ((ap\ (\\ & \quad ap\ (ap\ (c_2Elist_2EFOLDL\ A_27a\ A_27b)\ V0f)\ V1e)\ (c_2Elist_2ENIL \\ & \quad A_27a)) = V1e))) \wedge (\forall V2f \in ((A_27b^{A_27a})^{A_27b}). (\forall V3e \in \\ & \quad A_27b. (\forall V4x \in A_27a. (\forall V5l \in (ty_2Elist_2Elist\ A_27a). \\ & \quad ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A_27a\ A_27b)\ V2f)\ V3e)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & \quad A_27a)\ V4x)\ V5l)) = (ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A_27a\ A_27b)\ V2f) \\ & \quad (ap\ (ap\ V2f\ V3e)\ V4x))\ V5l)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in ((A_27b^{A_27a})^{A_27b}). (\forall V1e \in A_27b. (\forall V2x \in \\ & \quad A_27a. (\forall V3l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (ap\ (c_2Elist_2EFOLDL \\ & \quad A_27a\ A_27b)\ V0f)\ V1e)\ (ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V2x)\ V3l)) = \\ & \quad (ap\ (ap\ V0f\ (ap\ (ap\ (ap\ (c_2Elist_2EFOLDL\ A_27a\ A_27b)\ V0f)\ V1e)\ V3l)) \\ & \quad V2x)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty_2Enum_2Enum}). (((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge \\ & \quad (\forall V1n \in ty_2Enum_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC \\ & \quad V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p\ (ap\ V0P\ V2n)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (((ap\ c_2Erich_list_2ECOUNT_LIST\ c_2Enum_2E0) = (c_2Elist_2ENIL \\ & \quad ty_2Enum_2Enum)) \wedge (\forall V0n \in ty_2Enum_2Enum. ((ap\ c_2Erich_list_2ECOUNT_LIST \\ & \quad (ap\ c_2Enum_2ESUC\ V0n)) = (ap\ (ap\ (c_2Elist_2ESNOC\ ty_2Enum_2Enum) \\ & \quad V0n)\ (ap\ c_2Erich_list_2ECOUNT_LIST\ V0n)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & ((\forall V0f \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}). ((ap\ (ap\ c_2Esum_num_2ESUM \\ & \quad c_2Enum_2E0)\ V0f) = c_2Enum_2E0)) \wedge (\forall V1m \in ty_2Enum_2Enum. \\ & \quad (\forall V2f \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}). ((ap\ (ap\ c_2Esum_num_2ESUM \\ & \quad (ap\ c_2Enum_2ESUC\ V1m))\ V2f) = (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap \\ & \quad (ap\ c_2Esum_num_2ESUM\ V1m)\ V2f))\ (ap\ V2f\ V1m)))))) \end{aligned} \quad (22)$$

Theorem 1

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. (\forall V1f \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}). \\ & ((ap (ap c_2Esum_num_2ESUM V0n) V1f) = (ap (ap (ap (c_2Elist_2EFOLDL \\ & ty_2Enum_2Enum ty_2Enum_2Enum) (\lambda V2x \in ty_2Enum_2Enum. (\lambda V3n \in \\ & ty_2Enum_2Enum. (ap (ap c_2Earithmetic_2E_2B (ap V1f V3n)) V2x)))) \\ & c_2Enum_2E0) (ap c_2Erich_list_2ECOUNT_LIST V0n)))))) \end{aligned}$$