

thm_2Esum__num_2ESUM__MONO
(TMHHXcFzobjvzpn49yCVZ7rZjWcK3qDS38R)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (5)$$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21) 2) (\lambda V2t \in$

Definition 13 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (6)$$

Definition 14 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (7)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (8)$$

Definition 15 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2$

Let $c_2Esum_num_2EGSUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2EGSUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Epair_2Eprod ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Esum_num_2ESUM : \iota$ be given. Assume the following.

$$c_2Esum_num_2ESUM \in ((ty_2Enum_2Enum^{(ty_2Enum_2Enum^{ty_2Enum_2Enum})})^{ty_2Enum_2Enum}) \quad (10)$$

Assume the following.

$$\begin{aligned} & ((\forall V0n \in ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2B \\ & \quad c_2Enum_2E0) V0n) = V0n)) \wedge (\forall V1m \in ty_2Enum_2Enum. (\forall V2n \in \\ & \quad ty_2Enum_2Enum. ((ap (ap c_2Earithmetic_2E_2B (ap c_2Enum_2ESUC \\ & \quad V1m)) V2n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V1m) \\ & \quad V2n)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. (\forall V1y \in A_{27a}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in \text{ty_2Enum_2Enum}. (\forall V1m \in \text{ty_2Enum_2Enum}. (\\ & \forall V2n \in \text{ty_2Enum_2Enum}. (\forall V3f \in (\text{ty_2Enum_2Enum}^{\text{ty_2Enum_2Enum}}). \\ & (((p (ap (ap c_2Earithmic_2E_3C_3D V1m) V2n)) \wedge \neg((ap V3f (ap \\ & (ap c_2Earithmic_2E_2B V0p) V2n)) = c_2Enum_2E0)))) \Rightarrow (p (ap (ap \\ & c_2Eprim_rec_2E_3C (ap (ap c_2Esum_num_2EGSUM (ap (ap (c_2Epair_2E_2C \\ & \text{ty_2Enum_2Enum ty_2Enum_2Enum) V0p) V1m)) V3f)) (ap (ap c_2Esum_num_2EGSUM \\ & (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) V0p) (\\ & ap c_2Enum_2ESUC V2n))) V3f))))))))) \quad (13) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in \text{ty_2Enum_2Enum}. (\forall V1f \in (\text{ty_2Enum_2Enum}^{\text{ty_2Enum_2Enum}}). \\ & ((ap (ap c_2Esum_num_2ESUM V0m) V1f) = (ap (ap c_2Esum_num_2EGSUM \\ & (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) c_2Enum_2E0 \\ & V0m)) V1f)))) \quad (14) \end{aligned}$$

Theorem 1

$$\begin{aligned} & (\forall V0m \in \text{ty_2Enum_2Enum}. (\forall V1n \in \text{ty_2Enum_2Enum}. (\\ & \forall V2f \in (\text{ty_2Enum_2Enum}^{\text{ty_2Enum_2Enum}}). (((p (ap (ap c_2Earithmic_2E_3C_3D \\ & V0m) V1n)) \wedge \neg((ap V2f V1n) = c_2Enum_2E0))) \Rightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\ & (ap (ap c_2Esum_num_2ESUM V0m) V2f)) (ap (ap c_2Esum_num_2ESUM \\ & (ap c_2Enum_2ESUC V1n)) V2f)))))) \end{aligned}$$