



**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b})}) \quad (3)$$

**Definition 15** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Ebool\_2ECOND$

**Definition 16** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge P x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V0t) V1t1) V2t2) = V2t2))))$

**Definition 18** We define  $c\_2Etc\_2ETC\_MOD$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1rx \in (2^{A\_27a}).\lambda V2ra \in (2^{A\_27a}).(ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V0x) V1rx) V2ra) = V2ra)$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (5)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (6)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (7)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0b \in 2.(\forall V1t \in A\_27a.((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V0b) V1t) V1t) = V1t))) \quad (8)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg (p V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V1Q) V3x\_27) \\ & V5y\_27)))))))))) \quad (10) \end{aligned}$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap\ (c\_2Ecombin\_2EI\ A_{.27a})\ V0x) = V0x)) \quad (11)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow ((\forall V0s \in (2^{A_{.27a}}).((ap\ (c\_2Epred\_set\_2EUNION\ A_{.27a})\ (c\_2Epred\_set\_2EEMPTY\ A_{.27a}))\ V0s) = V0s)) \wedge (\forall V1s \in (2^{A_{.27a}}).((ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A_{.27a})\ V1s)\ (c\_2Epred\_set\_2EEMPTY\ A_{.27a})) = V1s))) \quad (12)$$

**Theorem 1**

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1ra \in (2^{A_{.27a}}).((ap\ (ap\ (c\_2Etc\_2ETC\_MOD\ A_{.27a})\ V0x)\ (c\_2Epred\_set\_2EEMPTY\ A_{.27a})) = (c\_2Ecombin\_2EI\ (2^{A_{.27a}}))))))$$