

thm_2Etc_2EsubTC_INSERT
(TMRrQykAiSQb6M3BvtEifauLabyMb7z3CG7)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}). (ap (ap (c_2Emin_2E_3D (2^{A_{27a}}))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 8 We define `c_2Erelation_2Etransitive` to be $\lambda A_{27a} : \iota.\lambda V0R \in ((2^{A_{27a}})^{A_{27a}}).(ap (c_2Ebool_2E_2F_5C$

Definition 9 We define `c_2Ebool_2EIN` to be $\lambda A_{27a} : \iota.(\lambda V0x \in A_{27a}.(\lambda V1f \in (2^{A_{27a}}).(ap V1f V0x)))$

Definition 10 We define `c_2Etc_2E_5E_7C` to be $\lambda A_{27a} : \iota.\lambda V0R \in ((2^{A_{27a}})^{A_{27a}}).\lambda V1s \in (2^{A_{27a}}).\lambda V2a$

Definition 11 We define `c_2Etc_2E_7C_5E` to be $\lambda A_{27a} : \iota.\lambda V0R \in ((2^{A_{27a}})^{A_{27a}}).\lambda V1s \in (2^{A_{27a}}).\lambda V2a$

Definition 12 We define `c_2Etc_2E_5E_7C_5E` to be $\lambda A_{27a} : \iota.\lambda V0R \in ((2^{A_{27a}})^{A_{27a}}).\lambda V1s \in (2^{A_{27a}}).(a$

Definition 13 We define `c_2Erelation_2ERTC` to be $\lambda A_{27a} : \iota.\lambda V0R \in ((2^{A_{27a}})^{A_{27a}}).\lambda V1a \in A_{27a}.\lambda V2$

Definition 14 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) then (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 15 We define `c_2Ebool_2E_3F` to be $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}).(ap V0P (ap (c_2Emin_2E_40$

Definition 16 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 17 We define $c_2Etc_2EsubTC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1s \in (2^{A_27a}).\lambda V2x$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 18 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (3)$$

Definition 19 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2E$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (5)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (8)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.((\neg((p \ V0A) \Rightarrow (p \ V1B))) \Leftrightarrow ((p \ V0A) \wedge \\
& (\neg(p \ V1B))))))
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(\\
& p \ V0A)) \vee (\neg(p \ V1B)))) \wedge ((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \wedge (\neg(p \ V1B))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2R \in 2.(((p \ V0P) \vee \\
& (p \ V1Q)) \Rightarrow (p \ V2R)) \Leftrightarrow (((p \ V0P) \Rightarrow (p \ V2R)) \wedge ((p \ V1Q) \Rightarrow (p \ V2R))))))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. (\forall V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s)))) \Leftrightarrow ((V0x = \\ V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1s \in \\ (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V1s)) \Rightarrow ((ap\ (ap \\ (c_2Epred_set_2EINSERT\ A_27a)\ V0x)\ V1s) = V1s)))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ (\forall V1x \in A_27a. (p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a)\ V0R) \\ V1x)\ V1x)))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ (p\ (ap\ (c_2Erelation_2Etransitive\ A_27a)\ (ap\ (c_2Erelation_2ERTC \\ A_27a)\ V0R)))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ (\forall V1x \in A_27a. (\forall V2y \in A_27a. ((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC \\ A_27a)\ V0R)\ V1x)\ V2y)) \Leftrightarrow ((V1x = V2y) \vee (\exists V3u \in A_27a. ((p\ (ap \\ (ap\ V0R\ V1x)\ V3u)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a)\ V0R) \\ V3u)\ V2y)))))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ (\forall V1x \in A_27a. (\forall V2y \in A_27a. ((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC \\ A_27a)\ V0R)\ V1x)\ V2y)) \Leftrightarrow ((V1x = V2y) \vee (\exists V3u \in A_27a. ((p\ (ap \\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a)\ V0R)\ V1x)\ V3u)) \wedge (p\ (ap\ (ap\ V0R \\ V3u)\ V2y)))))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\ (\forall V1Q \in ((2^{A_27a})^{A_27a}). (\forall V2x \in A_27a. (\forall V3y \in \\ A_27a. (\forall V4x \in A_27a. (\forall V5y \in A_27a. ((p\ (ap\ (ap\ V0R \\ V4x)\ V5y)) \Rightarrow (p\ (ap\ (ap\ V1Q\ V4x)\ V5y)))))) \Rightarrow ((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC \\ A_27a)\ V0R)\ V2x)\ V3y)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a) \\ V1Q)\ V2x)\ V3y)))))))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& \quad (\forall V1s \in (2^{A_27a}). (\forall V2a \in A_27a. (\forall V3w \in A_27a. \\
& \quad (\forall V4z \in A_27a. ((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a) \\
& \quad (ap\ (ap\ (c_2Etc_2E_5E_7C_5E\ A_27a)\ V0R)\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\
& \quad A_27a)\ V2a)\ V1s)))\ V3w)\ V4z)) \Leftrightarrow ((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC \\
& \quad A_27a)\ (ap\ (ap\ (c_2Etc_2E_5E_7C_5E\ A_27a)\ V0R)\ V1s))\ V3w)\ V4z)) \vee \\
& \quad (((V2a = V3w) \vee (\exists V5x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\
& \quad V5x)\ V1s)) \wedge ((p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC\ A_27a)\ (ap\ (ap\ (c_2Etc_2E_5E_7C_5E \\
& \quad A_27a)\ V0R)\ V1s))\ V3w)\ V5x)) \wedge (p\ (ap\ (ap\ V0R\ V5x)\ V2a)))))) \wedge ((V2a = \\
& \quad V4z) \vee (\exists V6y \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V6y) \\
& \quad V1s)) \wedge ((p\ (ap\ (ap\ V0R\ V2a)\ V6y)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Erelation_2ERTC \\
& \quad A_27a)\ (ap\ (ap\ (c_2Etc_2E_5E_7C_5E\ A_27a)\ V0R)\ V1s))\ V6y)\ V4z))))))))))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& \quad (\forall V1s \in (2^{A_27a}). (\forall V2q \in A_27a. (\forall V3x \in A_27a. \\
& \quad (\forall V4y \in A_27a. ((p\ (ap\ (ap\ (ap\ (c_2Etc_2EsubTC\ A_27a)\ V0R) \\
& \quad (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V2q)\ V1s))\ V3x)\ V4y)) \Leftrightarrow (\\
& \quad (p\ (ap\ (ap\ (ap\ (ap\ (c_2Etc_2EsubTC\ A_27a)\ V0R)\ V1s)\ V3x)\ V4y)) \vee ((\\
& \quad p\ (ap\ (ap\ (ap\ (ap\ (c_2Etc_2EsubTC\ A_27a)\ V0R)\ V1s)\ V3x)\ V2q)) \wedge (p\ (\\
& \quad ap\ (ap\ (ap\ (ap\ (c_2Etc_2EsubTC\ A_27a)\ V0R)\ V1s)\ V2q)\ V4y)))))))))
\end{aligned}$$