

# thm\_2Etc\_2EsubTC\_\_RDOM (TMdnGF- pbtKEStX8xSzLYQ8HKhF7aq2qSJMg)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 8** We define  $c\_2Erelation\_2Etransitive$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_2F$

**Definition 9** We define  $c\_2Erelation\_2E\_2ETC$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1a \in A\_27a.\lambda V2b \in A\_27a$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) then (the (\lambda x.x \in A \wedge p (ap P x)))$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 12** We define  $c\_2Erelation\_2E\_2ERDOM$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27b})^{A\_27a}).\lambda V1x \in A\_27a$

**Definition 13** We define  $c\_2Ebool\_2E\_2IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 14** We define  $c\_2Etc\_2E\_5E\_7C$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1s \in (2^{A\_27a}).\lambda V2a \in A\_27a$

**Definition 15** We define  $c\_2Etc\_2E\_7C\_5E$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1s \in (2^{A\_27a}).\lambda V2a \in A\_27a$

**Definition 16** We define  $c\_2Etc\_2E\_5E\_7C\_5E$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1s \in (2^{A\_27a}).(ap$

**Definition 17** We define  $c\_2Erelation\_2ERTC$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1a \in A\_27a.\lambda V2$

**Definition 18** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 19** We define  $c\_2Etc\_2EsubTC$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1s \in (2^{A\_27a}).\lambda V2x$

Assume the following.

$$True \tag{1}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{2}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \tag{3}$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \tag{4}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \tag{5}$$

Assume the following.

$$(\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2R \in 2.(((p V0P) \vee (p V1Q)) \Rightarrow (p V2R)) \Leftrightarrow (((p V0P) \Rightarrow (p V2R)) \wedge ((p V1Q) \Rightarrow (p V2R)))))) \tag{6}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). (\forall V1x \in A\_27a.(p (ap (ap (ap (c\_2Erelation\_2ERTC A\_27a) V0R) V1x) V1x)))) \tag{7}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). (p (ap (c\_2Erelation\_2Etransitive A\_27a) (ap (c\_2Erelation\_2ERTC A\_27a) V0R)))) \tag{8}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p (ap (ap V0R V1x) V2y)) \Rightarrow \\ & (p (ap (ap (ap (c\_2Erelation\_2ETC\ A\_27a) V0R) V1x) V2y)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1P \in ((2^{A\_27a})^{A\_27a}). ((\forall V2x \in A\_27a. (\forall V3y \in \\ & A\_27a. ((p (ap (ap V0R V2x) V3y)) \Rightarrow (p (ap (ap V1P V2x) V3y)))))) \wedge (\forall V4x \in \\ & A\_27a. (\forall V5y \in A\_27a. (\forall V6z \in A\_27a. ((p (ap (ap V1P \\ & V4x) V5y)) \wedge (p (ap (ap V1P V5y) V6z)) \Rightarrow (p (ap (ap V1P V4x) V6z)))))) \Rightarrow \\ & (\forall V7u \in A\_27a. (\forall V8v \in A\_27a. ((p (ap (ap (ap (c\_2Erelation\_2ETC \\ & A\_27a) V0R) V7u) V8v)) \Rightarrow (p (ap (ap V1P V7u) V8v)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1x \in A\_27a. (\forall V2y \in A\_27a. (\forall V3z \in A\_27a. ( \\ & ((p (ap (ap V0R V1x) V2y)) \wedge (p (ap (ap (ap (c\_2Erelation\_2ERTC\ A\_27a) \\ & V0R) V2y) V3z))) \Rightarrow (p (ap (ap (ap (c\_2Erelation\_2ETC\ A\_27a) V0R) V1x) \\ & V3z)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p (ap (ap (ap (c\_2Erelation\_2ERTC \\ & A\_27a) V0R) V1x) V2y)) \Leftrightarrow ((V1x = V2y) \vee (\exists V3u \in A\_27a. ((p (ap \\ & (ap V0R V1x) V3u)) \wedge (p (ap (ap (ap (c\_2Erelation\_2ERTC\ A\_27a) V0R) \\ & V3u) V2y)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1x \in A\_27a. (\forall V2y \in A\_27a. ((p (ap (ap (ap (c\_2Erelation\_2ERTC \\ & A\_27a) V0R) V1x) V2y)) \Leftrightarrow ((V1x = V2y) \vee (\exists V3u \in A\_27a. ((p (ap \\ & (ap (ap (c\_2Erelation\_2ERTC\ A\_27a) V0R) V1x) V3u)) \wedge (p (ap (ap V0R \\ & V3u) V2y)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\ & (\forall V1Q \in ((2^{A\_27a})^{A\_27a}). (\forall V2x \in A\_27a. (\forall V3y \in \\ & A\_27a. ((\forall V4x \in A\_27a. (\forall V5y \in A\_27a. ((p (ap (ap V0R \\ & V4x) V5y)) \Rightarrow (p (ap (ap V1Q V4x) V5y)))))) \Rightarrow ((p (ap (ap (ap (c\_2Erelation\_2ERTC \\ & A\_27a) V0R) V2x) V3y)) \Rightarrow (p (ap (ap (ap (c\_2Erelation\_2ERTC\ A\_27a) \\ & V1Q) V2x) V3y)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0x \in A\_27a. (\forall V1R \in ((2^{A\_27b})^{A\_27a}). ((p\ (ap\ (ap \\
& (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Erelation\_2ERDOM\ A\_27a\ A\_27b) \\
& \quad V1R))) \Leftrightarrow (\exists V2y \in A\_27b. (p\ (ap\ (ap\ V1R\ V0x)\ V2y))))))
\end{aligned} \tag{15}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0R \in ((2^{A\_27a})^{A\_27a}). \\
& ((ap\ (ap\ (c\_2Etc\_2EsubTC\ A\_27a)\ V0R)\ (ap\ (c\_2Erelation\_2ERDOM \\
& \quad A\_27a\ A\_27a)\ V0R))) = (ap\ (c\_2Erelation\_2ETC\ A\_27a)\ V0R)))
\end{aligned}$$