

thm_2Etc_2EsubTC__SUPERSET__RDOM (TM- FAnt6DwsNbwCL4pGQFgNCGLn9iqc22urw)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A.27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. inj_o (P \Rightarrow Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 8 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap P x)) \mathbf{then} (the (\lambda x. x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define `c_2Ebool_2ECOND` to be $\lambda A.27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A.27a. (\lambda V2t2 \in A.27a. (ap (c_2Emin_2E_40 (2^{A-27a})) (\lambda V3t3 \in 2.V3t3)) (\lambda V4t4 \in 2.V4t4))))$

Definition 10 We define `c_2Ebool_2EIN` to be $\lambda A.27a : \iota. (\lambda V0x \in A.27a. (\lambda V1f \in (2^{A-27a}). (ap V1f V0x)))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. nonempty A.27a \Rightarrow \forall A.27b. nonempty A.27b \Rightarrow c_2Epair_2EABS_prod A.27a A.27b \in ((ty_2Epair_2Eprod A.27a A.27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

Definition 11 We define `c_2Epair_2E_2C` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0x \in A.27a. \lambda V1y \in A.27b. (ap (c_2Emin_2E_40 (2^{A-27a})) (\lambda V2z \in 2.V2z)) (\lambda V3w \in 2.V3w))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (3)$$

Definition 12 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ V0s\ V1t))$

Definition 13 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ V0x\ V1s))$

Definition 14 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E2F)$.

Definition 15 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ V0s\ V0s))$

Definition 16 We define c_2Etc_2E5E7C to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1s \in (2^{A_27a}).\lambda V2a \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ V0R\ V1s\ V2a))$

Definition 17 We define c_2Etc_2E7C5E to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1s \in (2^{A_27a}).\lambda V2a \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ V0R\ V1s\ V2a))$

Definition 18 We define $c_2Etc_2E5E7C5E$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ V0R\ V1s\ V1s))$

Definition 19 We define $c_2Erelation_2ERTC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2a \in A_27a.(ap\ (c_2Ebool_2E21\ V0R\ V1a\ V2a))$

Definition 20 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40\ V0P\ V0P))))$

Definition 21 We define $c_2Etc_2EsubTC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1s \in (2^{A_27a}).\lambda V2x \in (2^{A_27a}).(ap\ (c_2Ebool_2E21\ V0R\ V1s\ V2x))$

Definition 22 We define $c_2Erelation_2ERDOM$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27b})^{A_27a}).\lambda V1x \in A_27a.(ap\ (c_2Ebool_2E21\ V0R\ V1x\ V1x))$

Definition 23 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E2F))$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (7)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (8)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF \\ V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (\\ (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee \\ (p\ V0A)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V2x)\ (ap\ (ap\ (c_2Epred_set_2EUNION\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V2x)\ V1t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0s \in (2^{A_27a}). ((ap\ (\\ ap\ (c_2Epred_set_2EUNION\ A_27a)\ (c_2Epred_set_2EEMPTY\ A_27a)) \\ V0s) = V0s)) \wedge (\forall V1s \in (2^{A_27a}). ((ap\ (ap\ (c_2Epred_set_2EUNION \\ A_27a)\ V1s)\ (c_2Epred_set_2EEMPTY\ A_27a)) = V1s))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. (\forall V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1s \in (2^{A.27a}). ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V0x)\ V1s)) \Rightarrow ((ap\ (ap\ (c.2Epred_set.2EINSERT\ A.27a)\ V0x)\ V1s) = V1s)))))) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1s \in (2^{A.27a}). (\forall V2t \in (2^{A.27a}). ((ap\ (ap\ (c.2Epred_set.2EUNION\ A.27a)\ (ap\ (ap\ (c.2Epred_set.2EINSERT\ A.27a)\ V0x)\ V1s))\ V2t) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ (2^{A.27a}))\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V0x)\ V2t))\ (ap\ (ap\ (c.2Epred_set.2EUNION\ A.27a)\ V1s)\ V2t))\ (ap\ (ap\ (c.2Epred_set.2EINSERT\ A.27a)\ V0x)\ (ap\ (ap\ (c.2Epred_set.2EUNION\ A.27a)\ V1s)\ V2t)))))))))) \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(2^{A.27a})}). ((p\ (ap\ V0P\ (c.2Epred_set.2EEMPTY\ A.27a))) \wedge (\forall V1s \in (2^{A.27a}). ((p\ (ap\ (c.2Epred_set.2EFINITE\ A.27a)\ V1s)) \wedge (p\ (ap\ V0P\ V1s)))) \Rightarrow (\forall V2e \in A.27a. ((\neg(p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2e)\ V1s))) \Rightarrow (p\ (ap\ V0P\ (ap\ (ap\ (c.2Epred_set.2EINSERT\ A.27a)\ V2e)\ V1s)))))) \Rightarrow (\forall V3s \in (2^{A.27a}). ((p\ (ap\ (c.2Epred_set.2EFINITE\ A.27a)\ V3s)) \Rightarrow (p\ (ap\ V0P\ V3s)))))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). (\forall V1s \in (2^{A.27a}). (\forall V2x \in A.27a. ((\neg(p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ (ap\ (c.2Erelation.2ERDOM\ A.27a\ A.27a)\ V0R)))) \Rightarrow ((ap\ (ap\ (c.2Etc.2EsubTC\ A.27a)\ V0R)\ (ap\ (ap\ (c.2Epred_set.2EINSERT\ A.27a)\ V2x)\ V1s)) = (ap\ (ap\ (c.2Etc.2EsubTC\ A.27a)\ V0R)\ V1s)))))) \quad (20)$$

Theorem 1

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). (\forall V1s \in (2^{A.27a}). ((p\ (ap\ (c.2Epred_set.2EFINITE\ A.27a)\ V1s)) \Rightarrow ((ap\ (ap\ (c.2Etc.2EsubTC\ A.27a)\ V0R)\ (ap\ (ap\ (c.2Epred_set.2EUNION\ A.27a)\ (ap\ (c.2Erelation.2ERDOM\ A.27a\ A.27a)\ V0R))\ V1s)) = (ap\ (ap\ (c.2Etc.2EsubTC\ A.27a)\ V0R)\ (ap\ (c.2Erelation.2ERDOM\ A.27a\ A.27a)\ V0R))))))$$