

# thm\_2EternaryComparisons\_2Eoption\_\_compare\_\_ind (TMWF19yzgbBimyzFph8aKgbqwzjegS8GYax)

October 26, 2020

Let  $ty\_2EternaryComparisons\_2Eordering : \iota$  be given. Assume the following.

$$nonempty\ ty\_2EternaryComparisons\_2Eordering \quad (1)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (2)$$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow q Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (3)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (4)$$

**Definition 6** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS\_sum$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (5)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A.27a \in ((ty\_2Eoption\_2Eoption\ A.27a)^{(ty\_2Esum\_2Esum\ A.27a\ ty\_2Eone\_2Eone)}) \quad (6)$$

**Definition 7** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A.27a : \iota. \lambda V0x \in A.27a.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A.27a)\ x)$

**Definition 8** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.$  **if**  $(\exists x \in A.p\ (ap\ P\ x))$  **then** *(the  $(\lambda x.x \in A \wedge p\ x)$  of type  $\iota \Rightarrow \iota$ ).*

**Definition 9** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone))$

**Definition 10** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 11** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2EF))$

**Definition 12** We define  $c\_2Esum\_2EINR$  to be  $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0e \in A.27b.(ap\ (c\_2Esum\_2EABS\ A.27a\ A.27b)\ V0e)$

**Definition 13** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A.27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A.27a)\ (c\_2ENONE\ A.27a))$

**Definition 14** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A.27a : \iota. (\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40\ A.27a)\ P)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (7)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2EABS\_prod\ A.27a\ A.27b \in ((ty\_2Epair\_2Eprod\ A.27a\ A.27b)^{(2^{A-27b})^{A-27a}}) \quad (8)$$

**Definition 15** We define  $c\_2Epair\_2E2C$  to be  $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0x \in A.27a. \lambda V1y \in A.27b.(ap\ (c\_2Epair\_2EABS\_prod\ A.27a\ A.27b)\ V0x\ V1y)$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2ESND\ A.27a\ A.27b \in (A.27b^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)}) \quad (9)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2EFST\ A.27a\ A.27b \in (A.27a^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)}) \quad (10)$$

**Definition 16** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})$

**Definition 17** We define  $c\_2ERelation\_2EEMPTY\_REL$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27a.c\_2E$

**Definition 18** We define  $c\_2ERelation\_2EWF$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E21$

**Definition 19** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E21 2) (\lambda V2t \in$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (15)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p (ap V0P V2x)))))) \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in \\ (2^{A-27a}). ((\exists V2x \in A.27a. ((p\ (ap\ V0P\ V2x)) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow \\ ((\exists V3x \in A.27a. (p\ (ap\ V0P\ V3x))) \vee (\exists V4x \in A.27a. (p\ ( \\ ap\ V1Q\ V4x))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in \\ 2. (((\exists V2x \in A.27a. (p\ (ap\ V0P\ V2x))) \vee (p\ V1Q)) \Leftrightarrow (\exists V3x \in \\ A.27a. ((p\ (ap\ V0P\ V3x)) \vee (p\ V1Q)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in ( \\ 2^{A-27a}). (((p\ V0P) \vee (\exists V2x \in A.27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\exists V3x \in \\ A.27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in \\ 2. ((\exists V2x \in A.27a. ((p\ (ap\ V0P\ V2x)) \wedge (p\ V1Q))) \Leftrightarrow ((\exists V3x \in \\ A.27a. (p\ (ap\ V0P\ V3x)) \wedge (p\ V1Q)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption \\ A.27a). ((V0opt = (c\_2Eoption\_2ENONE\ A.27a)) \vee (\exists V1x \in A.27a. \\ (V0opt = (ap\ (c\_2Eoption\_2ESOME\ A.27a)\ V1x)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0x \in (ty\_2Epair\_2Eprod\ A.27a\ A.27b). (\exists V1q \in A.27a. \\ (\exists V2r \in A.27b. (V0x = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27b) \\ V1q)\ V2r)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c^{A-27b})^{A-27a}). (\forall V1x \in \\ A.27a. (\forall V2y \in A.27b. ((ap\ (ap\ (c\_2Epair\_2EUNCURRY\ A.27a \\ A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A.27a\ A.27b)\ V1x)\ V2y))) = \\ (ap\ (ap\ V0f\ V1x)\ V2y)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0R \in ((2^{A-27a})^{A-27a}). \\ ((p\ (ap\ (c\_2Erelation\_2EWF\ A.27a)\ V0R)) \Rightarrow (\forall V1P \in (2^{A-27a}). \\ ((\forall V2x \in A.27a. ((\forall V3y \in A.27a. ((p\ (ap\ (ap\ V0R\ V3y)\ V2x)) \Rightarrow \\ (p\ (ap\ V1P\ V3y)))) \Rightarrow (p\ (ap\ V1P\ V2x)))) \Rightarrow (\forall V4x \in A.27a. (p\ (ap \\ V1P\ V4x)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (p\ (ap\ (c\_2Erelation\_2EWF\ A\_27a)\ (c\_2Erelation\_2EEMPTY\_REL\ A\_27a))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \Leftrightarrow (p\ V2r)) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \wedge (p\ V2r)) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \vee (p\ V2r)) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (p\ V1q) \Rightarrow (p\ V2r)) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((\neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (38)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0P \in & (((2^{(ty\_2Eoption\_2Eoption\ A\_27b)})(ty\_2Eoption\_2Eoption\ A\_27a))^{(ty\_2EternaryComparisons\_2Eordering^{A\_27b})^{A\_27a}}) \\ & (((\forall V1c \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27b})^{A\_27a}). \\ & (p\ (ap\ (ap\ (ap\ V0P\ V1c)\ (c\_2Eoption\_2ENONE\ A\_27a))\ (c\_2Eoption\_2ENONE \\ & A\_27b)))) \wedge ((\forall V2c \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27b})^{A\_27a}). \\ & (\forall V3v0 \in A\_27b.(p\ (ap\ (ap\ (ap\ V0P\ V2c)\ (c\_2Eoption\_2ENONE \\ & A\_27a))\ (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V3v0)))))) \wedge ((\forall V4c \in \\ & ((ty\_2EternaryComparisons\_2Eordering^{A\_27b})^{A\_27a}). (\forall V5v3 \in \\ & A\_27a.(p\ (ap\ (ap\ (ap\ V0P\ V4c)\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V5v3)) \\ & (c\_2Eoption\_2ENONE\ A\_27b)))))) \wedge (\forall V6c \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27b})^{A\_27a}). \\ & (\forall V7v1 \in A\_27a. (\forall V8v2 \in A\_27b.(p\ (ap\ (ap\ (ap\ V0P\ V6c) \\ & (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V7v1))\ (ap\ (c\_2Eoption\_2ESOME\ A\_27b) \\ & V8v2)))))))))) \Rightarrow (\forall V9v \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27b})^{A\_27a}). \\ & (\forall V10v1 \in (ty\_2Eoption\_2Eoption\ A\_27a). (\forall V11v2 \in \\ & (ty\_2Eoption\_2Eoption\ A\_27b).(p\ (ap\ (ap\ (ap\ V0P\ V9v)\ V10v1)\ V11v2)))))) \end{aligned}$$