



**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \quad (3)$$

**Definition 13** We define  $c\_2Epred\_set\_2EBIGINTER$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})})$ .( $ap (c\_2Epred\_set\_2EGSPEC$

**Definition 14** We define  $c\_2Etopology\_2Ehull$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})})$ . $\lambda V1s \in (2^{A\_27a})$ .( $ap (c\_2Epred\_set\_2EGSPEC$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (5)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t) \Leftrightarrow (p V0t)))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (8)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (10)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (11)$$

Assume the following.

$$2.((\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (12)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}).(\forall V1a \in A_{27a}.((\exists V2x \in A_{27a}.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (13)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in A_{27b}.(\forall V2a \in A_{27a}.(\forall V3b \in A_{27b}.(((ap (ap (c_{2E}pair_{2E} A_{27a} A_{27b}) V0x) V1y) = (ap (ap (c_{2E}pair_{2E} A_{27a} A_{27b}) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \quad (14)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\forall V0f \in ((ty_{2E}pair_{2E}prod A_{27a} 2)^{A_{27b}}).(\forall V1v \in A_{27a}.((p (ap (ap (c_{2E}bool_{2E}IN A_{27a}) V1v) (ap (c_{2E}pred_{set} EGSPEC A_{27a} A_{27b}) V0f))) \Leftrightarrow (\exists V2x \in A_{27b}.((ap (ap (c_{2E}pair_{2E} A_{27a} 2) V1v) c_{2E}bool_{2E}ET) = (ap V0f V2x)))))) \quad (15)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1B \in (2^{(2^{A_{27a}})}).((p (ap (ap (c_{2E}bool_{2E}IN A_{27a}) V0x) (ap (c_{2E}pred_{set} EBIGINTER A_{27a}) V1B))) \Leftrightarrow (\forall V2P \in (2^{A_{27a}}).((p (ap (ap (c_{2E}bool_{2E}IN (2^{A_{27a}})) V2P) V1B)) \Rightarrow (p (ap (ap (c_{2E}bool_{2E}IN A_{27a}) V0x) V2P)))))) \quad (16)$$

### Theorem 1

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in (2^{(2^{A_{27a}})}).(\forall V1s \in (2^{A_{27a}}).(\forall V2t \in (2^{A_{27a}}).((p (ap (ap (c_{2E}pred_{set} 2ESUBSET A_{27a}) V1s) V2t)) \Rightarrow (p (ap (ap (c_{2E}pred_{set} 2ESUBSET A_{27a}) (ap (ap (c_{2E}topology_{2E}hull A_{27a}) V0P) V1s)) (ap (ap (c_{2E}topology_{2E}hull A_{27a}) V0P) V2t)))))) \quad (17)$$