

thm_2Etopology_2EHULL__P__AND__Q (TMN- wyWZ2gmZf6R8k2gmSnEErDN5k6tKvJVm)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p (ap P x))$) of type $\iota \Rightarrow \iota$.

Definition 4 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))))$

Definition 5 We define `c_2Ecombin_2E_K` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 6 We define `c_2Ecombin_2E_S` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 7 We define `c_2Ecombin_2E_I` to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2E_S A_27a (A_27a^{A_27a})) A_27a))$

Definition 8 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}) P))))$

Definition 9 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$.

Definition 10 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 12 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap (c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21)))$

Definition 13 We define `c_2Ebool_2E_IN` to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 14 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let `ty_2Epair_2Eprod : $\iota \Rightarrow \iota \Rightarrow \iota$` be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (2)$$

Definition 15 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epred_set_2EGSPEC$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (3)$$

Definition 16 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}) .(ap\ (c_2Epred_set_2EGSPEC$

Definition 17 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC$

Definition 18 We define $c_2Etopology_2Ehull$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC$

Assume the following.

$$True \quad (4)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (6)$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \quad (8)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (10)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\neg(\forall V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p (ap V0P V2x))))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in 2.(((\forall V2x \in A_27a.(p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A_27a.((p (ap V0P V3x)) \wedge (p V1Q))))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in 2.(((\exists V2x \in A_27a.(p (ap V0P V2x))) \vee (p V1Q)) \Leftrightarrow (\exists V3x \in A_27a.((p (ap V0P V3x)) \vee (p V1Q))))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V1P V3x)) \vee (p V0Q))))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))))) \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (22)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (23)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\forall V0P \in ((2^{A_{27b}})^{A_{27a}}).((\forall V1x \in A_{27a}.(\exists V2y \in A_{27b}.(p (ap (ap V0P V1x) V2y)))) \Leftrightarrow (\exists V3f \in (A_{27b}^{A_{27a}}).(\forall V4x \in A_{27a}.(p (ap (ap V0P V4x) (ap V3f V4x))))))) \quad (24)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((ap (c_{2Ecombin_2EI} A_{27a}) V0x) = V0x)) \quad (25)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}).(\forall V1t \in (2^{A_{27a}}).(\forall V2u \in (2^{A_{27a}}).(((p (ap (ap (c_{2Epred_set_2ESUBSET} A_{27a}) V0s) V1t)) \wedge (p (ap (ap (c_{2Epred_set_2ESUBSET} A_{27a}) V1t) V2u)))) \Rightarrow (p (ap (ap (c_{2Epred_set_2ESUBSET} A_{27a}) V0s) V2u)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{(2^A-27a)}).(\forall V1s \in \\ & (2^{A-27a}).(\forall V2f \in (2^{(2^A-27a)}).(\forall V3s \in (2^{A-27a}). \\ & ((p (ap (ap (c_2Ebool_2EIN (2^A-27a)) V3s) V2f)) \Rightarrow (p (ap V0P V3s))) \Rightarrow \\ & (p (ap V0P (ap (c_2Epred_set_2EBIGINTER A_27a) V2f)))) \Rightarrow (p (ap \\ & V0P (ap (ap (c_2Etopology_2Ehull A_27a) V0P) V1s)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{(2^A-27a)}).(\forall V1s \in \\ & (2^{A-27a}).(p (ap (ap (c_2Epred_set_2ESUBSET A_27a) V1s) (ap (\\ & ap (c_2Etopology_2Ehull A_27a) V0P) V1s)))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(2^{A-27a})}).(\forall V1s \in \\
& (2^{A-27a}).(\forall V2t \in (2^{A-27a}).((p\ (ap\ V0P\ V2t)) \Rightarrow ((p\ (ap\ (ap \\
& (c.2Epred_set_2ESUBSET\ A.27a)\ (ap\ (ap\ (c.2Etopology_2Ehull \\
& A.27a)\ V0P)\ V1s))\ V2t)) \Leftrightarrow (p\ (ap\ (ap\ (c.2Epred_set_2ESUBSET\ A.27a) \\
& V1s)\ V2t))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(2^{A-27a})}).(\forall V1s \in \\
& (2^{A-27a}).(\forall V2t \in (2^{A-27a}).(((p\ (ap\ (ap\ (c.2Epred_set_2ESUBSET \\
& A.27a)\ V1s)\ V2t)) \wedge ((p\ (ap\ V0P\ V2t)) \wedge (\forall V3t.27 \in (2^{A-27a}). \\
& (((p\ (ap\ (ap\ (c.2Epred_set_2ESUBSET\ A.27a)\ V1s)\ V3t.27)) \wedge (p\ (\\
& ap\ V0P\ V3t.27))) \Rightarrow (p\ (ap\ (ap\ (c.2Epred_set_2ESUBSET\ A.27a)\ V2t) \\
& V3t.27)))))) \Rightarrow ((ap\ (ap\ (c.2Etopology_2Ehull\ A.27a)\ V0P)\ V1s) = \\
& V2t))))))
\end{aligned} \tag{40}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A-27a}).(\forall V1P \in \\
& (2^{(2^{A-27a})}).(\forall V2Q \in (2^{(2^{A-27a})}).(((\forall V3f \in (\\
& 2^{(2^{A-27a})}).(\forall V4s \in (2^{A-27a}).((p\ (ap\ (ap\ (c.2Ebool_2EIN \\
& (2^{A-27a}))\ V4s)\ V3f)) \Rightarrow (p\ (ap\ V1P\ V4s)))) \Rightarrow (p\ (ap\ V1P\ (ap\ (c.2Epred_set_2EBIGINTER \\
& A.27a)\ V3f)))))) \wedge ((\forall V5f \in (2^{(2^{A-27a})}).(\forall V6s \in \\
& (2^{A-27a}).((p\ (ap\ (ap\ (c.2Ebool_2EIN\ (2^{A-27a}))\ V6s)\ V5f)) \Rightarrow (p \\
& (ap\ V2Q\ V6s)))) \Rightarrow (p\ (ap\ V2Q\ (ap\ (c.2Epred_set_2EBIGINTER\ A.27a) \\
& V5f)))))) \wedge (\forall V7s \in (2^{A-27a}).((p\ (ap\ V2Q\ V7s)) \Rightarrow (p\ (ap\ V2Q\ (\\
& ap\ (ap\ (c.2Etopology_2Ehull\ A.27a)\ V1P)\ V7s)))))) \Rightarrow ((ap\ (ap\ (c.2Etopology_2Ehull \\
& A.27a)\ (\lambda V8x \in (2^{A-27a}).(ap\ (ap\ c.2Ebool_2E.2F.5C\ (ap\ V1P\ V8x)) \\
& (ap\ V2Q\ V8x))))\ V0s) = (ap\ (ap\ (c.2Etopology_2Ehull\ A.27a)\ V1P)\ (\\
& ap\ (ap\ (c.2Etopology_2Ehull\ A.27a)\ V2Q)\ V0s))))))
\end{aligned}$$