

# thm\_2Etopology\_2EOPEN\_\_IN\_\_BIGUNION (TMdqPQjLYog2Pm2ptBo3eDyUn7ZHhDh4gZk)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 11** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Emin\_2E\_40$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (3)$$

**Definition 12** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ V0P))$

**Definition 13** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a\ (V0s\ V1t)))$

**Definition 14** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (4)$$

Let  $c\_2Etopology\_2Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Eopen\_in\ A\_27a \in ((2^{(2^{A\_27a})})^{(ty\_2Etopology\_2Etopology\ A\_27a)}) \quad (5)$$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t) \Leftrightarrow (p\ V1x))) \Leftrightarrow (p\ V0t))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (8)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0top \in (ty\_2Etopology\_2Etopology\ A\_27a).((p\ (ap\ (ap\ (c\_2Etopology\_2Eopen\_in\ A\_27a\ V0top)\ (c\_2Epred\_set\_2EEMPTY\ A\_27a))) \wedge ((\forall V1s \in (2^{A\_27a}).(\forall V2t \in (2^{A\_27a}).((p\ (ap\ (ap\ (c\_2Etopology\_2Eopen\_in\ A\_27a\ V0top)\ V1s)) \wedge (p\ (ap\ (ap\ (c\_2Etopology\_2Eopen\_in\ A\_27a\ V0top)\ V2t)))) \Rightarrow (p\ (ap\ (ap\ (c\_2Etopology\_2Eopen\_in\ A\_27a\ V0top)\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER\ A\_27a\ V1s)\ V2t)))))) \wedge (\forall V3k \in (2^{(2^{A\_27a})}).((\forall V4s \in (2^{A\_27a}).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V4s)\ V3k)) \Rightarrow (p\ (ap\ (ap\ (c\_2Etopology\_2Eopen\_in\ A\_27a\ V0top)\ V4s)))) \Rightarrow (p\ (ap\ (ap\ (c\_2Etopology\_2Eopen\_in\ A\_27a\ V0top)\ (ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a\ V3k)))))))))) \quad (9)$$

**Theorem 1**

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V_{0top} \in (\text{ty\_2Etopology\_2Etopology} \\ & \quad A_{27a}). (\forall V_{1k} \in (2^{(2^{A-27a})}). ((\forall V_{2s} \in (2^{A-27a}). \\ & ((p (ap (ap (c\_2Ebool\_2EIN (2^{A-27a}) V_{2s}) V_{1k})) \Rightarrow (p (ap (ap (c\_2Etopology\_2Eopen\_in \\ & \quad A_{27a}) V_{0top}) V_{2s})))) \Rightarrow (p (ap (ap (c\_2Etopology\_2Eopen\_in A_{27a}) \\ & \quad V_{0top}) (ap (c\_2Epred\_set\_2EBIGUNION A_{27a}) V_{1k})))))) \end{aligned}$$