

thm_2Etopology_2EOPEN__IN__SUBSET (TM-SELEL3YZ2TFGwBLAmvPuZJw7f8MdivaYA)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 A 1) \quad (1)$$

Definition 3 We define `c_2Ebool_2EIN` to be $\lambda A. 27a : \iota. (\lambda V 0x \in A. 27a. (\lambda V 1f \in (2^{A-27a}). (\text{ap } V 1f V 0x)))$

Definition 4 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p P \Rightarrow p Q)$ of type ι .

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a})) (\lambda V 1t \in 2. V 1t)) (\lambda V 2t \in 2. V 2t)))$

Definition 6 We define `c_2Epred__set_2ESUBSET` to be $\lambda A. 27a : \iota. \lambda V 0s \in (2^{A-27a}). \lambda V 1t \in (2^{A-27a}). (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } (2^{A-27a})) (\lambda V 2t \in 2. V 2t))$

Definition 7 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } V 0P (\text{ap } (\text{c_2Emin_2E_40 } (2^{A-27a})) (\lambda V 1t \in 2. V 1t))))$

Definition 9 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0t \in 2. V 0t))$.

Definition 10 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V 0t 1 \in 2. (\lambda V 1t 2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 2t \in 2. V 2t))))$

Definition 11 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V 0t 1 \in 2. (\lambda V 1t 2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 2t \in 2. V 2t))))$

Definition 12 We define `c_2Ebool_2E_7E` to be $(\lambda V 0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V 0t) (\text{c_2Ebool_2E_21 } 2)) (\lambda V 1t \in 2. V 1t)))$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (2)$$

Let $c_2Etopology_2Eopen_in : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Etopology_2Eopen_in\ A.27a \in ((2^{(2^{A-27a})})^{(ty_2Etopology_2Etopology\ A.27a)}) \quad (3)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2EABS_prod\ A.27a\ A.27b \in ((ty_2Epair_2Eprod\ A.27a\ A.27b)^{(2^{A-27b})^{A-27a}}) \quad (4)$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap\ (c_2Epred_set_2EGSPEC\ A.27a\ A.27b))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epred_set_2EGSPEC\ A.27a\ A.27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ A.27a\ 2)^{A-27b}}) \quad (5)$$

Definition 14 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A.27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap\ (c_2Epred_set_2EGSPEC\ A.27a\ A.27a))$

Definition 15 We define $c_2Etopology_2Etopspace$ to be $\lambda A.27a : \iota.\lambda V0top \in (ty_2Etopology_2Etopology\ A.27a)$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (8)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (9)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (12)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (13)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}).(\forall V1a \in A_{27a}.((\exists V2x \in A_{27a}.((V2x = V1a) \wedge (p (ap\ V0P\ V2x)))) \Leftrightarrow (p (ap\ V0P\ V1a)))))) \quad (14)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1y \in A_{27b}.(\forall V2a \in A_{27a}.(\forall V3b \in A_{27b}.(((ap (ap (c_{2Epair_2E_2C}\ A_{27a}\ A_{27b})\ V0x)\ V1y) = (ap (ap (c_{2Epair_2E_2C}\ A_{27a}\ A_{27b})\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \quad (15)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow (\forall V0f \in ((ty_{2Epair_2Eprod}\ A_{27a}\ 2)^{A_{27b}}).(\forall V1v \in A_{27a}.((p (ap (ap (c_{2Ebool_2EIN}\ A_{27a})\ V1v) (ap (c_{2Epred_set_2EGSPEC}\ A_{27a}\ A_{27b})\ V0f))) \Leftrightarrow (\exists V2x \in A_{27b}.((ap (ap (c_{2Epair_2E_2C}\ A_{27a}\ 2)\ V1v)\ c_{2Ebool_2ET}) = (ap\ V0f\ V2x)))))) \quad (16)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1sos \in (2^{(2^{A_{27a}})}).((p (ap (ap (c_{2Ebool_2EIN}\ A_{27a})\ V0x) (ap (c_{2Epred_set_2EBIGUNION}\ A_{27a})\ V1sos))) \Leftrightarrow (\exists V2s \in (2^{A_{27a}}).((p (ap (ap (c_{2Ebool_2EIN}\ A_{27a})\ V0x)\ V2s)) \wedge (p (ap (ap (c_{2Ebool_2EIN}\ (2^{A_{27a}}))\ V2s)\ V1sos)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2.((p \ V0A) \Rightarrow ((\neg(p \ V0A)) \Rightarrow False))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow False) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p \ V0A)) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \ V0A)) \Rightarrow False) \Rightarrow (((p \ V0A) \Rightarrow False) \Rightarrow False))) \quad (22)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \Leftrightarrow (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))))))) \quad (23)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \wedge (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p)))))))) \quad (24)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \vee (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))))) \quad (25)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))) \quad (26)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p)))) \quad (27)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \quad (28)$$

Theorem 1

$$\forall A_{27a}.nonempty \ A_{27a} \Rightarrow (\forall V0top \in (ty_2Etopology_2Etopology \ A_{27a}).(\forall V1s \in (2^{A_{27a}}).((p \ (ap \ (ap \ (c_2Etopology_2Eopen_in \ A_{27a}) \ V0top) \ V1s)) \Rightarrow (p \ (ap \ (ap \ (c_2Epred_set \ 2ESUBSET \ A_{27a}) \ V1s) \ (ap \ (c_2Etopology_2Etopspace \ A_{27a}) \ V0top))))))$$