

thm_2Etopology_2EOPEN__SUBOPEN (TMQttyFKbUN4Yknwbiit2QBresx7i9FwZQV)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_2E21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_2E21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2E7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2EF$

Definition 7 We define $c_2Ebool_2E_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 8 We define $c_2Epair_2E_2E2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \tag{3}$$

Definition 9 We define $c_2Ebool_2E_2EIN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 10 We define `c_2Epred_set_2ESUBSET` to be $\lambda A_{.27a} : \iota. \lambda V0s \in (2^{A_{.27a}}). \lambda V1t \in (2^{A_{.27a}}). (ap$

Definition 11 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge$
of type $\iota \Rightarrow \iota$.

Definition 12 We define `c_2Ebool_2E_3F` to be $\lambda A_{.27a} : \iota. (\lambda V0P \in (2^{A_{.27a}}). (ap V0P (ap (c_2Emin_2E_40$

Definition 13 We define `c_2Epred_set_2EBIGUNION` to be $\lambda A_{.27a} : \iota. \lambda V0P \in (2^{(2^{A_{.27a}})}). (ap (c_2Epred_set_2E$

Let `ty_2Etopology_2Etopology` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Etopology_2Etopology A0) \quad (4)$$

Let `c_2Etopology_2Eopen_in` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow c_2Etopology_2Eopen_in A_{.27a} \in ((2^{(2^{A_{.27a}})}) (ty_2Etopology_2Etopology A_{.27a})) \quad (5)$$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (7)$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_{.27a}. (p V0t)) \Leftrightarrow (p V0t))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (10)$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. (\forall V1y \in A_{.27a}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (13)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (14)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in A_{.27b}.(((ap (ap (c_{.2E}pair_{.2E}_{.2C} A_{.27a} A_{.27b}) V0x) V1y) = (ap (ap (c_{.2E}pair_{.2E}_{.2C} A_{.27a} A_{.27b}) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \quad (15)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0f \in ((ty_{.2E}pair_{.2E}prod A_{.27a} 2)^{A_{.27b}}).(\forall V1v \in A_{.27a}.((p (ap (ap (c_{.2E}bool_{.2E}IN A_{.27a}) V1v) (ap (c_{.2E}pred_{.set}_{.2EGS}PEC A_{.27a} A_{.27b}) V0f))) \Leftrightarrow (\exists V2x \in A_{.27b}.((ap (ap (c_{.2E}pair_{.2E}_{.2C} A_{.27a} 2) V1v) c_{.2E}bool_{.2ET}) = (ap V0f V2x)))))) \quad (16)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27a}}).((p (ap (ap (c_{.2E}pred_{.set}_{.2ESUBSET} A_{.27a}) V0s) V1t)) \Leftrightarrow (\forall V2x \in A_{.27a}.((p (ap V0s V2x)) \Rightarrow (p (ap V1t V2x))))))) \quad (17)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).((p (ap (ap (c_{.2E}pred_{.set}_{.2ESUBSET} A_{.27a}) V0s) V0s))) \quad (18)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27a}}).(((p (ap (ap (c_{.2E}pred_{.set}_{.2ESUBSET} A_{.27a}) V0s) V1t)) \wedge (p (ap (ap (c_{.2E}pred_{.set}_{.2ESUBSET} A_{.27a}) V1t) V0s))) \Leftrightarrow (V0s = V1t)))) \quad (19)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1sos \in (2^{(2^{A_{.27a}})}).((p (ap (ap (c_{.2E}pred_{.set}_{.2EBIGUNION} A_{.27a}) V1sos) V0x)) \Leftrightarrow (\exists V2s \in (2^{A_{.27a}}).((p (ap (ap (c_{.2E}bool_{.2E}IN A_{.27a}) V0x) V2s)) \wedge (p (ap (ap (c_{.2E}bool_{.2E}IN (2^{A_{.27a}}) V2s) V1sos))))))) \quad (20)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0top \in (ty.2Etopology.2Etopology \\
& \quad A.27a).(\forall V1k \in (2^{(2^{A.27a})}).(\forall V2s \in (2^{A.27a}). \\
& ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{A.27a})\ V2s)\ V1k)) \Rightarrow (p\ (ap\ (ap\ (c.2Etopology.2Eopen_in \\
& \quad A.27a)\ V0top)\ V2s)))) \Rightarrow (p\ (ap\ (ap\ (c.2Etopology.2Eopen_in\ A.27a) \\
& \quad V0top)\ (ap\ (c.2Epred_set.2EBIGUNION\ A.27a)\ V1k))))))
\end{aligned} \tag{21}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0S.27 \in (2^{A.27a}).(\forall V1top \in \\
& (ty.2Etopology.2Etopology\ A.27a).((p\ (ap\ (ap\ (c.2Etopology.2Eopen_in \\
& \quad A.27a)\ V1top)\ V0S.27)) \Leftrightarrow (\forall V2x \in A.27a.((p\ (ap\ V0S.27\ V2x)) \Rightarrow \\
& (\exists V3P \in (2^{A.27a}).((p\ (ap\ V3P\ V2x)) \wedge ((p\ (ap\ (ap\ (c.2Etopology.2Eopen_in \\
& \quad A.27a)\ V1top)\ V3P)) \wedge (p\ (ap\ (ap\ (c.2Epred_set.2ESUBSET\ A.27a) \\
& \quad V3P)\ V0S.27))))))))))
\end{aligned}$$