

thm_2Etoto_2ESLO_LEX (TM- RQbsy9EhUL4QXQfYCKseFDBhX8Q2HZdE7)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 7 We define `c_2Erelation_2Etrichotomous` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21$

Definition 8 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 9 We define `c_2Erelation_2Etransitive` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21$

Definition 10 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21$

Definition 11 We define `c_2Erelation_2Eirreflexive` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21$

Definition 12 We define `c_2Erelation_2EStrongOrder` to be $\lambda A_27g : \iota.\lambda V0Z \in ((2^{A_27g})^{A_27g}).(ap (ap c_2Ebool_2E_21$

Definition 13 We define `c_2Erelation_2EStrongLinearOrder` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (ap c_2Ebool_2E_21$

Let `ty_2Epair_2Eprod : $\iota \Rightarrow \iota \Rightarrow \iota$` be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (2)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (3)$$

Definition 14 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c^{A_27a})$

Definition 15 We define c_2Epair_2ELEX to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R1 \in ((2^{A_27a})^{A_27a}). \lambda V1R2 \in (($

Assume the following.

$$True \quad (4)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (5)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (6)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t))) \quad (7)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \end{aligned} \quad (10)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (11)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\ & ((p\ (ap\ (c.2Erelation.2Etrichotomous\ A.27a)\ V0R)) \Leftrightarrow (\forall V1x \in \\ & A.27a.(\forall V2y \in A.27a.(((\neg(p\ (ap\ (ap\ V0R\ V1x)\ V2y))) \wedge (\neg(p\ (\\ & ap\ (ap\ V0R\ V2y)\ V1x)))) \Rightarrow (V1x = V2y)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0x \in (ty.2Epair.2Eprod\ A.27a\ A.27b).(\forall V1y \in (ty.2Epair.2Eprod \\ & A.27a\ A.27b).((V0x = V1y) \Leftrightarrow (((ap\ (c.2Epair.2EFST\ A.27a\ A.27b)\ V0x) = \\ & (ap\ (c.2Epair.2EFST\ A.27a\ A.27b)\ V1y)) \wedge ((ap\ (c.2Epair.2ESND\ A.27a \\ & A.27b)\ V0x) = (ap\ (c.2Epair.2ESND\ A.27a\ A.27b)\ V1y)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0Z \in ((2^{A.27a})^{A.27a}). \\ & ((p\ (ap\ (c.2Erelation.2EstrongOrder\ A.27a)\ V0Z)) \Leftrightarrow ((p\ (ap\ (c.2Erelation.2Eirreflexive \\ & A.27a)\ V0Z)) \wedge (p\ (ap\ (c.2Erelation.2Etransitive\ A.27a)\ V0Z)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0R \in ((2^{A.27a})^{A.27a}).(\forall V1U \in ((2^{A.27b})^{A.27b}). \\ & (\forall V2c \in (ty.2Epair.2Eprod\ A.27a\ A.27b).(\forall V3d \in (ty.2Epair.2Eprod \\ & A.27a\ A.27b).((p\ (ap\ (ap\ (ap\ (ap\ (c.2Epair.2ELEX\ A.27a\ A.27b)\ V0R) \\ & V1U)\ V2c)\ V3d)) \Leftrightarrow ((p\ (ap\ (ap\ V0R\ (ap\ (c.2Epair.2EFST\ A.27a\ A.27b) \\ & V2c))\ (ap\ (c.2Epair.2EFST\ A.27a\ A.27b)\ V3d))) \vee (((ap\ (c.2Epair.2EFST \\ & A.27a\ A.27b)\ V2c) = (ap\ (c.2Epair.2EFST\ A.27a\ A.27b)\ V3d)) \wedge (p\ (ap \\ & (ap\ V1U\ (ap\ (c.2Epair.2ESND\ A.27a\ A.27b)\ V2c))\ (ap\ (c.2Epair.2ESND \\ & A.27a\ A.27b)\ V3d))))))))) \end{aligned} \quad (16)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0R \in ((2^{A.27a})^{A.27a}).(\forall V1V \in ((2^{A.27b})^{A.27b}). \\ & (((p\ (ap\ (c.2Erelation.2EstrongLinearOrder\ A.27a)\ V0R)) \wedge (p\ (\\ & ap\ (c.2Erelation.2EstrongLinearOrder\ A.27b)\ V1V))) \Rightarrow (p\ (ap\ (c.2Erelation.2EstrongLinearOrder \\ & (ty.2Epair.2Eprod\ A.27a\ A.27b))\ (ap\ (ap\ (c.2Epair.2ELEX\ A.27a \\ & A.27b)\ V0R)\ V1V)))))) \end{aligned}$$