

thm_2Etoto_2EStrongLinearOrder_of__TO__TO__of__LinearOrder (TMKX3pioz7G5T8Swu7FgupJWgTiJcCEzncJ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 8 We define $c_2Erelation_2Eirreflexive$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_2F$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2EternaryComparisons_2Eordering : \iota$ be given. Assume the following.

$$nonempty\ ty_2EternaryComparisons_2Eordering \quad (1)$$

Let $c_2EternaryComparisons_2EGREATER : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2EGREATER \in ty_2EternaryComparisons_2Eordering \quad (2)$$

Let $c_2EternaryComparisons_2ELESS : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2ELESS \in ty_2EternaryComparisons_2Eordering \quad (3)$$

Let $c_2EternaryComparisons_2EEQUAL : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2EEQUAL \in ty_2EternaryComparisons_2Eordering \quad (4)$$

Definition 20 We define `c_2EternaryComparisons_2Eordering_CASE` to be $\lambda A_{.27a} : \iota. \lambda V0x \in ty_2EternaryC$

Definition 21 We define `c_2Etoto_2EStrongLinearOrder_of_TO` to be $\lambda A_{.27a} : \iota. \lambda V0c \in ((ty_2EternaryC$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (15)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (16)$$

Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. (\forall V1y \in A_{.27a}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow \forall A_{.27b}. nonempty A_{.27b} \Rightarrow (\forall V0f \in (A_{.27b}^{A_{.27a}}). (\forall V1g \in (A_{.27b}^{A_{.27a}}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A_{.27a}. ((ap V0f V2x) = (ap V1g V2x)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (19)$$

Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow (\forall V0t1 \in A_{.27a}. (\forall V1t2 \in A_{.27a}. (((ap (ap (ap (c_2Ebool_2ECOND A_{.27a}) c_2Ebool_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_{.27a}) c_2Ebool_2EF) V0t1) V1t2) = V1t2)))))) \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (21)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in 2. (((((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27}))))))))) \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow ((\forall V0v0 \in A_{.27a}. (\forall V1v1 \in \\ & A_{.27a}. (\forall V2v2 \in A_{.27a}. ((\text{ap } (\text{ap } (\text{ap } (\text{c_2EternaryComparisons_2Eordering_CASE} \\ & A_{.27a}) \text{ c_2EternaryComparisons_2ELESS}) V0v0) V1v1) V2v2) = V0v0)))) \wedge \\ & ((\forall V3v0 \in A_{.27a}. (\forall V4v1 \in A_{.27a}. (\forall V5v2 \in A_{.27a}. \\ & ((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c_2EternaryComparisons_2Eordering_CASE } A_{.27a}) \\ & \text{c_2EternaryComparisons_2EQUAL}) V3v0) V4v1) V5v2) = V4v1)))) \wedge \\ & (\forall V6v0 \in A_{.27a}. (\forall V7v1 \in A_{.27a}. (\forall V8v2 \in A_{.27a}. \\ & ((\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c_2EternaryComparisons_2Eordering_CASE } A_{.27a}) \\ & \text{c_2EternaryComparisons_2EGREATER}) V6v0) V7v1) V8v2) = V8v2)))))) \quad (23) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0R \in ((2^{A_{.27a}})^{A_{.27a}}). \\ & ((p (\text{ap } (\text{c_2Erelation_2Eirreflexive } A_{.27a}) V0R)) \Rightarrow ((\text{ap } (\text{c_2Etoto_2EStrongLinearOrder_of_TO} \\ & A_{.27a}) (\text{ap } (\text{c_2Etoto_2ETO_of_LinearOrder } A_{.27a}) V0R)) = V0R))) \end{aligned}$$