

thm_2Etoto_2EStrong_Strong_of (TMVi- WWrbtM1wEZTvji6hVXnqrwwyYH5r2m)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 3 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 5 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 6 We define `c_2Erelation_2Etrichotomous` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V1t \in 2.V1t))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 8 We define `c_2Erelation_2Etransitive` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V1t \in 2.V1t))$

Definition 9 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21 2))$

Definition 11 We define `c_2Erelation_2Eirreflexive` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V1t \in 2.V1t))$

Definition 12 We define `c_2Erelation_2EStrongOrder` to be $\lambda A_27g : \iota.\lambda V0Z \in ((2^{A_27g})^{A_27g}).(ap (ap c_2Ebool_2E_21 2) (\lambda V1t \in 2.V1t))$

Definition 13 We define `c_2Erelation_2EStrongLinearOrder` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (ap c_2Ebool_2E_21 2) (\lambda V1t \in 2.V1t))$

Definition 14 We define `c_2Erelation_2Eantisymmetric` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V1t \in 2.V1t))$

Definition 15 We define `c_2Erelation_2Ereflexive` to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21 2) (\lambda V1t \in 2.V1t))$

Definition 16 We define `c_2Erelation_2EWeakOrder` to be $\lambda A_27g : \iota.\lambda V0Z \in ((2^{A_27g})^{A_27g}).(ap (ap c_2Ebool_2E_21 2) (\lambda V1t \in 2.V1t))$

Definition 17 We define $c_Erelation_EWeakLinearOrder$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (ap$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $ty_2EternaryComparisons_2Eordering : \iota$ be given. Assume the following.

$$nonempty\ ty_2EternaryComparisons_2Eordering \quad (2)$$

Let $c_2EternaryComparisons_2Eordering2num : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2Eordering2num \in (ty_2Enum_2Enum^{ty_2EternaryComparisons_2Eordering}) \quad (3)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (4)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (5)$$

Definition 18 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 19 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Definition 20 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 21 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap\ c_2Earithmetic$

Definition 22 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 23 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge$
of type $\iota \Rightarrow \iota$.

Definition 24 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 25 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 26 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 27 We define $c_2EternaryComparisons_2Eordering_CASE$ to be $\lambda A_27a : \iota. \lambda V0x \in ty_2Eternary$

Definition 28 We define $c_2Etoto_2EWeakLinearOrder_of_TO$ to be $\lambda A_27a : \iota. \lambda V0c \in ((ty_2EternaryC$

Definition 29 We define $c_2ERelation_2ESTRORD$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a$

Let $ty_2Etoto_2Etoto : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etoto_2Etoto\ A0) \quad (9)$$

Let $c_2Etoto_2Eapto : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etoto_2Eapto\ A_27a \in (((ty_2EternaryComparisons_2Eordering^{A_27a})^{A_27a})^{A_27a}) \quad (10)$$

Definition 30 We define $c_2Etoto_2EStrongLinearOrder_of_TO$ to be $\lambda A_27a : \iota. \lambda V0c \in ((ty_2EternaryC$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0c \in (ty_2Etoto_2Etoto\ A_27a). (p\ (ap\ (c_2ERelation_2EWeakLinearOrder\ A_27a)\ (ap\ (c_2Etoto_2EWeakLinearOrder_of_TO\ A_27a)\ (ap\ (c_2Etoto_2Eapto\ A_27a)\ V0c)))))) \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). ((p\ (ap\ (c_2ERelation_2EWeakLinearOrder\ A_27a)\ V0R)) \Rightarrow (p\ (ap\ (c_2ERelation_2EStrongLinearOrder\ A_27a)\ (ap\ (c_2ERelation_2ESTRORD\ A_27a)\ V0R)))))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0c \in (ty_2Etoto_2Etoto\ A_27a). ((ap\ (c_2Etoto_2EStrongLinearOrder_of_TO\ A_27a)\ (ap\ (c_2Etoto_2Eapto\ A_27a)\ V0c)) = (ap\ (c_2ERelation_2ESTRORD\ A_27a)\ (ap\ (c_2Etoto_2EWeakLinearOrder_of_TO\ A_27a)\ (ap\ (c_2Etoto_2Eapto\ A_27a)\ V0c)))))) \quad (13)$$

Theorem 1

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0c \in (ty_2Etoto_2Etoto\ A_27a). (p\ (ap\ (c_2ERelation_2EStrongLinearOrder\ A_27a)\ (ap\ (c_2Etoto_2EStrongLinearOrder_of_TO\ A_27a)\ (ap\ (c_2Etoto_2Eapto\ A_27a)\ V0c))))))$$