

# thm\_2Etoto\_2EStrong\_Strong\_of\_TO (TMPTf6Dat55APC3rFxzZdkyy37GqG1USGVN)

October 26, 2020

Let  $ty\_2Etoto\_2Etoto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. nonempty A \Rightarrow nonempty (ty\_2Etoto\_2Etoto A) \quad (1)$$

Let  $ty\_2EternaryComparisons\_2Eordering : \iota$  be given. Assume the following.

$$nonempty ty\_2EternaryComparisons\_2Eordering \quad (2)$$

Let  $c\_2Etoto\_2ETO : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Etoto\_2ETO A\_27a \in ((ty\_2Etoto\_2Etoto A\_27a)^{(ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a}}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

Let  $c\_2EternaryComparisons\_2ELESS : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2ELESS \in ty\_2EternaryComparisons\_2Eordering \quad (4)$$

**Definition 2** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))^{A\_27a})^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. inj\_o (t1 = t2))))$

Let  $c\_2EternaryComparisons\_2EGREATER : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EGREATER \in ty\_2EternaryComparisons\_2Eordering \quad (5)$$

Let  $c\_2EternaryComparisons\_2EEQUAL : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EEQUAL \in ty\_2EternaryComparisons\_2Eordering \quad (6)$$

**Definition 6** We define  $c\_2Etoto\_2ETotOrd$  to be  $\lambda A\_27a : \iota. \lambda V0c \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a})$

Let  $c\_2Etoto\_2Eapto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Etoto\_2Eapto\ A\_27a \in (((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a})^{A\_27a})$$

(7)

**Definition 7** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (8)$$

Let  $c\_2EternaryComparisons\_2Eordering2num : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2Eordering2num \in (ty\_2Enum\_2Enum^{ty\_2EternaryComparisons\_2Eordering})$$

(9)

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (11)$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 9** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \quad (13)$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})$$

(14)

**Definition 11** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n)\ 1)$

**Definition 12** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 13** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \ (ap\ P\ x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge P\ x) \text{ of type } \iota \Rightarrow \iota)$ .

**Definition 14** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 15** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E$

**Definition 16** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 17** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. ($

**Definition 18** We define  $c\_2EternaryComparisons\_2Eordering\_CASE$  to be  $\lambda A\_27a : \iota. \lambda V0x \in ty\_2EternaryComparisons$

**Definition 19** We define  $c\_2Etoto\_2EStrongLinearOrder\_of\_TO$  to be  $\lambda A\_27a : \iota. \lambda V0c \in ((ty\_2EternaryComparisons$

**Definition 20** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.$

**Definition 21** We define  $c\_2Erelation\_2Etrichotomous$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2Ebool\_2E$

**Definition 22** We define  $c\_2Erelation\_2Etransitive$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2Ebool\_2E$

**Definition 23** We define  $c\_2Erelation\_2Eirreflexive$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2Ebool\_2E$

**Definition 24** We define  $c\_2Erelation\_2EStrongOrder$  to be  $\lambda A\_27g : \iota. \lambda V0Z \in ((2^{A\_27g})^{A\_27g}). (ap (ap c\_2Ebool\_2E$

**Definition 25** We define  $c\_2Erelation\_2EStrongLinearOrder$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (ap c\_2Ebool\_2E$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a &\Rightarrow (\forall V0r \in ((ty\_2EternaryComparisons\_2Eordering)^{A\_27a})^{A\_27a}). \\ &((p (ap (c\_2Etoto\_2ETotOrd A\_27a) V0r)) \Rightarrow ((ap (c\_2Etoto\_2Eapto A\_27a) (ap (c\_2Etoto\_2ETO A\_27a) V0r)) = V0r))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty A\_27a &\Rightarrow (\forall V0c \in (ty\_2Etoto\_2Etoto A\_27a). (p (ap (c\_2Erelation\_2EStrongLinearOrder A\_27a) (ap (c\_2Etoto\_2EStrongLinearOrder\_of\_TO A\_27a) (ap (c\_2Etoto\_2Eapto A\_27a) V0c))))) \end{aligned} \quad (17)$$

### Theorem 1

$$\begin{aligned} \forall A\_27a. nonempty A\_27a &\Rightarrow (\forall V0c \in ((ty\_2EternaryComparisons\_2Eordering)^{A\_27a})^{A\_27a}). \\ &((p (ap (c\_2Etoto\_2ETotOrd A\_27a) V0c)) \Rightarrow (p (ap (c\_2Erelation\_2EStrongLinearOrder A\_27a) (ap (c\_2Etoto\_2EStrongLinearOrder\_of\_TO A\_27a) V0c))))) \end{aligned}$$