

# thm\_2Etoto\_2ETO\_ListOrd (TMdRT- ByPvfJQ71LeJ9VW68S6HuafD2HiMVd)

October 26, 2020

Let  $ty\_2EternaryComparisons\_2Eordering : \iota$  be given. Assume the following.

$$nonempty\ ty\_2EternaryComparisons\_2Eordering \quad (1)$$

Let  $c\_2EternaryComparisons\_2ELESS : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2ELESS \in ty\_2EternaryComparisons\_2Eordering \quad (2)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.V2t)))$

Let  $c\_2EternaryComparisons\_2EGREATER : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EGREATER \in ty\_2EternaryComparisons\_2Eordering \quad (3)$$

Let  $c\_2EternaryComparisons\_2EEQUAL : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EEQUAL \in ty\_2EternaryComparisons\_2Eordering \quad (4)$$

**Definition 6** We define  $c\_2Etoto\_2ETotOrd$  to be  $\lambda A.\lambda a : \iota.\lambda V0c \in ((ty\_2EternaryComparisons\_2Eordering$

**Definition 7** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.V2t)))$

**Definition 8** We define  $c\_2ERelation\_2Etrichotomous$  to be  $\lambda A.\lambda a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).(ap (c\_2Ebool$

**Definition 9** We define  $c\_2Erelation\_2Etransitive$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2Ebool\_2E$

**Definition 10** We define  $c\_2Ebool\_2E21$  to be  $(ap (c\_2Ebool\_2E21) 2) (\lambda V0t \in 2.V0t)$ .

**Definition 11** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E3D\_3D\_3E V0t) c\_2Ebool\_2E$

**Definition 12** We define  $c\_2Erelation\_2Eirreflexive$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2Ebool\_2E$

**Definition 13** We define  $c\_2Erelation\_2EstrongOrder$  to be  $\lambda A\_27g : \iota. \lambda V0Z \in ((2^{A\_27g})^{A\_27g}). (ap (ap c\_2E$

**Definition 14** We define  $c\_2Erelation\_2EstrongLinearOrder$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (a$

Let  $ty\_2Etoto\_2Etoto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Etoto\_2Etoto A0) \quad (5)$$

Let  $c\_2Etoto\_2Eapto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Etoto\_2Eapto A\_27a \in (((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a})^{A\_27a}) \quad (6)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (7)$$

Let  $c\_2EternaryComparisons\_2Eordering2num : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2Eordering2num \in (ty\_2Enum\_2Enum^{ty\_2EternaryComparisons\_2Eordering}) \quad (8)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 16** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (12)$$

**Definition 17** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})ty\_2Enum\_2Enum) \quad (13)$$

**Definition 18** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2E\_2B) V0n)$

**Definition 19** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 20** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 21** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_2Emin\_2E\_40) t1 t2))))$

**Definition 22** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40) P)))$

**Definition 23** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0m$

**Definition 24** We define  $c\_2EternaryComparisons\_2Eordering\_CASE$  to be  $\lambda A\_27a : \iota.\lambda V0x \in ty\_2EternaryComparisons\_2Eordering\_CASE$

**Definition 25** We define  $c\_2Etoto\_2EStrongLinearOrder\_of\_TO$  to be  $\lambda A\_27a : \iota.\lambda V0c \in ((ty\_2EternaryComparisons\_2Eordering\_CASE) A\_27a)$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (14)$$

Let  $c\_2Etoto\_2Elistorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Etoto\_2Elistorder A\_27a \in ((2^{(ty\_2Elist\_2Elist A\_27a)})(ty\_2Elist\_2Elist A\_27a))((2^{A\_27a})^{A\_27a}) \quad (15)$$

**Definition 26** We define  $c\_2Etoto\_2ETO\_of\_LinearOrder$  to be  $\lambda A\_27a : \iota.\lambda V0r \in ((2^{A\_27a})^{A\_27a}).\lambda V1x \in A\_27a.(ap (c\_2Etoto\_2Elistorder) V0r x)$

**Definition 27** We define  $c\_2Etoto\_2ElistOrd$  to be  $\lambda A\_27a : \iota.\lambda V0c \in (ty\_2Etoto\_2Etoto A\_27a).(ap (c\_2Etoto\_2ETO\_of\_LinearOrder) V0c)$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0c \in (ty\_2Etoto\_2Etoto A\_27a).(p (ap (c\_2Etoto\_2ETotOrd A\_27a) V0c) (ap (c\_2Etoto\_2Eapto A\_27a) V0c)))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0c \in ((ty\_2EternaryComparisons\_2Eordering\_CASE)^{A\_27a})^{A\_27a}).((p (ap (c\_2Etoto\_2ETotOrd A\_27a) V0c) \Rightarrow (p (ap (c\_2Erelation\_2EStrongLinearOrder A\_27a) (ap (c\_2Etoto\_2EStrongLinearOrder\_of\_TO A\_27a) V0c)))))) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0r \in ((2^{A.27a})^{A.27a}). \\ & ((p\ (ap\ (c.2Erelation.2EStrongLinearOrder\ A.27a)\ V0r)) \Rightarrow (p\ (ap \\ & (c.2Etoto.2ETotOrd\ A.27a)\ (ap\ (c.2Etoto.2ETO\_of\_LinearOrder \\ & A.27a)\ V0r)))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0V \in ((2^{A.27a})^{A.27a}). \\ & ((p\ (ap\ (c.2Erelation.2EStrongLinearOrder\ A.27a)\ V0V)) \Rightarrow (p\ (ap \\ & (c.2Erelation.2EStrongLinearOrder\ (ty.2Elist.2Elist\ A.27a)) \\ & (ap\ (c.2Etoto.2Elistorder\ A.27a)\ V0V)))) \end{aligned} \quad (19)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0c \in (ty.2Etoto.2Etoto \\ & A.27a).(p\ (ap\ (c.2Etoto.2ETotOrd\ (ty.2Elist.2Elist\ A.27a))\ ( \\ & ap\ (c.2Etoto.2EListOrd\ A.27a)\ V0c)))) \end{aligned}$$