

thm_2Etoto_2ETO__charOrd (TMFGP- nER8F1QAqxYLuML1hFVrYBSKXowDZo)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x)$

Definition 3 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Let `ty_2EternaryComparisons_2Eordering` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2EternaryComparisons_2Eordering} \quad (1)$$

Let `c_2EternaryComparisons_2ELESS` : ι be given. Assume the following.

$$\text{c_2EternaryComparisons_2ELESS} \in \text{ty_2EternaryComparisons_2Eordering} \quad (2)$$

Let `c_2EternaryComparisons_2EGREATER` : ι be given. Assume the following.

$$\text{c_2EternaryComparisons_2EGREATER} \in \text{ty_2EternaryComparisons_2Eordering} \quad (3)$$

Let `c_2EternaryComparisons_2EEQUAL` : ι be given. Assume the following.

$$\text{c_2EternaryComparisons_2EEQUAL} \in \text{ty_2EternaryComparisons_2Eordering} \quad (4)$$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 5 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V 0t1 \in 2. (\lambda V 1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V 2t \in 2. V 2t)))$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \quad (5)$$

Definition 6 We define `c_2Etoto_2ETotOrd` to be $\lambda A. 27a : \iota. \lambda V 0c \in ((\text{ty_2EternaryComparisons_2Eordering } (2^{A-27a})))$

Let $ty_2Estring_2Echar : \iota$ be given. Assume the following.

$$nonempty\ ty_2Estring_2Echar \quad (6)$$

Let $c_2Estring_2EORD : \iota$ be given. Assume the following.

$$c_2Estring_2EORD \in (ty_2Enum_2Enum^{ty_2Estring_2Echar}) \quad (7)$$

Definition 7 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (10)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota$.

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a)\ P)))$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap\ V0m\ (ap\ V1n\ (ap\ (c_2Emin_2E_40\ V0m)\ V1n)))$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ V0t\ (ap\ V1t1\ (ap\ V2t2\ (ap\ (c_2Emin_2E_40\ V0t)\ V1t1)))))))$

Definition 14 We define $c_2Etoto_2ETO_of_LinearOrder$ to be $\lambda A_27a : \iota.(\lambda V0r \in ((2^{A_27a})^{A_27a}).\lambda V1x \in 2.(ap\ V0r\ (ap\ V1x\ (ap\ (c_2Emin_2E_40\ V0r)\ V1x))))$

Definition 15 We define $c_2Etoto_2EnumOrd$ to be $(ap\ (c_2Etoto_2ETO_of_LinearOrder\ ty_2Enum_2Enum))$

Definition 16 We define $c_2Etoto_2EcharOrd$ to be $\lambda V0a \in ty_2Estring_2Echar.\lambda V1b \in ty_2Estring_2Echar.(ap\ V0a\ (ap\ V1b\ (ap\ (c_2Emin_2E_40\ V0a)\ V1b)))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_2Estring_2Echar.(\forall V1a_27 \in ty_2Estring_2Echar. \\ & (((ap\ c_2Estring_2EORD\ V0a) = (ap\ c_2Estring_2EORD\ V1a_27)) \Leftrightarrow (V0a = V1a_27)))) \end{aligned} \quad (13)$$

Assume the following.

$$(p\ (ap\ (c_2Etoto_2ETotOrd\ ty_2Enum_2Enum)\ c_2Etoto_2EnumOrd)) \quad (14)$$

Theorem 1 $(p\ (ap\ (c_2Etoto_2ETotOrd\ ty_2Estring_2Echar)\ c_2Etoto_2EcharOrd))$.