

thm_2Etoto_2ETO__numOrd (TM-
RhgV4xWdJxPKD6WQsWcWfV63msFtDKa8F)

October 26, 2020

Let $ty_2EternaryComparisons_2Ordering : \iota$ be given. Assume the following.

nonempty *ty_2EternaryComparisons_2Ordering* (1)

Let $c_{\text{2EternaryComparisons_2ELSS}} : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2ELESS \in ty_2EternaryComparisons_2Eordering \quad (2)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^A_{27}a)).(ap\ (ap\ (ap\ (c_2Emin_2E_3D\ (2^A_{27}a)\ V0)\ P)\ ap)\ ap)$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap(c_2Ebool_2E_21 2))(\lambda V2t \in 2.$

Let $c.2EternaryComparisons.2EGREATER : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2EGREATER \in ty_2EternaryComparisons_2Eordering$$

(3)

Let $c_{\text{2EternaryComparisons_2EQUAL}} : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2EQUAL \in ty_2EternaryComparisons_2Ordering \quad (4)$$

Definition 6 We define $c_{\text{2EToto-2ETotOrd}}$ to be $\lambda A_{\text{27a}} : \iota. \lambda V0c \in ((ty\text{-}2EternaryComparisons}\text{-}2Eorde}$

Definition 8 We define c_2Erelation_2Etrichotomous to be $\lambda A.27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).(ap\ (c_2Eboc$

Definition 9 We define $c_2Erelation_2Etransitive$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2Etransitive A_27a) V0R)$.

Definition 10 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2Etransitive V0t))$.

Definition 12 We define $c_2Erelation_2Eirreflexive$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2Eirreflexive A_27a) V0R)$.

Definition 13 We define $c_2Erelation_2EStrongOrder$ to be $\lambda A_27g : \iota. \lambda V0Z \in ((2^{A_27g})^{A_27g}).(ap (ap c_2Erelation_2Etransitive A_27g) V0Z)$.

Definition 14 We define $c_2Erelation_2EStrongLinearOrder$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (ap c_2Erelation_2EStrongOrder A_27a) V0R)$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (5)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 15 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num m)$.

Definition 16 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p x) \text{ of type } \iota \Rightarrow \iota)$.

Definition 17 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) V0P)))$.

Definition 18 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.(ap (c_2Eprim_rec_2E_3C V0m) V1n)$.

Definition 19 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Ebool_2E_3F A_27a) V0t))))$.

Definition 20 We define $c_2Etoto_2ETO_of_LinearOrder$ to be $\lambda A_27a : \iota. \lambda V0r \in ((2^{A_27a})^{A_27a}). \lambda V1x \in (2^{A_27a}).(ap (c_2Etoto_2ETO_of_LinearOrder A_27a) V0r))$.

Definition 21 We define $c_2Etoto_2EnumOrd$ to be $(ap (c_2Etoto_2ETO_of_LinearOrder ty_2Enum_2Enum) ty_2Enum_2Enum)$.

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0r \in ((2^{A_27a})^{A_27a}). \\ & ((p (ap (c_2Erelation_2EStrongLinearOrder A_27a) V0r)) \Rightarrow (p (ap \\ & (c_2Etoto_2ETotOrd A_27a) (ap (c_2Etoto_2ETO_of_LinearOrder \\ & A_27a) V0r)))))) \end{aligned} \quad (9)$$

Assume the following.

$$(p (ap (c_2Erelation_2EStrongLinearOrder ty_2Enum_2Enum) c_2Eprim_rec_2E_3C)) \quad (10)$$

Theorem 1 $(p (ap (c_2Etoto_2ETotOrd ty_2Enum_2Enum) c_2Etoto_2EnumOrd))$.