

# thm\_2Etoto\_2ETO\_of\_LinearOrder\_LEX (TMVD46o16icWfDwgciQFCaa6BBX2y9XN3hD)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A.27a : \iota. (\lambda V0P \in (2^{A.27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A.27a}))))$

**Definition 4** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D\_3D\_3E } V0t) (\text{c\_2Ebool\_2EF } 2))))$

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2.V2t))))$

**Definition 8** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2.V2t))))$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A0 A1) \tag{1}$$

Let `c_2Epair_2ESND` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \forall A.27b. \text{nonempty } A.27b \Rightarrow \text{c\_2Epair\_2ESND } A.27a A.27b \in (A.27b^{(\text{ty\_2Epair\_2Eprod } A.27a A.27b)}) \tag{2}$$

Let `c_2Epair_2EFST` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a. \text{nonempty } A.27a \Rightarrow \forall A.27b. \text{nonempty } A.27b \Rightarrow \text{c\_2Epair\_2EFST } A.27a A.27b \in (A.27a^{(\text{ty\_2Epair\_2Eprod } A.27a A.27b)}) \tag{3}$$

**Definition 9** We define `c_2Epair_2EUNCURRY` to be  $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda A.27c : \iota. \lambda V0f \in ((A.27c^{A.27b})^{A.27a})$

**Definition 10** We define  $c\_2Epair\_2ELEX$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R1 \in ((2^{A\_27a})^{A\_27a}). \lambda V1R2 \in ((2^{A\_27b})^{A\_27b})$ .  
Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (4)$$

Let  $ty\_2EternaryComparisons\_2Eordering : \iota$  be given. Assume the following.

$$nonempty\ ty\_2EternaryComparisons\_2Eordering \quad (5)$$

Let  $c\_2EternaryComparisons\_2Eordering2num : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2Eordering2num \in (ty\_2Enum\_2Enum^{ty\_2EternaryComparisons\_2Eordering}) \quad (6)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (8)$$

**Definition 11** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 12** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (10)$$

**Definition 13** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 14** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))$

**Definition 15** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

**Definition 16** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (V0t \wedge V1t1 \wedge V2t2)))$

**Definition 18** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_Emin\_2E\_40$

**Definition 19** We define  $c\_Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 20** We define  $c\_2EternaryComparisons\_2Eordering\_CASE$  to be  $\lambda A\_27a : \iota. \lambda V0x \in ty\_2EternaryC$

**Definition 21** We define  $c\_2Etoto\_2EStrongLinearOrder\_of\_TO$  to be  $\lambda A\_27a : \iota. \lambda V0c \in ((ty\_2EternaryC$

Let  $c\_2EternaryComparisons\_2EGREATER : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EGREATER \in ty\_2EternaryComparisons\_2Eordering \quad (12)$$

Let  $c\_2EternaryComparisons\_2ELESS : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2ELESS \in ty\_2EternaryComparisons\_2Eordering \quad (13)$$

Let  $c\_2EternaryComparisons\_2EEQUAL : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EEQUAL \in ty\_2EternaryComparisons\_2Eordering \quad (14)$$

**Definition 22** We define  $c\_2Etoto\_2ETO\_of\_LinearOrder$  to be  $\lambda A\_27a : \iota. \lambda V0r \in ((2^{A\_27a})^{A\_27a}). \lambda V1x \in$

**Definition 23** We define  $c\_2Etoto\_2ElexTO$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0R \in ((ty\_2EternaryComparis$

**Definition 24** We define  $c\_2Erelation\_2Eirreflexive$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap\ (c\_2Ebool\_2E\_3F$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow \neg (p\ V0t)))))) \quad (17) \end{aligned}$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (21)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0R \in ((2^{A_{27a}})^{A_{27a}}). \\ & ((p\ (ap\ (c\_2Erelation\_2Eirreflexive\ A_{27a})\ V0R)) \Rightarrow ((ap\ (c\_2Etoto\_2EstrongLinearOrder\_of\_TO \\ & A_{27a})\ (ap\ (c\_2Etoto\_2ETO\_of\_LinearOrder\ A_{27a})\ V0R)) = V0R))) \quad (23) \end{aligned}$$

**Theorem 1**

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ & \forall V0R \in ((2^{A_{27a}})^{A_{27a}}).(\forall V1V \in ((2^{A_{27b}})^{A_{27b}}). \\ & (((p\ (ap\ (c\_2Erelation\_2Eirreflexive\ A_{27a})\ V0R)) \wedge (p\ (ap\ (c\_2Erelation\_2Eirreflexive \\ & A_{27b})\ V1V))) \Rightarrow ((ap\ (c\_2Etoto\_2ETO\_of\_LinearOrder\ (ty\_2Epair\_2Eprod \\ & A_{27a}\ A_{27b}))\ (ap\ (ap\ (c\_2Epair\_2ELEX\ A_{27a}\ A_{27b})\ V0R)\ V1V)) = ( \\ & ap\ (ap\ (c\_2Etoto\_2ElexTO\ A_{27a}\ A_{27b})\ (ap\ (c\_2Etoto\_2ETO\_of\_LinearOrder \\ & A_{27a})\ V0R))\ (ap\ (c\_2Etoto\_2ETO\_of\_LinearOrder\ A_{27b})\ V1V)))))) \end{aligned}$$