

thm\_2Etoto\_2EWeak\_\_toto\_\_inv  
(TMdfp1amewnfjNUXinqNfMyGP5dqYy1cJCQ)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) (\lambda V1x \in 2.V1x)) (\lambda V2x \in 2.V2x)))$

**Definition 4** We define  $c\_2ERelation\_2E\_inv$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A-27b})^{A-27a}).\lambda V1x \in A.2$

**Definition 5** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2EEnum\_2E\_Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2EEnum\_2E\_Enum \tag{1}$$

Let  $ty\_2EternaryComparisons\_2E\_ordering : \iota$  be given. Assume the following.

$$nonempty\ ty\_2EternaryComparisons\_2E\_ordering \tag{2}$$

Let  $c\_2EternaryComparisons\_2E\_ordering2num : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2E\_ordering2num \in (ty\_2EEnum\_2E\_Enum^{ty\_2EternaryComparisons\_2E\_ordering}) \tag{3}$$

Let  $c\_2Enum\_2E\_ZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2E\_ZERO\_REP \in \omega \tag{4}$$

Let  $c\_2Enum\_2E\_ABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2E\_ABS\_num \in (ty\_2EEnum\_2E\_Enum^{\omega}) \tag{5}$$

**Definition 6** We define  $c\_2Enum\_2E\_E0$  to be  $(ap\ c\_2Enum\_2E\_ABS\_num\ c\_2Enum\_2E\_ZERO\_REP)$ .

**Definition 7** We define  $c\_2Earithmetic\_2E\_ZERO$  to be  $c\_2Enum\_2E\_E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (6)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (7)$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (8)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic\_2E\_2B))$

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

**Definition 11** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow q\ Q)$  of type  $\iota$ .

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (ap\ (c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ t2))))$

**Definition 13** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if}\ (\exists x \in A. p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x. x \in A \wedge P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. (ap\ (c\_2Emin\_2E\_40\ t1\ t2))))$

**Definition 15** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_21\ 2))$

**Definition 16** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ t1\ t2))))$

**Definition 17** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap\ (c\_2Emin\_2E\_40\ m\ n))$

**Definition 18** We define  $c\_2EternaryComparisons\_2Eordering\_CASE$  to be  $\lambda A. 27a : \iota. \lambda V0c \in ((ty\_2EternaryComparisons\_2Eordering\_TO))$

**Definition 19** We define  $c\_2Etoto\_2EWeakLinearOrder\_of\_TO$  to be  $\lambda A. 27a : \iota. \lambda V0c \in ((ty\_2EternaryComparisons\_2Eordering\_TO))$

Let  $c\_2EternaryComparisons\_2ELESS : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2ELESS \in ty\_2EternaryComparisons\_2Eordering \quad (9)$$

Let  $c\_2EternaryComparisons\_2EGREATER : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EGREATER \in ty\_2EternaryComparisons\_2Eordering \quad (10)$$

Let  $c\_2EternaryComparisons\_2EEQUAL : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EEQUAL \in ty\_2EternaryComparisons\_2Eordering \quad (11)$$

**Definition 20** We define  $c\_2Etoto\_2ETotOrd$  to be  $\lambda A\_27a : \iota.\lambda V0c \in ((ty\_2EternaryComparisons\_2Eord$   
Let  $ty\_2Etoto\_2Etoto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etoto\_2Etoto\ A0) \quad (12)$$

Let  $c\_2Etoto\_2Eapto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etoto\_2Eapto\ A\_27a \in (((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a})^{A\_27a}) \quad (13)$$

**Definition 21** We define  $c\_2Etoto\_2ETO\_inv$  to be  $\lambda A\_27a : \iota.\lambda V0c \in ((ty\_2EternaryComparisons\_2Eord$

Let  $c\_2Etoto\_2ETO : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etoto\_2ETO\ A\_27a \in ((ty\_2Etoto\_2Etoto\ A\_27a)_{((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a})}) \quad (14)$$

**Definition 22** We define  $c\_2Etoto\_2Etoto\_inv$  to be  $\lambda A\_27a : \iota.\lambda V0c \in (ty\_2Etoto\_2Etoto\ A\_27a).(ap\ (c\_2$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0c \in (ty\_2Etoto\_2Etoto\ A\_27a).(p\ (ap\ (c\_2Etoto\_2ETotOrd\ A\_27a)\ (ap\ (c\_2Etoto\_2Eapto\ A\_27a)\ (ap\ (c\_2Etoto\_2ETO\ A\_27a)\ V0c)))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a}).((p\ (ap\ (c\_2Etoto\_2ETotOrd\ A\_27a)\ V0r)) \Rightarrow ((ap\ (c\_2Etoto\_2Eapto\ A\_27a)\ (ap\ (c\_2Etoto\_2ETO\ A\_27a)\ V0r)) = V0r))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0c \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a}).((p\ (ap\ (c\_2Etoto\_2ETotOrd\ A\_27a)\ V0c)) \Rightarrow (p\ (ap\ (c\_2Etoto\_2ETotOrd\ A\_27a)\ (ap\ (c\_2Etoto\_2ETO\_inv\ A\_27a)\ V0c)))) \quad (20)$$

**Theorem 1**

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0c \in (ty\_2Etoto\_2Etoto \\ & \quad A_{.27a}).((ap\ (c\_2Etoto\_2EWeakLinearOrder\_of\_TO\ A_{.27a})\ (ap \\ & \quad (c\_2Etoto\_2Eapto\ A_{.27a})\ (ap\ (c\_2Etoto\_2Etoto\_inv\ A_{.27a})\ V0c))) = \\ & (ap\ (c\_2Erelation\_2Einv\ A_{.27a}\ A_{.27a})\ (ap\ (c\_2Etoto\_2EWeakLinearOrder\_of\_TO \\ & \quad A_{.27a})\ (ap\ (c\_2Etoto\_2Eapto\ A_{.27a})\ V0c)))) \end{aligned}$$