

thm\_2Etoto\_2EWeak\_\_toto\_\_thm  
(TMb8AWeF8nATg4C7Kw5Uf3eZBUZEikwLKBw)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow P \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 6** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 9** We define  $c\_2Erelation\_2Etransitive$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_2F$

**Definition 10** We define  $c\_2Erelation\_2Eantisymmetric$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_2F$

**Definition 11** We define  $c\_2Erelation\_2Ereflexive$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_2F$

**Definition 12** We define  $c\_2Erelation\_2Etrichotomous$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_2F$

**Definition 13** We define  $c\_2Erelation\_2EWeakOrder$  to be  $\lambda A\_27g : \iota.\lambda V0Z \in ((2^{A\_27g})^{A\_27g}).(ap (ap c\_2Ebool\_2E\_2F$

Let  $ty\_2EternaryComparisons\_2Eordering : \iota$  be given. Assume the following.

$$nonempty\ ty\_2EternaryComparisons\_2Eordering \quad (1)$$

Let  $c\_2EternaryComparisons\_2EGREATER : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EGREATER \in ty\_2EternaryComparisons\_2Eordering \quad (2)$$

Let  $c\_2EternaryComparisons\_2ELESS : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2ELESS \in ty\_2EternaryComparisons\_2Eordering \quad (3)$$

Let  $c\_2EternaryComparisons\_2EEQUAL : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EEQUAL \in ty\_2EternaryComparisons\_2Eordering \quad (4)$$

**Definition 14** We define  $c\_2Emin\_2E40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. ($

Let  $ty\_2Etoto\_2Etoto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Etoto\_2Etoto A0) \quad (5)$$

Let  $c\_2Etoto\_2Eapto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A. 27a. nonempty A. 27a \Rightarrow c\_2Etoto\_2Eapto A. 27a \in (((ty\_2EternaryComparisons\_2Eordering^{A. 27a})^{A. 27a})^{A. 27a}) \quad (6)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (7)$$

Let  $c\_2EternaryComparisons\_2Eordering2num : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2Eordering2num \in (ty\_2Enum\_2Enum^{ty\_2EternaryComparisons\_2Eordering}) \quad (8)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 16** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 17** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (12)$$

**Definition 18** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$   
Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 19** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 20** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 21** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 22** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 23** We define  $c\_2EternaryComparisons\_2Eordering\_CASE$  to be  $\lambda A\_27a : \iota.\lambda V0x \in ty\_2EternaryC$

**Definition 24** We define  $c\_2Etoto\_2EWeakLinearOrder\_of\_TO$  to be  $\lambda A\_27a : \iota.\lambda V0c \in ((ty\_2EternaryCo$

Let  $c\_2Etoto\_2ETO : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etoto\_2ETO\ A\_27a \in ((ty\_2Etoto\_2Etoto\ A\_27a)\ ((ty\_2EternaryComparisons\_2Eordering^{A-27a})^{A-27a})) \quad (14)$$

**Definition 25** We define  $c\_2Etoto\_2ETO\_of\_LinearOrder$  to be  $\lambda A\_27a : \iota.\lambda V0r \in ((2^{A-27a})^{A-27a}).\lambda V1x \in$

**Definition 26** We define  $c\_2Etoto\_2Etoto\_of\_LinearOrder$  to be  $\lambda A\_27a : \iota.\lambda V0r \in ((2^{A-27a})^{A-27a}).(ap\ (c\_2$

**Definition 27** We define  $c\_2Etoto\_2ETotOrd$  to be  $\lambda A\_27a : \iota.\lambda V0c \in ((ty\_2EternaryComparisons\_2Eord$

**Definition 28** We define  $c\_2Erelation\_2EWeakLinearOrder$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A-27a})^{A-27a}).(ap\ (ap$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (18)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in A\_27a.(((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) V0t1) V1t2) = V1t2)))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow ((\forall V0v0 \in A\_27a.(\forall V1v1 \in A\_27a.(\forall V2v2 \in A\_27a.(((ap (ap (ap (ap (c\_2EternaryComparisons\_2Eordering\_CASE A\_27a) c\_2EternaryComparisons\_2ELESS) V0v0) V1v1) V2v2) = V0v0)))) \wedge ((\forall V3v0 \in A\_27a.(\forall V4v1 \in A\_27a.(\forall V5v2 \in A\_27a.(((ap (ap (ap (ap (c\_2EternaryComparisons\_2Eordering\_CASE A\_27a) c\_2EternaryComparisons\_2EEQUAL) V3v0) V4v1) V5v2) = V4v1)))) \wedge ((\forall V6v0 \in A\_27a.(\forall V7v1 \in A\_27a.(\forall V8v2 \in A\_27a.(((ap (ap (ap (ap (c\_2EternaryComparisons\_2Eordering\_CASE A\_27a) c\_2EternaryComparisons\_2EGREATER) V6v0) V7v1) V8v2) = V8v2)))))) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0r \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a}).((p (ap (c\_2Etoto\_2ETotOrd A\_27a) V0r)) \Rightarrow ((ap (c\_2Etoto\_2Eapto A\_27a) (ap (c\_2Etoto\_2ETO A\_27a) V0r)) = V0r))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0r \in ((2^{A\_27a})^{A\_27a}).((p (ap (c\_2ERelation\_2EWeakLinearOrder A\_27a) V0r)) \Rightarrow (p (ap (c\_2Etoto\_2ETotOrd A\_27a) (ap (c\_2Etoto\_2ETO\_of\_LinearOrder A\_27a) V0r)))) \quad (25)$$

**Theorem 1**

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0r \in ((2^{A_{27a}})^{A_{27a}}). \\ ((p (ap (c\_2Erelation\_2EWeakLinearOrder A_{27a}) V0r)) \Rightarrow ((ap (c\_2Etoto\_2EWeakLinearOrder\_of\_TO \\ A_{27a}) (ap (c\_2Etoto\_2Eapto A_{27a}) (ap (c\_2Etoto\_2Etoto\_of\_LinearOrder \\ A_{27a}) V0r)))) = V0r)))$$