

# thm\_2Etoto\_2Eaplextoto (TMVvBt- pHw2uwPtVnuSpjHARDma7K8VaQaFi)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (2)$$

**Definition 6** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Ebool\_2E\_21 2) (c\_2Epair\_2EABS\_prod A\_27a A\_27b))$

Let  $ty\_2EternaryComparisons\_2Eordering : \iota$  be given. Assume the following.

$$nonempty ty\_2EternaryComparisons\_2Eordering \quad (3)$$

Let  $c\_2EternaryComparisons\_2EGREATER : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EGREATER \in ty\_2EternaryComparisons\_2Eordering \quad (4)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (5)$$

Let  $c\_2EternaryComparisons\_2ELESS : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2ELESS \in ty\_2EternaryComparisons\_2Eordering \quad (6)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (7)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (8)$$

Let  $c\_2EternaryComparisons\_2Eordering2num : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2Eordering2num \in (ty\_2Enum\_2Enum^{ty\_2EternaryComparisons\_2Eordering}) \quad (9)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 7** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 8** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (13)$$

**Definition 9** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ ($

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (14)$$

**Definition 10** We define `c_2Earithmetic_2EBIT1` to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

**Definition 11** We define `c_2Earithmetic_2ENUMERAL` to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 12** We define `c_2Ebool_2EF` to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge$   
of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define `c_2Ebool_2ECOND` to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 15** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E$

**Definition 16** We define `c_2Ebool_2E_3F` to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 17** We define `c_2Eprim\_rec_2E_3C` to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 18** We define `c_2EternaryComparisons_2Eordering\_CASE` to be  $\lambda A\_27a : \iota.\lambda V0x \in ty\_2Eternary$

Let  $ty\_2Etoto\_2Etoto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Etoto\_2Etoto A0) \quad (15)$$

Let  $c\_2Etoto\_2Eapto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Etoto\_2Eapto A\_27a \in (((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a})^{A\_27a}) \quad (16)$$

**Definition 19** We define `c_2Etoto_2EStrongLinearOrder\_of\_TO` to be  $\lambda A\_27a : \iota.\lambda V0c \in ((ty\_2EternaryC$

**Definition 20** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 21** We define `c_2Epair_2EUNCURRY` to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a}$

**Definition 22** We define `c_2Epair_2ELEX` to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R1 \in ((2^{A\_27a})^{A\_27a}).\lambda V1R2 \in (($

Let  $c\_2EternaryComparisons\_2EEQUAL : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EEQUAL \in ty\_2EternaryComparisons\_2Eordering \quad (17)$$

**Definition 23** We define `c_2Etoto_2ETO\_of\_LinearOrder` to be  $\lambda A\_27a : \iota.\lambda V0r \in ((2^{A\_27a})^{A\_27a}).\lambda V1x \in$

**Definition 24** We define `c_2Etoto_2ElexTO` to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((ty\_2EternaryComparis$

Let  $c\_2Etoto\_2ETO : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Etoto\_2ETO A\_27a \in (((ty\_2Etoto\_2Etoto A\_27a)((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a}))^{A\_27a}) \quad (18)$$

**Definition 25** We define  $c\_2Etoto\_2Elexoto$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0c \in (ty\_2Etoto\_2Etoto A\_27a).$

Assume the following.

$$True \tag{19}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \tag{20}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{21}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0x \in (ty\_2Epair\_2Eprod A\_27a A\_27b). ((ap (ap (c\_2Epair\_2E\_2C \\ A\_27a A\_27b) (ap (c\_2Epair\_2EFST A\_27a A\_27b) V0x)) (ap (c\_2Epair\_2ESND \\ A\_27a A\_27b) V0x)) = V0x)) \end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a. (\forall V1y \in A\_27b. ((ap (c\_2Epair\_2EFST A\_27a \\ A\_27b) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V0x) V1y)) = V0x))) \end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a. (\forall V1y \in A\_27b. ((ap (c\_2Epair\_2ESND A\_27a \\ A\_27b) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V0x) V1y)) = V1y))) \end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0c \in (ty\_2Etoto\_2Etoto A\_27a). (\forall V1v \in (ty\_2Etoto\_2Etoto \\ A\_27b). (\forall V2x \in (ty\_2Epair\_2Eprod A\_27a A\_27b). (\forall V3y \in \\ (ty\_2Epair\_2Eprod A\_27a A\_27b). ((ap (ap (ap (c\_2Etoto\_2Eapto \\ (ty\_2Epair\_2Eprod A\_27a A\_27b)) (ap (ap (c\_2Etoto\_2Elexoto A\_27a \\ A\_27b) V0c) V1v)) V2x) V3y) = (ap (ap (ap (ap (c\_2EternaryComparisons\_2Eordering\_CASE \\ ty\_2EternaryComparisons\_2Eordering) (ap (ap (ap (c\_2Etoto\_2Eapto \\ A\_27a) V0c) (ap (c\_2Epair\_2EFST A\_27a A\_27b) V2x)) (ap (c\_2Epair\_2EFST \\ A\_27a A\_27b) V3y))) c\_2EternaryComparisons\_2ELESS) (ap (ap (ap \\ (c\_2Etoto\_2Eapto A\_27b) V1v) (ap (c\_2Epair\_2ESND A\_27a A\_27b) \\ V2x)) (ap (c\_2Epair\_2ESND A\_27a A\_27b) V3y))) c\_2EternaryComparisons\_2EGREATER)))))) \end{aligned} \tag{25}$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0c \in (ty\_2Etoto\_2Etoto\ A\_27a). (\forall V1v \in (ty\_2Etoto\_2Etoto \\ & \quad A\_27b). (\forall V2x1 \in A\_27a. (\forall V3x2 \in A\_27b. (\forall V4y1 \in \\ & \quad A\_27a. (\forall V5y2 \in A\_27b. ((ap\ (ap\ (ap\ (c\_2Etoto\_2Eapto\ (ty\_2Epair\_2Eprod \\ & \quad A\_27a\ A\_27b))\ (ap\ (ap\ (c\_2Etoto\_2Elexoto\ A\_27a\ A\_27b)\ V0c)\ V1v)) \\ & \quad (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2x1)\ V3x2))\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ A\_27b)\ V4y1)\ V5y2)) = (ap\ (ap\ (ap\ (ap\ (c\_2EternaryComparisons\_2Eordering\_CASE \\ & \quad ty\_2EternaryComparisons\_2Eordering)\ (ap\ (ap\ (ap\ (c\_2Etoto\_2Eapto \\ & \quad A\_27a)\ V0c)\ V2x1)\ V4y1))\ c\_2EternaryComparisons\_2ELESS)\ (ap\ ( \\ & \quad ap\ (ap\ (c\_2Etoto\_2Eapto\ A\_27b)\ V1v)\ V3x2)\ V5y2))\ c\_2EternaryComparisons\_2EGREATER))))))))) \end{aligned}$$