

thm\_2Etoto\_2Etoto\_\_equal\_\_imp  
(TMQBSYSdihSf7yVpXyxvz5sHbuXATeCcyZU)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_7E` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a}))))$

**Definition 4** We define `c_2Ebool_2E_7F` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D\_3D\_3E } V0t) (\text{c\_2Ebool\_2E\_7E } V0t))))$

**Definition 7** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V2t \in 2.V2t))))$

Let `ty_2EternaryComparisons_2Eordering` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2EternaryComparisons\_2Eordering} \quad (1)$$

Let `c_2EternaryComparisons_2EGREATER` :  $\iota$  be given. Assume the following.

$$\text{c\_2EternaryComparisons\_2EGREATER} \in \text{ty\_2EternaryComparisons\_2Eordering} \quad (2)$$

Let `c_2EternaryComparisons_2ELESS` :  $\iota$  be given. Assume the following.

$$\text{c\_2EternaryComparisons\_2ELESS} \in \text{ty\_2EternaryComparisons\_2Eordering} \quad (3)$$

Let `c_2EternaryComparisons_2EEQUAL` :  $\iota$  be given. Assume the following.

$$\text{c\_2EternaryComparisons\_2EEQUAL} \in \text{ty\_2EternaryComparisons\_2Eordering} \quad (4)$$

**Definition 8** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\lambda x. x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (a$

**Definition 10** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 11** We define  $c\_2Erelation\_2Etrichotomous$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2Ebo$

**Definition 12** We define  $c\_2Erelation\_2Etransitive$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2Ebo$

**Definition 13** We define  $c\_2Erelation\_2Eantisymmetric$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2Eb$

**Definition 14** We define  $c\_2Erelation\_2EOrder$  to be  $\lambda A\_27g : \iota. \lambda V0Z \in ((2^{A\_27g})^{A\_27g}). (ap (ap c\_2Ebo$

**Definition 15** We define  $c\_2Erelation\_2ELinearOrder$  to be  $\lambda A\_27a : \iota. \lambda V0R \in ((2^{A\_27a})^{A\_27a}). (ap (ap c\_2E$

Let  $ty\_2Etoto\_2Etoto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Etoto\_2Etoto A0) \quad (5)$$

Let  $c\_2Etoto\_2Eapto : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Etoto\_2Eapto A\_27a \in (((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a})^{A\_27a}) \quad (6)$$

**Definition 16** We define  $c\_2Etoto\_2ETotOrd$  to be  $\lambda A\_27a : \iota. \lambda V0c \in ((ty\_2EternaryComparisons\_2Eord$

**Definition 17** We define  $c\_2Etoto\_2ETO\_of\_LinearOrder$  to be  $\lambda A\_27a : \iota. \lambda V0r \in ((2^{A\_27a})^{A\_27a}). \lambda V1x \in$

Let  $c\_2Etoto\_2ETO : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Etoto\_2ETO A\_27a \in (((ty\_2Etoto\_2Etoto A\_27a)^{(ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a}})) \quad (7)$$

**Definition 18** We define  $c\_2Etoto\_2Etoto\_of\_LinearOrder$  to be  $\lambda A\_27a : \iota. \lambda V0r \in ((2^{A\_27a})^{A\_27a}). (ap (c\_2$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ A\_27a. (((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1) \\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF) \\ V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (11)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in ((2^{A\_27a})^{A\_27a}). \\ ((p\ (ap\ (c\_2Erelation\_2ELinearOrder\ A\_27a)\ V0r)) \Rightarrow (p\ (ap\ (c\_2Etoto\_2ETotOrd \\ A\_27a)\ (ap\ (c\_2Etoto\_2ETO\_of\_LinearOrder\ A\_27a)\ V0r)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27a})^{A\_27a}). \\ ((p\ (ap\ (c\_2Etoto\_2ETotOrd\ A\_27a)\ V0r)) \Leftrightarrow ((ap\ (c\_2Etoto\_2Eapto \\ A\_27a)\ (ap\ (c\_2Etoto\_2ETO\ A\_27a)\ V0r)) = V0r))) \end{aligned} \quad (13)$$

### Theorem 1

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0cmp \in (ty\_2Etoto\_2Etoto \\ A\_27a). (\forall V1phi \in ((2^{A\_27a})^{A\_27a}). (((p\ (ap\ (c\_2Erelation\_2ELinearOrder \\ A\_27a)\ V1phi)) \wedge (V0cmp = (ap\ (c\_2Etoto\_2Etoto\_of\_LinearOrder \\ A\_27a)\ V1phi))) \Rightarrow (\forall V2x \in A\_27a. (\forall V3y \in A\_27a. (((V2x = \\ V3y) \Leftrightarrow True) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Etoto\_2Eapto\ A\_27a)\ V0cmp)\ V2x)\ V3y) = \\ c\_2EternaryComparisons\_2EEQUAL)))))))))) \end{aligned}$$