

thm_2Etransc_2EDINT__UNIQ
(TMJGSc2CaWDDn9p42QhPVx8fAiv49Bwdimt)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 6 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ c_2Enum_2EREP_num\ c_2Enum_2ESUC_REP))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})ty_2Enum_2Enum) \quad (6)$$

Definition 8 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B))$

Definition 9 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (9)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})ty_2Erealax_2Ereal) \quad (10)$$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40))$

Let $c_2Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (11)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (12)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (13)$$

Definition 12 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 13 We define $c_2Erealax_2Ereal_Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS)$

Let $c_2Erealax_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (14)$$

Definition 14 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 15 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (15)$$

Definition 16 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal.$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (16)$$

Definition 17 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 18 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 19 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Let $c_2Etransc_2Ersum : \iota$ be given. Assume the following.

$$c_2Etransc_2Ersum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})})(ty_2Epair_2Eprod\ (ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})})) \quad (17)$$

Definition 20 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}) \quad (18)$$

Let $c_2Erealax_2Etreal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (19)$$

Definition 21 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 22 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 23 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Definition 24 We define c_Ebool_ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 25 We define c_Ereal_Eabs to be $\lambda V0x \in ty_Erealax_Ereal. (ap (ap (ap (c_Ebool_ECOND$

Let $c_Etransc_EDint : \iota$ be given. Assume the following.

$$c_Etransc_EDint \in (((2^{ty_Erealax_Ereal})^{(ty_Erealax_Ereal^{ty_Erealax_Ereal})})^{(ty_Epair_Eprod\ ty_Erealax_Ereal)})) \quad (20)$$

Let $c_Etransc_Etdiv : \iota$ be given. Assume the following.

$$c_Etransc_Etdiv \in ((2^{(ty_Epair_Eprod\ (ty_Erealax_Ereal^{ty_Eenum_Eenum})\ (ty_Erealax_Ereal^{ty_Eenum_Eenum}))})^{(ty_Erealax_Ereal^{ty_Eenum_Eenum})}) \quad (21)$$

Definition 26 We define $c_Ebool_E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_Emin_E_40$

Definition 27 We define $c_Etransc_Egauge$ to be $\lambda V0E \in (2^{ty_Erealax_Ereal}). \lambda V1g \in (ty_Erealax_Ereal$

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_EABS_prod \\ A_27a\ A_27b \in ((ty_Epair_Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (22)$$

Definition 28 We define $c_Epair_E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_Etransc_Efine : \iota$ be given. Assume the following.

$$c_Etransc_Efine \in ((2^{(ty_Epair_Eprod\ (ty_Erealax_Ereal^{ty_Eenum_Eenum})\ (ty_Erealax_Ereal^{ty_Eenum_Eenum}))})^{(ty_Erealax_Ereal^{ty_Eenum_Eenum})}) \quad (23)$$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (26)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (28)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_add V0x) V1y) = (ap (ap c_2Erealax_2Ereal_add V1y) V0x)))) \quad (32)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_add V0x) (ap (ap c_2Erealax_2Ereal_add V1y) V2z)) = (ap (ap c_2Erealax_2Ereal_add (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) V2z)))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x) = V0x)) \quad (34)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_add (ap c_2Erealax_2Ereal_neg V0x)) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \quad (35)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\neg(p (ap (ap c_2Erealax_2Ereal_lt V0x) V0x)))) \quad (36)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(\forall V2z \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt V1y) V2z))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt V0x) V2z)))))) \quad (37)$$

Assume the following.

$$\begin{aligned}
& (\forall V0w \in ty_2Erealax_2Ereal. (\forall V1x \in ty_2Erealax_2Ereal. \\
& \quad (\forall V2y \in ty_2Erealax_2Ereal. (\forall V3z \in ty_2Erealax_2Ereal. \\
& (((p (ap (ap c_2Erealax_2Ereal_lt V0w) V1x)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt \\
& \quad V2y) V3z)))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap (ap c_2Erealax_2Ereal_add \\
& \quad V0w) V2y)) (ap (ap c_2Erealax_2Ereal_add V1x) V3z)))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((ap (ap c_2Ereal_2Ereal_sub V0x) V1y) = (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Erealax_2Ereal_neg (ap (ap c_2Ereal_2Ereal_sub V0x) \\
& \quad V1y)) = (ap (ap c_2Ereal_2Ereal_sub V1y) V0x))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0d \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap (ap c_2Ereal_2E_2F \\
& V0d) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))))) \Leftrightarrow (p (\\
& ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
& \quad V0d))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Ereal_2E_2F V0x) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))))) (ap (ap \\
& c_2Ereal_2E_2F V0x) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))))) = V0x))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap c_2Ereal_2Eabs (ap c_2Erealax_2Ereal_neg \\
& \quad V0x)) = (ap c_2Ereal_2Eabs V0x)))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Eabs (ap (ap c_2Erealax_2Ereal_add \\
& \quad V0x) V1y))) (ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Eabs \\
& \quad V0x)) (ap c_2Ereal_2Eabs V1y))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((\neg(V0x = (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Leftrightarrow (p (ap (ap (ap\ c_2Erealax_2Ereal_lt (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap\ c_2Ereal_2Eabs\ V0x))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& (\forall V2f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V3k \in \\
& ty_2Erealax_2Ereal. ((p (ap (ap (ap\ c_2Etransc_2EDint (ap (ap (\\
& c_2Epair_2E_2C\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) V0a) \\
& V1b)) V2f) V3k)) \Leftrightarrow (\forall V4e \in ty_2Erealax_2Ereal. ((p (ap (ap \\
& c_2Erealax_2Ereal_lt (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \\
& V4e)) \Rightarrow (\exists V5g \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). \\
& ((p (ap (ap\ c_2Etransc_2Egauge (\lambda V6x \in ty_2Erealax_2Ereal. \\
& (ap (ap\ c_2Ebool_2E_2F_5C (ap (ap\ c_2Ereal_2Ereal_lte\ V0a) V6x)) \\
& (ap (ap\ c_2Ereal_2Ereal_lte\ V6x) V1b)))) V5g)) \wedge (\forall V7D \in \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V8p \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& (((p (ap (ap\ c_2Etransc_2Etdiv (ap (ap (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0a) V1b)) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V7D) V8p))) \wedge (p (ap (ap\ c_2Etransc_2Efine \\
& V5g) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V7D) V8p)))) \Rightarrow (p (ap (ap \\
& c_2Erealax_2Ereal_lt (ap\ c_2Ereal_2Eabs (ap (ap\ c_2Ereal_2Ereal_sub \\
& (ap (ap\ c_2Etransc_2Ersum (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V7D) V8p)) V2f)) V3k))) \\
& V4e))))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& (\forall V2g \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (((p \\
& (ap (ap\ c_2Ereal_2Ereal_lte\ V0a) V1b)) \wedge (p (ap (ap\ c_2Etransc_2Egauge \\
& (\lambda V3x \in ty_2Erealax_2Ereal. (ap (ap\ c_2Ebool_2E_2F_5C (ap (\\
& ap\ c_2Ereal_2Ereal_lte\ V0a) V3x)) (ap (ap\ c_2Ereal_2Ereal_lte \\
& V3x) V1b)))) V2g)) \Rightarrow (\exists V4D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& (\exists V5p \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). ((p (ap (ap \\
& c_2Etransc_2Etdiv (ap (ap (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0a) V1b)) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V4D) V5p))) \wedge (p (ap (ap\ c_2Etransc_2Efine \\
& V2g) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V4D) V5p))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0E \in (2^{ty_2Erealax_2Ereal}).(\forall V1g1 \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). \\
& \quad (\forall V2g2 \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(((\\
& \quad p (ap (ap c_2Etrasc_2Egauge V0E) V1g1)) \wedge (p (ap (ap c_2Etrasc_2Egauge \\
& V0E) V2g2))) \Rightarrow (p (ap (ap c_2Etrasc_2Egauge V0E) (\lambda V3x \in ty_2Erealax_2Ereal. \\
& (ap (ap (ap (c_2Ebool_2ECOND ty_2Erealax_2Ereal) (ap (ap c_2Erealax_2Ereal_lt \\
& (ap V1g1 V3x)) (ap V2g2 V3x))) (ap V1g1 V3x)) (ap V2g2 V3x))))))))) \\
& \hspace{15em} (48)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0g1 \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1g2 \in \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V2D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& \quad (\forall V3p \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).((p (ap (ap \\
& \quad c_2Etrasc_2Efine (\lambda V4x \in ty_2Erealax_2Ereal.(ap (ap (ap (\\
& \quad c_2Ebool_2ECOND ty_2Erealax_2Ereal) (ap (ap c_2Erealax_2Ereal_lt \\
& (ap V0g1 V4x)) (ap V1g2 V4x))) (ap V0g1 V4x)) (ap V1g2 V4x)))) (ap (\\
& ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) \\
& V2D) V3p))) \Rightarrow ((p (ap (ap c_2Etrasc_2Efine V0g1) (ap (ap (c_2Epair_2E_2C \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) \\
& V2D) V3p))) \wedge (p (ap (ap c_2Etrasc_2Efine V1g2) (ap (ap (c_2Epair_2E_2C \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) \\
& V2D) V3p))))))))) \\
& \hspace{15em} (49)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal.(\forall V1b \in ty_2Erealax_2Ereal. \\
& \quad (\forall V2f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V3k1 \in \\
& \quad ty_2Erealax_2Ereal.(\forall V4k2 \in ty_2Erealax_2Ereal.(((p \\
& (ap (ap c_2Ereal_2Ereal_lte V0a) V1b)) \wedge ((p (ap (ap (ap c_2Etrasc_2EDint \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& V0a) V1b)) V2f) V3k1)) \wedge (p (ap (ap (ap c_2Etrasc_2EDint (ap (ap (\\
& c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0a) \\
& V1b)) V2f) V4k2)))) \Rightarrow (V3k1 = V4k2)))))))))
\end{aligned}$$