

thm_2Etransc_2EDIVISION__LBOUND (TMPkgjUcJbSGdvPCgf21AJCv8wPoNWjnJ6u)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow p \Rightarrow Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 13 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 14 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 15 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (5)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (7)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \quad (8)$$

Definition 16 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 ($

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (9)$$

Definition 17 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 18 We define $c_2Etransc_2Esize$ to be $\lambda V0D \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum}.$ (ap (c_2

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Definition 19 We define c_2Enum_2E0 to be (ap $c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP$).

Definition 20 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (11)$$

Definition 21 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Etransc_2Edivision : \iota$ be given. Assume the following.

$$c_2Etransc_2Edivision \in ((2^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Ereal)} \quad (12)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ \forall V2p \in ty_2Enum_2Enum.(((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ V0m)\ V1n)) \wedge (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1n)\ V2p)))) \Rightarrow (p\ (ap\ (ap \\ c_2Eprim_rec_2E_3C\ V0m)\ V2p)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\\ (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)) \vee (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\ V1n)\ V0m)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} (\forall V0n \in ty_2Enum_2Enum.(\forall V1m \in ty_2Enum_2Enum.(\\ (p\ (ap\ (ap\ c_2Earithmetic_2E_3E_3D\ V0n)\ V1m)) \Leftrightarrow (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D \\ V1m)\ V0n)))))) \end{aligned} \quad (15)$$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0P \in (2^{ty.2Enum.2Enum}). (((p\ (ap\ V0P\ c.2Enum.2E0)) \wedge (\forall V1n \in ty.2Enum.2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c.2Enum.2ESUC\ V1n)))))) \Rightarrow (\forall V2n \in ty.2Enum.2Enum. (p\ (ap\ V0P\ V2n)))))) \quad (22)$$

Assume the following.

$$(\forall V0n \in ty.2Enum.2Enum. (p\ (ap\ (ap\ c.2Eprim_rec.2E.3C\ V0n)\ (ap\ c.2Enum.2ESUC\ V0n)))) \quad (23)$$

Assume the following.

$$(\forall V0x \in ty.2Erealx.2Ereal. (p\ (ap\ (ap\ c.2Ereal.2Ereal_lte\ V0x)\ V0x))) \quad (24)$$

Assume the following.

$$(\forall V0x \in ty.2Erealx.2Ereal. (\forall V1y \in ty.2Erealx.2Ereal. ((p\ (ap\ (ap\ c.2Erealx.2Ereal_lt\ V0x)\ V1y)) \Rightarrow (p\ (ap\ (ap\ c.2Ereal.2Ereal_lte\ V0x)\ V1y)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in ty.2Erealx.2Ereal. (\forall V1y \in ty.2Erealx.2Ereal. (\forall V2z \in ty.2Erealx.2Ereal. (((p\ (ap\ (ap\ c.2Ereal.2Ereal_lte\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c.2Ereal.2Ereal_lte\ V1y)\ V2z))) \Rightarrow (p\ (ap\ (ap\ c.2Ereal.2Ereal_lte\ V0x)\ V2z)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in ty.2Erealx.2Ereal. (\forall V1y \in ty.2Erealx.2Ereal. ((V0x = V1y) \Rightarrow (p\ (ap\ (ap\ c.2Ereal.2Ereal_lte\ V0x)\ V1y)))))) \quad (27)$$

Assume the following.

$$\begin{aligned}
& (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1a \in \\
& \quad ty_2Erealax_2Ereal.(\forall V2b \in ty_2Erealax_2Ereal.((p (ap \\
& (ap c_2Etrasc_2Edivision (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V1a) V2b)) V0D)) \Leftrightarrow (((ap V0D c_2Enum_2E0) = \\
& \quad V1a) \wedge ((\forall V3n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V3n) (ap c_2Etrasc_2Esize V0D))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt \\
& \quad (ap V0D V3n)) (ap V0D (ap c_2Enum_2ESUC V3n)))))) \wedge (\forall V4n \in \\
& \quad ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E_3D V4n) (ap c_2Etrasc_2Esize \\
& \quad V0D))) \Rightarrow ((ap V0D V4n) = V2b)))))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1a \in \\
& \quad ty_2Erealax_2Ereal.(\forall V2b \in ty_2Erealax_2Ereal.((p (ap \\
& (ap c_2Etrasc_2Edivision (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V1a) V2b)) V0D)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V1a) V2b))))))
\end{aligned} \tag{29}$$

Theorem 1

$$\begin{aligned}
& (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1a \in \\
& \quad ty_2Erealax_2Ereal.(\forall V2b \in ty_2Erealax_2Ereal.((p (ap \\
& (ap c_2Etrasc_2Edivision (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V1a) V2b)) V0D)) \Rightarrow (\forall V3r \in ty_2Enum_2Enum. \\
& \quad (p (ap (ap c_2Ereal_2Ereal_lte V1a) (ap V0D V3r)))))))))
\end{aligned}$$