

thm_2Etransc_2EDIVISION__LHS (TMaYN- msh28vXRXpXK2QXhWta8tDaBULJXER)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (3)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (4)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num (ap c_2Enum_2EREP_num (ap c_2Enum_2ESUC_REP m)))$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_Ebool_E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_Emin_E_40$

Definition 11 We define $c_Eprim_rec_E_3C$ to be $\lambda V0m \in ty_EEnum_EEnum. \lambda V1n \in ty_EEnum_EEnum$

Definition 12 We define $c_Earithmic_E_3E$ to be $\lambda V0m \in ty_EEnum_EEnum. \lambda V1n \in ty_EEnum_EEnum$

Definition 13 We define $c_Ebool_E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_Ebool_E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define $c_Earithmic_E_3E_3D$ to be $\lambda V0m \in ty_EEnum_EEnum. \lambda V1n \in ty_EEnum_EEnum$

Let $ty_Ehreal_Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_Ehreal_Ehreal \quad (5)$$

Let $ty_Epair_Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_Epair_Eprod\ A0\ A1) \quad (6)$$

Let $ty_Erealax_Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_Erealax_Ereal \quad (7)$$

Let $c_Erealax_Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_REP_CLASS \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{ty_Erealax_Ereal}) \quad (8)$$

Definition 15 We define $c_Erealax_Ereal_REP$ to be $\lambda V0a \in ty_Erealax_Ereal. (ap\ (c_Emin_E_40\ ($

Let $c_Erealax_Etreallt : \iota$ be given. Assume the following.

$$c_Erealax_Etreallt \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal)}) \quad (9)$$

Definition 16 We define $c_Erealax_Ereal_lt$ to be $\lambda V0T1 \in ty_Erealax_Ereal. \lambda V1T2 \in ty_Erealax_Ereal$

Let $c_EEnum_EZERO_REP : \iota$ be given. Assume the following.

$$c_EEnum_EZERO_REP \in omega \quad (10)$$

Definition 17 We define c_EEnum_E0 to be $(ap\ c_EEnum_EABS_num\ c_EEnum_EZERO_REP)$.

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_Epair_EABS_prod\ A_27a\ A_27b \in ((ty_Epair_Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (11)$$

Definition 18 We define $c_Epair_E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Etransc_2Edivision : \iota$ be given. Assume the following.

$$c_2Etransc_2Edivision \in ((2^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Ereal)) \quad (12)$$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\ & (\forall V2D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). ((p\ (ap\ (ap \\ & c_2Etransc_2Edivision\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal)\ V0a)\ V1b))\ V2D))) \Leftrightarrow (((ap\ V2D\ c_2Enum_2E0) = \\ & V0a) \wedge (\exists V3N \in ty_2Enum_2Enum. ((\forall V4n \in ty_2Enum_2Enum. \\ & ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V4n)\ V3N)) \Rightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\ & (ap\ V2D\ V4n))\ (ap\ V2D\ (ap\ c_2Enum_2ESUC\ V4n)))))) \wedge (\forall V5n \in \\ & ty_2Enum_2Enum. ((p\ (ap\ (ap\ c_2Earithmetic_2E_3E_3D\ V5n)\ V3N)) \Rightarrow \\ & ((ap\ V2D\ V5n) = V1b)))))))))) \end{aligned} \quad (15)$$

Theorem 1

$$\begin{aligned} & (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V1a \in \\ & ty_2Erealax_2Ereal. (\forall V2b \in ty_2Erealax_2Ereal. ((p\ (ap \\ & (ap\ c_2Etransc_2Edivision\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal)\ V1a)\ V2b))\ V0D)) \Rightarrow ((ap\ V0D\ c_2Enum_2E0) = V1a)))))) \end{aligned}$$