

# thm\_2Etransc\_2EEXP\_\_LN (TMPHuijn- jGHwG528vzL4MfURvvpVWAJzXcQV)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2))) (\lambda V 0x \in 2. V 0x)) (\lambda V 1x \in 2. V 1x)$

**Definition 3** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (the (\lambda x. x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } V 0P (\text{ap } (\text{c\_2Emin\_2E\_40 } A))))$

Let `c_2Enum_2EZERO__REP` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \text{omega} \tag{1}$$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \tag{2}$$

Let `c_2Enum_2EABS__num` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\text{omega}}) \tag{3}$$

**Definition 5** We define `c_2Enum_2E0` to be  $(\text{ap } c\_2Enum\_2EABS\_num \ c\_2Enum\_2EZERO\_REP)$ .

Let `ty_2Erealx_2Ereal` :  $\iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Erealx\_2Ereal \tag{4}$$

Let `c_2Ereal_2Ereal__of__num` :  $\iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}) \tag{5}$$

Let `ty_2Ehreal_2Ehreal` :  $\iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Ehreal\_2Ehreal \tag{6}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (7)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})_{ty\_2Erealax}) \quad (8)$$

**Definition 6** We define  $c\_2Ebool\_2E21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E3D\ (2^{A\_27a})))$

**Definition 7** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap\ (c\_2Emin\_2E40\ (ty\_2Erealax\_2Ereal\_REP\_CLASS\ a)))$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})_{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (9)$$

**Definition 8** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. \lambda V1T2 \in ty\_2Erealax\_2Ereal. (c\_2Etrealm\_lt\ T1\ T2)$

**Definition 9** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})_{ty\_2Erealax\_2Ereal}) \quad (10)$$

Let  $c\_2Earithmetic\_2EFACT : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EFACT \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Erealax\_2Etrealm\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_inv \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)_{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (12)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})_{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (13)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})}) \quad (14)$$

**Definition 10** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 11** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. (ap\ c\_2Erealax\_2Ereal\_ABS\ T1)$

Let  $c\_2Erealax\_2Etreal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)))$$
(15)

**Definition 12** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in 2.))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})})$$
(16)

**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2EABS\_prod$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum})})(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum))$$
(17)

**Definition 15** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 16** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_2F))$

Let  $c\_2Eenum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Eenum\_2EREP\_num \in (\omega^{ty\_2Eenum\_2Eenum})$$
(18)

Let  $c\_2Eenum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Eenum\_2ESUC\_REP \in (\omega^{\omega})$$
(19)

**Definition 17** We define  $c\_2Eenum\_2ESUC$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.(ap\ c\_2Eenum\_2EABS\_num\ m)$

**Definition 18** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.\lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 19** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.\lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 20** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in 2.))$

**Definition 21** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.\lambda V1n \in ty\_2Eenum\_2Eenum$

Let  $c\_2Erealax\_2Etreal\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))$$
(20)

**Definition 22** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$ .  
Let  $c\_2Erealax\_2Etreall\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)} \quad (21)$$

**Definition 23** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 24** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 25** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 26** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 27** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (22)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \quad (23)$$

**Definition 28** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a}}$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (24)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric\ A\_27a)^{(ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}}) \quad (25)$$

**Definition 29** We define  $c\_2Emetric\_2Emr1$  to be  $(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ (ap\ (c$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}) \quad (26)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (27)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (28)$$

**Definition 30** We define  $c\_Emetric\_Eemptop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric A\_27a).(ap$   
 Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Enets\_2Etends \\ & A\_27a A\_27b \in (((2^{(ty\_2Epair\_2Eprod (ty\_2Etopology\_2Etopology A\_27a) ((2^{A\_27b})^{A\_27b}))})^{A\_27a})^{(A\_27a)^{A\_27b}}) \end{aligned} \quad (29)$$

**Definition 31** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 32** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_$

**Definition 33** We define  $c\_2Eseq\_2Esuminf$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(ap (c\_2E$

**Definition 34** We define  $c\_2Etransc\_2Eexp$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap c\_2Eseq\_2Esuminf (\lambda V1$

**Definition 35** We define  $c\_2Etransc\_2Eln$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 ty\_2Erea$

Assume the following.

$$True \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \\ & True)) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Erealax\_2Ereal.(p (ap (ap c\_2Erealax\_2Ereal\_lt \\ & (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Etransc\_2Eexp \\ & V0x)))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. \\ & (((ap c\_2Etransc\_2Eexp V0x) = (ap c\_2Etransc\_2Eexp V1y)) \Leftrightarrow (V0x = \\ & V1y)))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & (\forall V0y \in ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt \\ & (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0y)) \Rightarrow (\exists V1x \in \\ & ty\_2Erealax\_2Ereal.((ap c\_2Etransc\_2Eexp V1x) = V0y)))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Erealax\_2Ereal.((ap c\_2Etransc\_2Eln (ap c\_2Etransc\_2Eexp \\ & V0x)) = V0x)) \end{aligned} \quad (36)$$

**Theorem 1**

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(((ap\ c\_2Etransc\_2Eexp\ (ap\ c\_2Etransc\_2Eln\ V0x)) = V0x) \Leftrightarrow (p\ (ap\ (ap\ c\_2Erealax\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V0x))))$$