

thm_2Etransc_2EEXP_NEG
(TMM2W1aHWVk5d6XWjXKDWeXNXVkkk6FcvRQ)

October 26, 2020

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{4}$$

Definition 1 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p\ (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2E27 to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a})))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ (ty_2Erealax_2Ereal_REP_CLASS\ a)))$

Let $c_2Erealax_2Etreall_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \tag{5}$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 6 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 7 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS)$

Definition 8 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (8)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{omega} \quad (10)$$

Definition 9 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 10 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega)^{ty_2Enum_2Enum} \quad (11)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega)^{omega} \quad (12)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (13)$$

Definition 12 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B))$

Definition 13 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (15)$$

Definition 14 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \quad (16)$$

Let $c_2Earithmetic_2EFACT : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EFACT \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Erealax_2Etrealm_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (18)$$

Definition 15 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Definition 16 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (19)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ x\ y)$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (20)$$

Definition 18 We define $c_2Ebool_2E_2F$ to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 19 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_2D_2D_2E\ V0t)\ c_2Ebool_2E_21\ 2))$

Definition 20 We define $c_2Ebool_2E_23F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a})).(ap\ V0P\ (ap\ (c_2Emin_2E_240\ V0P)$

Definition 21 We define $c_2Eprim_rec_2E_23C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 22 We define $c_2Earithmic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2)))$

Definition 24 We define $c_2Earithmic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) \quad (21)$$

Definition 25 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 26 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Ereal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_lt \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (22)$$

Definition 27 We define $c_2Erealax_2Ereal_lte$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 28 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 29 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Ebool_2ECOND) t1 t2))))$

Definition 30 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECOND) x) x) x)$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (23)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (24)$$

Definition 31 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a A_27b}))$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Emetric_2Emetric A0) \quad (25)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Emetric A_27a \in ((ty_2Emetric_2Emetric A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod A_27a A_27a)})}) \quad (26)$$

Definition 32 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric ty_2Erealx_2Ereal) (ap (c_2Emetric_2Edist : \iota \Rightarrow \iota) be given. Assume the following.$

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Edist A_27a \in ((ty_2Erealx_2Ereal^{(ty_2Epair_2Eprod A_27a A_27a)})) \quad (27)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Etopology_2Etopology A0) \quad (28)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Etopology_2Etopology A_27a \in ((ty_2Etopology_2Etopology A_27a)^{(2^{(2^A - 27a)}})) \quad (29)$$

Definition 33 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Etends A_27a A_27b \in (((2^{(ty_2Epair_2Eprod (ty_2Etopology_2Etopology A_27a) ((2^{A_27b})^{A_27b}))})_{A_27a})_{(A_27a)^{A_27b}})) \quad (30)$$

Definition 34 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 35 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 36 We define $c_2Eseq_2Esuminf$ to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).(ap (c_2E$

Definition 37 We define $c_2Etransc_2Eexp$ to be $\lambda V0x \in ty_2Erealx_2Ereal.(ap c_2Eseq_2Esuminf (\lambda V1$

Assume the following.

$$(\forall V0x \in ty_2Erealx_2Ereal.(\forall V1y \in ty_2Erealx_2Ereal.(((ap (ap c_2Erealx_2Ereal_mul V0x) V1y) = (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \Rightarrow (V1y = (ap c_2Erealx_2Einv V0x)))) \quad (31)$$

Assume the following.

$$(\forall V0x \in ty_2Erealx_2Ereal.((ap (ap c_2Erealx_2Ereal_mul (ap c_2Etransc_2Eexp V0x)) (ap c_2Etransc_2Eexp (ap c_2Erealx_2Ereal_neg V0x))) = (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \quad (32)$$

Theorem 1

$$(\forall V0x \in ty_2Erealx_2Ereal.((ap c_2Etransc_2Eexp (ap c_2Erealx_2Ereal_neg V0x)) = (ap c_2Erealx_2Einv (ap c_2Etransc_2Eexp V0x))))$$