

thm_2Etransc_2EFTC1
(TMbcUQ1TrTkLgpjcx5dxkPKj2TgjirRHNL)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 3 We define c_2Ebool_2E2 to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x)))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (c_2Enum_2E0\ m))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 6 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EBIT1) n)$.
Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (9)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (10)$$

Definition 7 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap\ P\ x))$ **then** $(the\ (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ ty_2Erealax_2Ereal_REP_CLASS)\ a)$.

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \quad (11)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \quad (12)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})}) \quad (13)$$

Definition 9 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$.

Definition 10 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_neg_CLASS\ T1)$.

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \quad (14)$$

Definition 11 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 22 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric ty_2Erealx_2Ereal) (ap (c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (21)$$

Definition 23 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Enets_2Etendsto A_27a \in (((2^{A_27a})^{A_27a})^{(ty_2Epair_2Eprod (ty_2Emetric_2Emetric A_27a A_27b))}) \quad (22)$$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Edist A_27a \in ((ty_2Erealx_2Ereal^{(ty_2Epair_2Eprod A_27a A_27b)})^{(c_2Emetric_2Edist A_27a)}) \quad (23)$$

Definition 24 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Etopology_2Etopology A0) \quad (24)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Etopology_2Etopology A_27a \in ((ty_2Etopology_2Etopology A_27a)^{(2^{(2^{A_27a})})}) \quad (25)$$

Definition 25 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota. \lambda V0m \in (ty_2Emetric_2Emetric A_27a). (ap (c_2Emin_2E_40 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Etends A_27a A_27b \in (((2^{(ty_2Epair_2Eprod (ty_2Etopology_2Etopology A_27a) ((2^{A_27b})^{A_27b}))})^{A_27a})^{(A_27a)^{A_27b}}) \quad (26)$$

Definition 26 We define $c_2Elim_2Etends_real_real$ to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Erealx_2Ereal}). (ap (c_2Emin_2E_40 : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$c_2Erealx_2Etrealmul_inv \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (27)$$

Definition 27 We define $c_2Erealx_2Einv$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal. (ap c_2Erealx_2Ereal_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$c_2Erealx_2Etrealmul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (28)$$

Definition 28 We define $c_2Erealx_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.\lambda V1T2 \in ty_2Erealx_2Ereal.$

Definition 29 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealx_2Ereal.\lambda V1y \in ty_2Erealx_2Ereal.$

Definition 30 We define $c_2Elim_2Ediff1$ to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Erealx_2Ereal}).\lambda V1l \in ty_2Erealx_2Ereal.$

Definition 31 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 32 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2E))$

Definition 33 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 34 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 35 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E) 2)) (\lambda V2t \in 2.))$

Definition 36 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealx_2Ereal^{(ty_2Erealx_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod ty_2Enum_2Enum)})$$
(29)

Let $c_2Etransc_2Ersum : \iota$ be given. Assume the following.

$$c_2Etransc_2Ersum \in ((ty_2Erealx_2Ereal^{(ty_2Erealx_2Ereal^{ty_2Erealx_2Ereal})})^{(ty_2Epair_2Eprod (ty_2Erealx_2Ereal^{ty_2Enum_2Enum})})})$$
(30)

Let $c_2Etransc_2Efine : \iota$ be given. Assume the following.

$$c_2Etransc_2Efine \in ((2^{(ty_2Epair_2Eprod (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}))})^{(ty_2Erealx_2Ereal^{ty_2Enum_2Enum})})$$
(31)

Let $c_2Etransc_2Etdiv : \iota$ be given. Assume the following.

$$c_2Etransc_2Etdiv \in ((2^{(ty_2Epair_2Eprod (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}))})^{(ty_2Erealx_2Ereal^{ty_2Enum_2Enum})})$$
(32)

Definition 37 We define $c_2Etransc_2Egauge$ to be $\lambda V0E \in (2^{ty_2Erealx_2Ereal}).\lambda V1g \in (ty_2Erealx_2Ereal)$

Definition 38 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 39 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 40 We define $c_2Etransc_2Edsize$ to be $\lambda V0D \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).(ap (c_2Ereal_2Esum$

Let $c_2Etransc_2Edivision : \iota$ be given. Assume the following.

$$c_2Etransc_2Edivision \in ((2^{(ty_2Erealx_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod ty_2Erealx_2Ereal ty_2Erealx_2Ereal)})$$
(33)

Let $c_2Etransc_2EDint : \iota$ be given. Assume the following.

$$c_2Etransc_2EDint \in (((2^{ty_2Erealx_2Ereal})^{(ty_2Erealx_2Ereal^{ty_2Erealx_2Ereal})})^{(ty_2Epair_2Eprod ty_2Erealx_2Ereal)})$$
(34)

Assume the following.

$$\begin{aligned} & ((ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO)) = \\ & \quad (ap\ c_2Enum_2ESUC\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ & \quad \quad c_2Earithmetic_2EZERO)))) \end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \quad ((ap\ (ap\ c_2Earithmetic_2E_2B\ c_2Enum_2E0)\ V0m) = V0m) \wedge (((ap\ (\\ & \quad ap\ c_2Earithmetic_2E_2B\ V0m)\ c_2Enum_2E0) = V0m) \wedge (((ap\ (ap\ c_2Earithmetic_2E_2B \\ & \quad (ap\ c_2Enum_2ESUC\ V0m))\ V1n) = (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B \\ & \quad \quad V0m)\ V1n))) \wedge ((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ (ap\ c_2Enum_2ESUC \\ & \quad \quad V1n)) = (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n)))))))) \end{aligned} \tag{36}$$

Assume the following.

$$True \tag{37}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ & \quad V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \tag{38}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \tag{39}$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg(p\ V0t)))) \tag{40}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & \quad A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & \quad (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & \quad (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & \quad True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & \quad (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & \quad ((\neg False) \Leftrightarrow True)))) \end{aligned} \tag{44}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (45)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (46)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (47)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF)\ V0t1)\ V1t2) = V1t2)))) \quad (48)$$

Assume the following.

$$(\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1y0 \in ty_2Erealax_2Ereal. (\forall V2x0 \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ (ap\ c_2Elim_2Etends_real_real\ V0f)\ V1y0)\ V2x0)) \Leftrightarrow (\forall V3e \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V3e)) \Rightarrow (\exists V4d \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V4d)) \wedge (\forall V5x \in ty_2Erealax_2Ereal. (((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ (ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Ereal_2Ereal_sub\ V5x)\ V2x0)))) \wedge (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Ereal_2Ereal_sub\ V5x)\ V2x0))\ V4d)))) \Rightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Ereal_2Ereal_sub\ (ap\ V0f\ V5x))\ V1y0))\ V3e)))))))))) \quad (49)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0)\ (ap\ c_2Enum_2ESUC\ V0n)))) \quad (50)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y) = (ap\ (ap\ c_2Erealax_2Ereal_add\ V1y)\ V0x)))) \quad (51)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add \\
V0x) (ap (ap c_2Erealax_2Ereal_add V1y) V2z)) = (ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) V2z))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x) = V0x))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add \\
& (ap c_2Erealax_2Ereal_neg V0x)) V0x) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap (ap c_2Erealax_2Ereal_mul V0x) V1y) = (ap (ap c_2Erealax_2Ereal_mul \\
& V1y) V0x))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
V0x) (ap (ap c_2Erealax_2Ereal_mul V1y) V2z)) = (ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) V2z))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0)) V0x)) \wedge (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0)) V1y))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
c_2Enum_2E0)) (ap (ap c_2Erealax_2Ereal_mul V0x) V1y))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_add V0x) \\
V1y)) = (ap (ap c_2Erealax_2Ereal_add (ap c_2Erealax_2Ereal_neg \\
V0x)) (ap c_2Erealax_2Ereal_neg V1y))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
V0x) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap\ c_2Erealax_2Ereal_neg\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x) \\
& V1y)) = (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ (ap\ c_2Erealax_2Ereal_neg \\
& V1y))))))
\end{aligned} \tag{60}$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V0x))) \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V1y)) \Leftrightarrow ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& V0x)\ V1y)) \vee (V0x = V1y))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ V0x)\ V1y)) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& V0x)\ V1y))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ V1y)\ V2z))) \Rightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ V0x)\ V2z))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. (((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V1y)\ V2z))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V2z))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& (ap\ (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y))\ (ap\ (ap\ c_2Erealax_2Ereal_add \\
& V0x)\ V2z))) \Leftrightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V1y)\ V2z))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& (ap\ (ap\ c_2Erealax_2Ereal_add\ V0x)\ V2z))\ (ap\ (ap\ c_2Erealax_2Ereal_add \\
& V1y)\ V2z))) \Leftrightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V1y))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0w \in ty_2Erealax_2Ereal. (\forall V1x \in ty_2Erealax_2Ereal. \\
& \quad (\forall V2y \in ty_2Erealax_2Ereal. (\forall V3z \in ty_2Erealax_2Ereal. \\
& \quad ((p (ap (ap c_2Ereal_2Ereal_lte V0w) V1x)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte \\
& \quad V2y) V3z))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add \\
& \quad V0w) V2y)) (ap (ap c_2Erealax_2Ereal_add V1x) V3z)))))))))
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap (ap c_2Erealax_2Ereal_add V1y) (ap (ap c_2Ereal_2Ereal_sub \\
& \quad V0x) V1y)) = V0x)))
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Ereal_2Ereal_sub \\
& \quad V0x) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((ap (ap c_2Ereal_2Ereal_sub V0x) V1y) = (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Erealax_2Ereal_neg (ap (ap c_2Ereal_2Ereal_sub V0x) \\
& \quad V1y)) = (ap (ap c_2Ereal_2Ereal_sub V1y) V0x))))
\end{aligned} \tag{72}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) (ap (ap c_2Ereal_2Ereal_sub V0x) V1y))) \Leftrightarrow (p (ap \\
& \quad (ap c_2Erealax_2Ereal_lt V1y) V0x))))))
\end{aligned} \tag{73}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) (ap (ap c_2Ereal_2Ereal_sub V0x) V1y))) \Leftrightarrow (p (ap \\
& \quad (ap c_2Ereal_2Ereal_lte V1y) V0x))))))
\end{aligned} \tag{74}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad (\forall V2z \in ty_2Erealax_2Ereal. ((ap c_2Erealax_2Ereal_mul \\
& \quad V0x) (ap (ap c_2Ereal_2Ereal_sub V1y) V2z)) = (ap (ap c_2Ereal_2Ereal_sub \\
& \quad (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) (ap (ap c_2Erealax_2Ereal_mul \\
& \quad V0x) V2z))))))
\end{aligned} \tag{75}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Ereal_2Ereal_sub V0x) V1y)) V2z) = (ap (ap c_2Ereal_2Ereal_sub \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)) (ap (ap c_2Erealax_2Ereal_mul \\
& V1y) V2z))))))
\end{aligned} \tag{76}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \Rightarrow (\neg(V0x = V1y))))))
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x)) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap c_2Erealax_2Ereal_2Einv \\
& V0x))))))
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V2z)) \Rightarrow ((p (ap (ap \\
& c_2Erealax_2Ereal_lt (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)) \\
& (ap (ap c_2Erealax_2Ereal_mul V1y) V2z))) \Leftrightarrow (p (ap (ap c_2Erealax_2Ereal_lt \\
& V0x) V1y))))))
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& V0m)) (ap c_2Ereal_2Ereal_of_num V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& V0m) V1n))))))
\end{aligned} \tag{80}$$

Assume the following.

$$\begin{aligned}
& (\forall V0d \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap (ap c_2Ereal_2E_2F \\
& V0d) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))))) \Leftrightarrow (p (\\
& ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\
& V0d))))))
\end{aligned} \tag{81}$$

Assume the following.

$$\begin{aligned}
& (\forall V0d \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap (ap c_2Ereal_2E_2F V0d) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))))) V0d)) \Leftrightarrow \\
& (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V0d))))
\end{aligned} \tag{82}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((\neg(V1y = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \Rightarrow ((ap (\\
& ap c_2Erealax_2Ereal_mul (ap (ap c_2Ereal_2E_2F V0x) V1y)) V1y) = \\
& V0x))))
\end{aligned} \tag{83}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Ereal_2E_2F V0x) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))))) (ap (ap \\
& c_2Ereal_2E_2F V0x) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))))) = V0x))
\end{aligned} \tag{84}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
& (ap c_2Erealax_2Ereal_neg V1y))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& V1y) V0x))))))
\end{aligned} \tag{85}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& (\forall V2c \in ty_2Erealax_2Ereal. (\forall V3d \in ty_2Erealax_2Ereal. \\
& ((ap (ap c_2Ereal_2Ereal_sub (ap (ap c_2Erealax_2Ereal_add \\
& V0a) V1b)) (ap (ap c_2Erealax_2Ereal_add V2c) V3d)) = (ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Ereal_2Ereal_sub V0a) V2c)) (ap (ap c_2Ereal_2Ereal_sub \\
& V1b) V3d))))))
\end{aligned} \tag{86}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Ereal_2Ereal_sub \\
& V0x) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = V0x))
\end{aligned} \tag{87}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x)) \Rightarrow ((p (ap (ap \\
& c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V2z))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& V1y) V2z)))))))))
\end{aligned} \tag{88}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V2z)) \Rightarrow ((p (ap (ap \\
& c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)) \\
& (ap (ap c_2Erealax_2Ereal_mul V1y) V2z))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& V0x) V1y)))))))))
\end{aligned} \tag{89}$$

Assume the following.

$$\begin{aligned}
& ((ap c_2Ereal_2Eabs (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))
\end{aligned} \tag{90}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap c_2Ereal_2Eabs (ap c_2Erealax_2Ereal_neg \\
& V0x)) = (ap c_2Ereal_2Eabs V0x)))
\end{aligned} \tag{91}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Eabs (ap (ap c_2Erealax_2Ereal_add \\
& V0x) V1y))) (ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Eabs \\
& V0x)) (ap c_2Ereal_2Eabs V1y))))))
\end{aligned} \tag{92}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Ereal_2Eabs (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)) = \\
& (ap (ap c_2Erealax_2Ereal_mul (ap c_2Ereal_2Eabs V0x)) (ap c_2Ereal_2Eabs \\
& V1y))))))
\end{aligned} \tag{93}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Ereal_2Eabs (ap (ap c_2Ereal_2Ereal_sub V0x) V1y)) = (\\
& ap c_2Ereal_2Eabs (ap (ap c_2Ereal_2Ereal_sub V1y) V0x))))))
\end{aligned} \tag{94}$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((\neg(V0x = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \Leftrightarrow (p\ (ap\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ (ap\ c_2Ereal_2Eabs\ V0x)))))) \quad (95)$$

Assume the following.

$$(\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1m \in ty_2Enum_2Enum.(\forall V2n \in ty_2Enum_2Enum.(p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_2Eabs\ (ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ V1m)\ V2n))\ V0f)))\ (ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ V1m)\ V2n))\ (\lambda V3n \in ty_2Enum_2Enum.(ap\ c_2Ereal_2Eabs\ (ap\ V0f\ V3n)))))))))) \quad (96)$$

Assume the following.

$$(\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1g \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V2m \in ty_2Enum_2Enum.(\forall V3n \in ty_2Enum_2Enum.(\forall V4r \in ty_2Enum_2Enum.(((p\ (ap\ (ap\ c_2Earithmic_2E_3C_3D\ V2m)\ V4r)) \wedge (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V4r)\ (ap\ (ap\ c_2Earithmic_2E_2B\ V3n)\ V2m)))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ V0f\ V4r))\ (ap\ V1g\ V4r)))))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ V2m)\ V3n))\ V0f))\ (ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ V2m)\ V3n))\ V1g)))))))))) \quad (97)$$

Assume the following.

$$(\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1c \in ty_2Erealax_2Ereal.(\forall V2m \in ty_2Enum_2Enum.(\forall V3n \in ty_2Enum_2Enum.((ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ V2m)\ V3n))\ (\lambda V4n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Erealax_2Ereal_mul\ V1c)\ (ap\ V0f\ V4n)))))) = (ap\ (ap\ c_2Erealax_2Ereal_mul\ V1c)\ (ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ V2m)\ V3n))\ V0f)))))) \quad (98)$$

Assume the following.

$$(\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1g \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V2m \in ty_2Enum_2Enum.(\forall V3n \in ty_2Enum_2Enum.((ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ V2m)\ V3n))\ (\lambda V4n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Ereal_2Ereal_sub\ (ap\ V0f\ V4n))\ (ap\ V1g\ V4n)))))) = (ap\ (ap\ c_2Ereal_2Ereal_sub\ (ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ V2m)\ V3n))\ V0f))\ (ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ V2m)\ V3n))\ V1g)))))) \quad (99)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).(\forall V1n \in \\
& ty_2Enum_2Enum.(\forall V2d \in ty_2Enum_2Enum.((ap (ap c_2Ereal_2Esum \\
& (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) V1n) V2d)) \\
& (\lambda V3n \in ty_2Enum_2Enum.(ap (ap c_2Ereal_2Ereal_sub (ap V0f \\
& (ap c_2Enum_2ESUC V3n))) (ap V0f V3n)))) = (ap (ap c_2Ereal_2Ereal_sub \\
& (ap V0f (ap (ap c_2Earithmetic_2E_2B V1n) V2d)) (ap V0f V1n))))))
\end{aligned} \tag{100}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{101}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{102}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{103}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{104}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False))) \tag{105}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{106}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{107}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{108}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& (\forall V2D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V3p \in \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). ((p (ap (ap c_2Etrasc_2Etdiv \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
V0a) V1b)) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V2D) V3p))) \Leftrightarrow ((p (ap (ap \\
& c_2Etrasc_2Edivision (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0a) V1b)) V2D)) \wedge (\forall V4n \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap V2D V4n)) (ap V3p V4n))) \wedge (p \\
& (ap (ap c_2Ereal_2Ereal_lte (ap V3p V4n)) (ap V2D (ap c_2Enum_2ESUC \\
& V4n))))))))))))) \\
& \hspace{15em} (109)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0g \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1D \in \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V2p \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& ((p (ap (ap c_2Etrasc_2Efine V0g) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V1D) V2p))) \Leftrightarrow (\forall V3n \in \\
& ty_2Enum_2Enum. ((p (ap (ap c_2Eprim_rec_2E_3C V3n) (ap c_2Etrasc_2Esize \\
& V1D))) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap (ap c_2Ereal_2Ereal_sub \\
& (ap V1D (ap c_2Enum_2ESUC V3n))) (ap V1D V3n))) (ap V0g (ap V2p V3n))))))))))))) \\
& \hspace{15em} (110)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V1p \in \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V2f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). \\
& ((ap (ap c_2Etrasc_2Ersum (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V0D) V1p)) V2f) = (ap (ap \\
& c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) \\
& c_2Enum_2E0) (ap c_2Etrasc_2Esize V0D))) (\lambda V3n \in ty_2Enum_2Enum. \\
& (ap (ap c_2Erealax_2Ereal_mul (ap V2f (ap V1p V3n))) (ap (ap c_2Ereal_2Ereal_sub \\
& (ap V0D (ap c_2Enum_2ESUC V3n))) (ap V0D V3n))))))))))))) \\
& \hspace{15em} (111)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& \quad (\forall V2f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V3k \in \\
& \quad ty_2Erealax_2Ereal. ((p (ap (ap (ap c_2Etransc_2EDint (ap (ap (\\
& \quad c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0a) \\
& \quad V1b)) V2f) V3k))) \Leftrightarrow (\forall V4e \in ty_2Erealax_2Ereal. ((p (ap (ap \\
& \quad c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0) \\
& \quad V4e))) \Rightarrow (\exists V5g \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). \\
& \quad ((p (ap (ap c_2Etransc_2Egauge (\lambda V6x \in ty_2Erealax_2Ereal. \\
& \quad (ap (ap c_2Ebool_2E_2F_5C (ap (ap c_2Ereal_2Ereal_lte V0a) V6x)) \\
& \quad (ap (ap c_2Ereal_2Ereal_lte V6x) V1b)))) V5g)) \wedge (\forall V7D \in \\
& \quad (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V8p \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& \quad (((p (ap (ap c_2Etransc_2Etdiv (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V0a) V1b)) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& \quad (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V7D) V8p))) \wedge (p (ap (ap c_2Etransc_2Efine \\
& \quad V5g) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& \quad (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V7D) V8p)))) \Rightarrow (p (ap (ap \\
& \quad c_2Erealax_2Ereal_lt (ap c_2Ereal_2Eabs (ap (ap c_2Ereal_2Ereal_sub \\
& \quad (ap (ap c_2Etransc_2Ersum (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Enum_2Enum} \\
& \quad (ty_2Erealax_2Ereal^{ty_2Enum_2Enum})) V7D) V8p)) V2f)) V3k))) \\
& \quad V4e)))))))))))))
\end{aligned} \tag{112}$$

Assume the following.

$$\begin{aligned}
& (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V1a \in \\
& \quad ty_2Erealax_2Ereal. (\forall V2b \in ty_2Erealax_2Ereal. ((p (ap \\
& \quad (ap c_2Etransc_2Edivision (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V1a) V2b)) V0D))) \Rightarrow ((ap V0D c_2Enum_2E0) = V1a))))
\end{aligned} \tag{113}$$

Assume the following.

$$\begin{aligned}
& (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V1a \in \\
& \quad ty_2Erealax_2Ereal. (\forall V2b \in ty_2Erealax_2Ereal. ((p (ap \\
& \quad (ap c_2Etransc_2Edivision (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V1a) V2b)) V0D))) \Rightarrow ((ap V0D (ap c_2Etransc_2Esize \\
& \quad V0D)) = V2b))))
\end{aligned} \tag{114}$$

Assume the following.

$$\begin{aligned}
& (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V1a \in \\
& \quad ty_2Erealax_2Ereal. (\forall V2b \in ty_2Erealax_2Ereal. ((p (ap \\
& \quad (ap c_2Etransc_2Edivision (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal) V1a) V2b)) V0D))) \Rightarrow (\forall V3r \in ty_2Enum_2Enum. \\
& \quad (p (ap (ap c_2Ereal_2Ereal_lte V1a) (ap V0D V3r))))))
\end{aligned} \tag{115}$$

Assume the following.

$$\begin{aligned}
& (\forall V0D \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1a \in \\
& ty_2Erealax_2Ereal.(\forall V2b \in ty_2Erealax_2Ereal.(((p (ap \\
& (ap c_2Etransc_2Edivision (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V1a) V2b)) V0D))) \Rightarrow (\forall V3r \in ty_2Enum_2Enum. \\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap V0D V3r)) V2b))))))
\end{aligned} \tag{116}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1a \in \\
& ty_2Erealax_2Ereal.(p (ap (ap (ap (ap c_2Etransc_2EDint (ap (ap (c_2Epair_2E_2C \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V1a) V1a)) V0f) (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))))))
\end{aligned} \tag{117}$$

Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1f_27 \in \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V2a \in ty_2Erealax_2Ereal. \\
& (\forall V3b \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte \\
& V2a) V3b)) \wedge (\forall V4x \in ty_2Erealax_2Ereal.(((p (ap (ap c_2Ereal_2Ereal_lte \\
& V2a) V4x)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V4x) V3b))) \Rightarrow (p (ap (\\
& ap (ap c_2Elim_2Ediff1 V0f) (ap V1f_27 V4x)) V4x)))))) \Rightarrow (p (ap (ap \\
& (ap c_2Etransc_2EDint (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V2a) V3b)) V1f_27) (ap (ap c_2Ereal_2Ereal_sub \\
& (ap V0f V3b)) (ap V0f V2a)))))))))
\end{aligned}$$