

thm_2Etransc_2ELN_INV (TMM- tEump6z2pWT9FB5DUeYruhvYjYv84aHt)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0t \in 2.V 0t))$.

Let `ty_2Ehreal_2Ehreal` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Ehreal_2Ehreal} \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 A 1) \tag{2}$$

Let `ty_2Erealax_2Ereal` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Erealax_2Ereal} \tag{3}$$

Let `c_2Erealax_2Ereal_REP_CLASS` : ι be given. Assume the following.

$$\text{c_2Erealax_2Ereal_REP_CLASS} \in ((\text{ty_2Epair_2Eprod } \text{ty_2Ehreal_2Ehreal } \text{ty_2Ehreal_2Ehreal}) \text{ty_2Erealax_2Ereal}) \tag{4}$$

Definition 5 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p (\text{ap } P x)))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define `c_2Erealax_2Ereal_REP` to be $\lambda V 0a \in \text{ty_2Erealax_2Ereal}. (\text{ap } (\text{c_2Emin_2E_40 } (\text{ty_2Erealax_2Ereal_REP_CLASS } a)))$

Let `c_2Erealax_2Etreal_neg` : ι be given. Assume the following.

$$\text{c_2Erealax_2Etreal_neg} \in ((\text{ty_2Epair_2Eprod } \text{ty_2Ehreal_2Ehreal } \text{ty_2Ehreal_2Ehreal}) \text{ty_2Epair_2Eprod } \text{ty_2Ehreal_2Ehreal } \text{ty_2Ehreal_2Ehreal}) \tag{5}$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})$$
 (6)

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})}$$
 (7)

Definition 7 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 8 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS)$

Let $c_2Erealax_2Etreal_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
 (8)

Definition 9 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS)$

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Let $c_2Erealax_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
 (9)

Definition 12 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
 (10)

Definition 13 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etreal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
 (11)

Definition 14 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2)))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{12}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{13}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{14}$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 17 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{15}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{16}$$

Definition 18 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{17}$$

Definition 19 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 20 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{18}$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \tag{19}$$

Let $c_2Earithmetic_2EFACT : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EFACT \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \tag{20}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{21}$$

Definition 21 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Ereal_2Esum : \iota$
 Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (22)$$

Definition 22 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 23 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 24 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 25 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 26 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 27 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal$

Definition 28 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal$

Definition 29 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 30 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal. (ap\ (ap\ (ap\ (c_2Ebool_2ECOND$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (23)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (24)$$

Definition 31 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c^{A_27$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (25)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric\ A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \quad (26)$$

Definition 32 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ (ap\ (c$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})) \quad (27)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (28)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^A-27^a)})}) \quad (29)$$

Definition 33 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A-27^b})^{A-27^b}))})_{A_27a})(A_27a^{A-27^b})) \quad (30)$$

Definition 34 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 35 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 36 We define $c_2Eseq_2Esuminf$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(ap\ (c_2E$

Definition 37 We define $c_2Etransc_2Eexp$ to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ c_2Eseq_2Esuminf\ (\lambda V1$

Definition 38 We define $c_2Etransc_2Eln$ to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ ty_2Ereal$

Assume the following.

$$True \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (34)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((\neg(V0x = (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Rightarrow ((ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ (ap\ c_2Erealax_2Einv \\
& V0x)) = (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL \\
& (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((ap\ (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y) = (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) \Leftrightarrow (V1y = (ap\ c_2Erealax_2Ereal_neg\ V0x))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x)) \Rightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ (ap\ c_2Erealax_2Einv \\
& V0x))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x)) \Rightarrow (\neg(V0x = (ap \\
& c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))\ V0x)) \wedge (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))\ V1y))) \Rightarrow ((ap\ c_2Etransc_2Eln\ (ap\ (ap\ c_2Erealax_2Ereal_mul \\
& V0x)\ V1y)) = (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ c_2Etransc_2Eln \\
& V0x))\ (ap\ c_2Etransc_2Eln\ V1y))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& ((ap\ c_2Etransc_2Eln\ (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL \\
& (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))) = (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))
\end{aligned} \tag{40}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x)) \Rightarrow ((ap\ c_2Etransc_2Eln \\
& (ap\ c_2Erealax_2Einv\ V0x)) = (ap\ c_2Erealax_2Ereal_neg\ (ap\ c_2Etransc_2Eln \\
& V0x))))))
\end{aligned}$$