

thm_2Etransc_2EMCLAURIN__ALL__LE
(TMRCKhkzV1wTybHdcddfzj747sAZTfwkTVH)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{3}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{5}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 13 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (6)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (7)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (8)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \quad (9)$$

Definition 14 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ (t$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (10)$$

Definition 15 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 16 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (11)$$

Definition 17 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 18 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (12)$$

Definition 19 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B))$

Definition 20 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (13)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (14)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}} \quad (15)$$

Definition 21 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)$

Definition 22 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (16)$$

Definition 23 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal_neg)$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum} \quad (17)$$

Definition 24 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(A_27a t1 t2))))$

Definition 25 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap c_2Ebool_2ECOND)))$

Definition 26 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (18)$$

Definition 27 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS$
Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (19)$$

Definition 28 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 29 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$
Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (20)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (21)$$

Definition 30 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27b})$
Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (22)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric\ A_27a)^{(ty_2Erealax_2Ereal)^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}}) \quad (23)$$

Definition 31 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ (ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (24)$$

Definition 32 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ x\ y))$

Let $c_2Enets_2Etendsto : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Enets_2Etendsto\ A_27a \in (((2^{A_27a})^{A_27a})^{(ty_2Epair_2Eprod\ (ty_2Emetric_2Emetric\ A_27a))}) \quad (25)$$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})) \quad (26)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (27)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^A-27a)})}) \quad (28)$$

Definition 33 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A-27b})^{A-27b}))})_{A_27a})(A_27a^{A-27b})) \quad (29)$$

Definition 34 We define $c_2Elim_2Etends_real_real$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).$

Definition 35 We define c_2Elim_2Ediff to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).\lambda V1l \in ty_2E$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})_{ty_2Erealax_2Ereal}) \quad (30)$$

Let $c_2Earithmetic_2EFACT : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EFACT \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (31)$$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (32)$$

Assume the following.

$$((ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)) = (ap\ c_2Enum_2ESUC\ c_2Enum_2E0)) \quad (33)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)) \vee (p\ (ap\ (ap\ c_2Earithmetic_2E_3C_3D\ V1n)\ V0m)))) \quad (34)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\neg(p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V1n) V0m)))))) \quad (35)$$

Assume the following.

$$(((ap c_2Earithmetic_2EFACT c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) \wedge (\forall V0n \in ty_2Enum_2Enum.((ap c_2Earithmetic_2EFACT (ap c_2Enum_2ESUC V0n)) = (ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0n)) (ap c_2Earithmetic_2EFACT V0n)))))) \quad (36)$$

Assume the following.

$$((\forall V0n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D V0n) c_2Enum_2E0)) \Leftrightarrow (V0n = c_2Enum_2E0))) \wedge (\forall V1m \in ty_2Enum_2Enum.(\forall V2n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D V1m) (ap c_2Enum_2ESUC V2n))) \Leftrightarrow ((V1m = (ap c_2Enum_2ESUC V2n)) \vee (p (ap (ap c_2Earithmetic_2E_3C_3D V1m) V2n))))))) \quad (37)$$

Assume the following.

$$True \quad (38)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (39)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (40)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (43)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee \\
& (p \ V0A))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.(\neg((ap \ c_2Enum_2ESUC \ V0n) = c_2Enum_2E0)))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p \ (ap \ V0P \ c_2Enum_2E0)) \wedge \\
& (\forall V1n \in ty_2Enum_2Enum.((p \ (ap \ V0P \ V1n)) \Rightarrow (p \ (ap \ V0P \ (ap \ c_2Enum_2ESUC \\
& V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p \ (ap \ V0P \ V2n))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal.((ap \ (ap \ c_2Erealx_2Ereal_add \\
& (ap \ c_2Ereal_2Ereal_of_num \ c_2Enum_2E0)) \ V0x) = V0x))
\end{aligned} \tag{53}$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_add V0x) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = V0x)) \quad (54)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul V0x) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) = V0x)) \quad (55)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Erealax_2Ereal_mul V0x) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \quad (56)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.(((ap (ap c_2Erealax_2Ereal_mul V0x) V1y) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \Leftrightarrow ((V0x = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \vee (V1y = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))))) \quad (57)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(p (ap (ap c_2Ereal_2Ereal_lte V0x) V0x))) \quad (58)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal.((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y))))) \quad (59)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Ereal_2E_2F V0x) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) = V0x)) \quad (60)$$

Assume the following.

$$((\forall V0x \in ty_2Erealax_2Ereal.((ap (ap c_2Ereal_2Epow V0x) c_2Enum_2E0) = (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge (\forall V1x \in ty_2Erealax_2Ereal.(\forall V2n \in ty_2Enum_2Enum.((ap (ap c_2Ereal_2Epow V1x) (ap c_2Enum_2ESUC V2n)) = (ap (ap c_2Erealax_2Ereal_mul V1x) (ap (ap c_2Ereal_2Epow V1x) V2n)))))) \quad (61)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum. (\forall V1f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& ((ap (ap c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\
ty_2Enum_2Enum) V0n) c_2Enum_2E0)) V1f) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)))) \wedge (\forall V2n \in ty_2Enum_2Enum. (\forall V3m \in \\
& ty_2Enum_2Enum. (\forall V4f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& ((ap (ap c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\
ty_2Enum_2Enum) V2n) (ap c_2Enum_2ESUC V3m))) V4f) = (ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Ereal_2Esum (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\
ty_2Enum_2Enum) V2n) V3m))) V4f)) (ap V4f (ap (ap c_2Earithmic_2E_2B \\
& V2n) V3m)))))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& ((ap c_2Ereal_2Ereal_of_num V0m) = (ap c_2Ereal_2Ereal_of_num \\
& V1n)) \Leftrightarrow (V0m = V1n))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1diff \in \\
& ((ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})^{ty_2Enum_2Enum}). \\
& (((ap V1diff c_2Enum_2E0) = V0f) \wedge (\forall V2m \in ty_2Enum_2Enum. \\
& (\forall V3x \in ty_2Erealax_2Ereal. (p (ap (ap (ap c_2Elim_2Ediff \\
& (ap V1diff V2m)) (ap (ap V1diff (ap c_2Enum_2ESUC V2m)) V3x)) V3x)))))) \Rightarrow \\
& (\forall V4x \in ty_2Erealax_2Ereal. (\forall V5n \in ty_2Enum_2Enum. \\
& (((\neg (V4x = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \wedge (p (ap \\
& (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) V5n))) \Rightarrow (\exists V6t \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap c_2Ereal_2Eabs V6t))) \wedge ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Eabs V6t)) (ap c_2Ereal_2Eabs V4x))) \wedge ((ap V0f V4x) = \\
& (ap (ap c_2Erealax_2Ereal_add (ap (ap c_2Ereal_2Esum (ap (ap (\\
& c_2Epair_2E_2C ty_2Enum_2Enum ty_2Enum_2Enum) c_2Enum_2E0) \\
& V5n)) (\lambda V7m \in ty_2Enum_2Enum. (ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Ereal_2E_2F (ap (ap V1diff V7m) (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2EFACT \\
& V7m)))) (ap (ap c_2Ereal_2Epow V4x) V7m)))))) (ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Ereal_2E_2F (ap (ap V1diff V5n) V6t)) (ap c_2Ereal_2Ereal_of_num \\
& (ap c_2Earithmic_2EFACT V5n)))) (ap (ap c_2Ereal_2Epow V4x) \\
& V5n)))))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& (\forall V0diff \in ((ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})_{ty_2Enum_2Enum}). \\
& \quad (\forall V1n \in ty_2Enum_2Enum. (\forall V2x \in ty_2Erealax_2Ereal. \\
& \quad ((V2x = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \wedge (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0)\ V1n))) \Rightarrow ((ap\ (ap\ c_2Ereal_2Esum \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ c_2Enum_2E0) \\
& \quad V1n)) (\lambda V3m \in ty_2Enum_2Enum. (ap\ (ap\ c_2Erealax_2Ereal_mul \\
& \quad (ap\ (ap\ c_2Ereal_2E_2F\ (ap\ (ap\ V0diff\ V3m)\ (ap\ c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2EFACT \\
& \quad V3m)))) (ap\ (ap\ c_2Ereal_2Epow\ V2x\ V3m)))) = (ap\ (ap\ V0diff\ c_2Enum_2E0) \\
& \quad (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))))))
\end{aligned} \tag{65}$$

Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1diff \in \\
& \quad ((ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})_{ty_2Enum_2Enum}). \\
& \quad (((ap\ V1diff\ c_2Enum_2E0) = V0f) \wedge (\forall V2m \in ty_2Enum_2Enum. \\
& \quad (\forall V3x \in ty_2Erealax_2Ereal. (p\ (ap\ (ap\ (ap\ c_2Elim_2Ediff \\
& \quad (ap\ V1diff\ V2m)) (ap\ (ap\ V1diff\ (ap\ c_2Enum_2ESUC\ V2m))\ V3x))\ V3x)))))) \Rightarrow \\
& \quad (\forall V4x \in ty_2Erealax_2Ereal. (\forall V5n \in ty_2Enum_2Enum. \\
& \quad (\exists V6t \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& \quad (ap\ c_2Ereal_2Eabs\ V6t)) (ap\ c_2Ereal_2Eabs\ V4x))) \wedge ((ap\ V0f\ V4x) = \\
& \quad (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ (ap\ c_2Ereal_2Esum\ (ap\ (ap\ (\\
& \quad c_2Epair_2E_2C\ ty_2Enum_2Enum\ ty_2Enum_2Enum)\ c_2Enum_2E0) \\
& \quad V5n)) (\lambda V7m \in ty_2Enum_2Enum. (ap\ (ap\ c_2Erealax_2Ereal_mul \\
& \quad (ap\ (ap\ c_2Ereal_2E_2F\ (ap\ (ap\ V1diff\ V7m)\ (ap\ c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0))) (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2EFACT \\
& \quad V7m)))) (ap\ (ap\ c_2Ereal_2Epow\ V4x\ V7m)))))) (ap\ (ap\ c_2Erealax_2Ereal_mul \\
& \quad (ap\ (ap\ c_2Ereal_2E_2F\ (ap\ (ap\ V1diff\ V5n)\ V6t)) (ap\ c_2Ereal_2Ereal_of_num \\
& \quad (ap\ c_2Earithmetic_2EFACT\ V5n)))) (ap\ (ap\ c_2Ereal_2Epow\ V4x \\
& \quad V5n))))))))))
\end{aligned}$$