

# thm\_2Etransc\_2EPI\_\_POS (TMScwrxrAadpixzQ2Wp3jotqh9qbLDtQKT9v)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.^{27a} : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_EF$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})\ ty\_2Erealax\_2Ereal) \tag{4}$$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Erealax\_2Etreal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)} \quad (5)$$

Let  $c\_2Erealax\_2Etreal\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)} \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}} \quad (7)$$

**Definition 9** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 10** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum)^{\omega} \quad (10)$$

**Definition 11** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 12** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (12)$$

**Definition 13** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (13)$$

**Definition 14** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))$

**Definition 15** We define  $c\_2Earithmic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (14)$$

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})_{ty\_2Erealax\_2Ereal}) \quad (15)$$

Let  $c\_2Earithmic\_2EFACT : \iota$  be given. Assume the following.

$$c\_2Earithmic\_2EFACT \in (ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum}) \quad (16)$$

Let  $c\_2Earithmic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})_{ty\_2Enum\_2Enum}) \quad (17)$$

**Definition 16** We define  $c\_2Earithmic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)_{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \quad (18)$$

**Definition 17** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealm\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_inv \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)_{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \quad (19)$$

**Definition 18** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal\_ABS$

Let  $c\_2Erealax\_2Etrealm\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_mul \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)_{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})_{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \quad (20)$$

**Definition 19** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

**Definition 20** We define  $c\_2Ereal\_2E\_2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.($

Let  $c\_2Earithmic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (21)$$

**Definition 21** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 22** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (22)$$

**Definition 23** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2E$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (23)$$

**Definition 24** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 25** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 26** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 27** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 28** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 29** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealm : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (24)$$

**Definition 30** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. \lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 31** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 32** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (25)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (26)$$

**Definition 33** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c^{A\_27a}$



Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (36)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealx\_2Ereal. (\forall V1y \in ty\_2Erealx\_2Ereal. (((p\ (ap\ (ap\ c\_2Erealx\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V0x)) \wedge (p\ (ap\ (ap\ c\_2Erealx\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V1y))) \Rightarrow (p\ (ap\ (ap\ c\_2Erealx\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ (ap\ (ap\ c\_2Erealx\_2Ereal\_add\ V0x\ V1y)))))) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealx\_2Ereal. ((ap\ (ap\ c\_2Erealx\_2Ereal\_add\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ V0x)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT2\ c\_2Earithmic\_2EZERO))))))\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ V0x)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT2\ c\_2Earithmic\_2EZERO)))))) = V0x)) \quad (38)$$

Assume the following.

$$((p\ (ap\ (ap\ c\_2Erealx\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ c\_2Etransc\_2Epi)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT2\ c\_2Earithmic\_2EZERO)))))) \wedge (p\ (ap\ (ap\ c\_2Erealx\_2Ereal\_lt\ (ap\ (ap\ c\_2Ereal\_2E\_2F\ c\_2Etransc\_2Epi)\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT2\ c\_2Earithmic\_2EZERO))))))\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT2\ c\_2Earithmic\_2EZERO)))))) \quad (39)$$

**Theorem 1**

$$(p\ (ap\ (ap\ c\_2Erealx\_2Ereal\_lt\ (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ c\_2Etransc\_2Epi))$$