

thm\_2Etransc\_2ERPOW\_\_1  
(TMbo4NTWaN1QHGurnPN3bCFA2EPMQzzU1xK)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 9** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 10** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap\ c\_Enum\_EABS\_num$

Let  $c\_Earithmic\_E\_B : \iota$  be given. Assume the following.

$$c\_Earithmic\_E\_B \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (6)$$

**Definition 11** We define  $c\_Earithmic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmic$

**Definition 12** We define  $c\_Earithmic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

Let  $ty\_Erealx\_Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_Erealx\_Ereal \quad (7)$$

Let  $c\_Ereal\_Epow : \iota$  be given. Assume the following.

$$c\_Ereal\_Epow \in ((ty\_Erealx\_Ereal^{ty\_Enum\_Enum})^{ty\_Erealx\_Ereal}) \quad (8)$$

Let  $c\_Earithmic\_EFACT : \iota$  be given. Assume the following.

$$c\_Earithmic\_EFACT \in (ty\_Enum\_Enum^{ty\_Enum\_Enum}) \quad (9)$$

Let  $c\_Ereal\_Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_Ereal\_Ereal\_of\_num \in (ty\_Erealx\_Ereal^{ty\_Enum\_Enum}) \quad (10)$$

Let  $ty\_Ehreal\_Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_Ehreal\_Ehreal \quad (11)$$

Let  $ty\_Epair\_Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_Epair\_Eprod\ A0\ A1) \quad (12)$$

Let  $c\_Erealx\_Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_Erealx\_Ereal\_REP\_CLASS \in ((2^{(ty\_Epair\_Eprod\ ty\_Ehreal\_Ehreal\ ty\_Ehreal\_Ehreal)})^{ty\_Erealx\_Ereal}) \quad (13)$$

**Definition 13** We define  $c\_Emin\_E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .**if**  $(\exists x \in A.p\ (ap\ P\ x))$  **then**  $(the\ (\lambda x.x \in A \wedge P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 14** We define  $c\_Erealx\_Ereal\_REP$  to be  $\lambda V0a \in ty\_Erealx\_Ereal.(ap\ (c\_Emin\_E\_40\ (the\ (\lambda x.x \in A \wedge P\ x))))$

Let  $c\_Erealx\_Etrealm\_inv : \iota$  be given. Assume the following.

$$c\_Erealx\_Etrealm\_inv \in ((ty\_Epair\_Eprod\ ty\_Ehreal\_Ehreal\ ty\_Ehreal\_Ehreal)^{ty\_Epair\_Eprod\ ty\_Ehreal\_Ehreal\ ty\_Ehreal\_Ehreal}) \quad (14)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) \quad (15)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})}) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal) \quad (16)$$

**Definition 15** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 16** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_ABS$

Let  $c\_2Erealax\_2Etrealm\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) \quad (17)$$

**Definition 17** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (18)$$

**Definition 18** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum})}) (ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum)) (ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum) \quad (19)$$

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 20** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.\lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 21** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.\lambda V1n \in ty\_2Eenum\_2Eenum$

**Definition 22** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2$

**Definition 23** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Eenum\_2Eenum.\lambda V1n \in ty\_2Eenum\_2Eenum$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) \quad (20)$$

**Definition 24** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etreal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) \quad (21)$$

**Definition 25** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 26** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) \quad (22)$$

**Definition 27** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 28** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 29** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 30** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (23)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (24)$$

**Definition 31** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Emetric\_2Emetric\ A0) \quad (25)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Emetric\ A\_27a \in ((ty\_2Emetric\_2Emetric\ A\_27a)^{(ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}})) \quad (26)$$

**Definition 32** We define  $c\_2Emetric\_2Emr1$  to be  $(ap\ (c\_2Emetric\_2Emetric\ ty\_2Erealax\_2Ereal)\ (ap\ (c$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Emetric\_2Edist\ A\_27a \in ((ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})) \quad (27)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (28)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (29)$$

**Definition 33** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric\ A\_27a).(ap$

Let  $c\_2Enets\_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Enets\_2Etends\ A\_27a\ A\_27b \in (((2^{(ty\_2Epair\_2Eprod\ (ty\_2Etopology\_2Etopology\ A\_27a)\ ((2^{A\_27b})^{A\_27b}))})_{A\_27a})^{(A\_27a^{A\_27b})}) \quad (30)$$

**Definition 34** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1x$

**Definition 35** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).\lambda V1s \in ty\_2$

**Definition 36** We define  $c\_2Eseq\_2Esuminf$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(ap\ (c\_2E$

**Definition 37** We define  $c\_2Etransc\_2Eexp$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ c\_2Eseq\_2Esuminf\ (\lambda V1$

**Definition 38** We define  $c\_2Etransc\_2Eln$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ ty\_2Ereal$

**Definition 39** We define  $c\_2Etransc\_2Epow$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.\lambda V1b \in ty\_2Erealax\_2Ereal$

Assume the following.

$$True \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (36)$$

Assume the following.

$$2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Ereal\_2Epow V0x) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0x)) \quad (38)$$

Assume the following.

$$(\forall V0a \in ty\_2Erealax\_2Ereal.(\forall V1n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0a)) \Rightarrow ((ap (ap c\_2Ereal\_2Epow V0a) V1n) = (ap (ap c\_2Etrasc\_2Erpow V0a) (ap c\_2Ereal\_2Ereal\_of\_num V1n)))))) \quad (39)$$

**Theorem 1**

$$(\forall V0a \in ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0a)) \Rightarrow ((ap (ap c\_2Etrasc\_2Erpow V0a) (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) = V0a)))$$