

thm_2Etransc_2ESIN__COS (TMHajmMSrapAcTfRnx9pmkeejNgZ8ntjMFZ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_21$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{4}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty$

Let $c_2Erealax_2Ereal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal})^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal}) \tag{5}$$

Let $c_2Erealax_2Etreall_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})$$
(6)

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})}$$
(7)

Definition 6 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 7 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etreall_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
(8)

Definition 8 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_neg)$

Let $c_2Erealax_2Etreall_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})$$
(9)

Definition 9 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 10 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega$$
(10)

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum$$
(11)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega}$$
(12)

Definition 11 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal)^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}$$
(13)

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum}$$
(14)

Let $c_2Earithmetic_2EFACT : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EFACT \in (ty_2Enum_2Enum)^{ty_2Enum_2Enum}$$
(15)

Definition 12 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (16)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (17)$$

Definition 13 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (18)$$

Definition 14 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 15 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (19)$$

Definition 16 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Let $c_2Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (20)$$

Definition 17 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS$

Definition 18 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.($

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (21)$$

Definition 19 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 20 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 21 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V0t2))$

Definition 22 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (22)$$

Definition 23 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})_{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)} \quad (23)$$

Definition 24 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Definition 25 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 26 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 27 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 28 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 29 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)} \quad (24)$$

Definition 30 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 31 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 32 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECONI$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (25)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (26)$$

Definition 33 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27$

Assume the following.

$$True \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (35)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap\ c_2Erealax_2Ereal_add (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x) = V0x)) \quad (36)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap\ c_2Erealax_2Ereal_mul (ap\ c_2Ereal_2Ereal_of_num (ap\ c_2Earithmetic_2ENUMERAL (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))\ V0x) = V0x)) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap\ c_2Erealax_2Ereal_mul (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \quad (38)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap\ c_2Erealax_2Ereal_neg (ap\ c_2Erealax_2Ereal_neg\ V0x)) = V0x)) \quad (39)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap\ c_2Etransc_2Ecos (ap (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y)) = (ap (ap\ c_2Ereal_2Ereal_sub (ap (ap\ c_2Erealax_2Ereal_mul (ap\ c_2Etransc_2Ecos\ V0x)) (ap\ c_2Etransc_2Ecos\ V1y))) (ap (ap\ c_2Erealax_2Ereal_mul (ap\ c_2Etransc_2Esin\ V0x)) (ap\ c_2Etransc_2Esin\ V1y)))))) \quad (40)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap\ c_2Etransc_2Esin (ap\ c_2Erealax_2Ereal_neg\ V0x)) = (ap\ c_2Erealax_2Ereal_neg (ap\ c_2Etransc_2Esin\ V0x)))) \quad (41)$$

Assume the following.

$$((ap\ c_2Etransc_2Ecos (ap (ap\ c_2Ereal_2E_2F\ c_2Etransc_2Epi) (ap\ c_2Ereal_2Ereal_of_num (ap\ c_2Earithmetic_2ENUMERAL (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO)))))) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \quad (42)$$

Assume the following.

$$\begin{aligned}
 & ((ap\ c._2Etransc._2Esin\ (ap\ (ap\ c._2Ereal._2E_2F\ c._2Etransc._2Epi) \\
 & (ap\ c._2Ereal._2Ereal_of_num\ (ap\ c._2Earithmetic._2ENUMERAL\ (\\
 & ap\ c._2Earithmetic._2EBIT2\ c._2Earithmetic._2EZERO)))))) = (ap\ c._2Ereal._2Ereal_of_num \\
 & (ap\ c._2Earithmetic._2ENUMERAL\ (ap\ c._2Earithmetic._2EBIT1\ c._2Earithmetic._2EZERO)))) \\
 & \hspace{15em} (43)
 \end{aligned}$$

Theorem 1

$$\begin{aligned}
 & (\forall V0x \in ty._2Erealx._2Ereal.((ap\ c._2Etransc._2Esin\ V0x) = \\
 & (ap\ c._2Etransc._2Ecos\ (ap\ (ap\ c._2Ereal._2Ereal_sub\ (ap\ (ap\ c._2Ereal._2E_2F \\
 & c._2Etransc._2Epi)\ (ap\ c._2Ereal._2Ereal_of_num\ (ap\ c._2Earithmetic._2ENUMERAL \\
 & (ap\ c._2Earithmetic._2EBIT2\ c._2Earithmetic._2EZERO))))))\ V0x)))
 \end{aligned}$$