

thm_2Etransc_2ESIN__COS__SQRT (TMcy3riJ9gmhfvFfKksXPUeuKg5L6VBLEfY)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_7E` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}).(ap (ap (c_2Emin_2E_3D (2^{A_{27a}}))$

Definition 4 We define `c_2Ebool_2E_7E` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow P Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let `ty_2Ehreal_2Ehreal` : ι be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let `ty_2Erealax_2Ereal` : ι be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let `c_2Erealax_2Ereal__REP__CLASS` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{4}$$

Definition 8 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ (ty_2Erealax_2Ereal_neg\ a)))$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (5)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (7)$$

Definition 10 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 11 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_neg)$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal))^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 12 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 13 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (11)$$

Definition 14 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 15 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (13)$$

Definition 16 We define c_Enum_ESUC to be $\lambda V0m \in ty_Enum_Enum.(ap\ c_Enum_EABS_num$

Let $c_Earithmetic_E_B : \iota$ be given. Assume the following.

$$c_Earithmetic_E_B \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (14)$$

Definition 17 We define $c_Earithmetic_EBIT2$ to be $\lambda V0n \in ty_Enum_Enum.(ap\ (ap\ c_Earithmetic_E_B$

Definition 18 We define $c_Earithmetic_ENUMERAL$ to be $\lambda V0x \in ty_Enum_Enum.V0x$.

Let $c_Ereal_Epow : \iota$ be given. Assume the following.

$$c_Ereal_Epow \in ((ty_Erealx_Ereal^{ty_Enum_Enum})^{ty_Erealx_Ereal}) \quad (15)$$

Let $c_Ereal_Ereal_of_num : \iota$ be given. Assume the following.

$$c_Ereal_Ereal_of_num \in (ty_Erealx_Ereal^{ty_Enum_Enum}) \quad (16)$$

Let $c_Erealx_Etrealm : \iota$ be given. Assume the following.

$$c_Erealx_Etrealm \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})(ty_Epair_Eprod\ ty_Ehreal_Ehreal)) \quad (17)$$

Definition 19 We define $c_Erealx_Ereal_lt$ to be $\lambda V0T1 \in ty_Erealx_Ereal.\lambda V1T2 \in ty_Erealx_Ereal$

Definition 20 We define $c_Etransc_Eroot$ to be $\lambda V0n \in ty_Enum_Enum.\lambda V1x \in ty_Erealx_Ereal$

Definition 21 We define $c_Etransc_Esqrt$ to be $\lambda V0x \in ty_Erealx_Ereal.(ap\ (ap\ c_Etransc_Eroot\ ($

Definition 22 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealx_Ereal.\lambda V1y \in ty_Erealx_Ereal$

Definition 23 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_Enum_Enum.(ap\ (ap\ c_Earithmetic_E_B$

Let $c_Earithmetic_EFACT : \iota$ be given. Assume the following.

$$c_Earithmetic_EFACT \in (ty_Enum_Enum^{ty_Enum_Enum}) \quad (18)$$

Let $c_Earithmetic_EDIV : \iota$ be given. Assume the following.

$$c_Earithmetic_EDIV \in ((ty_Enum_Enum^{ty_Enum_Enum})^{ty_Enum_Enum}) \quad (19)$$

Let $c_Erealx_Etrealm_inv : \iota$ be given. Assume the following.

$$c_Erealx_Etrealm_inv \in ((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (20)$$

Definition 24 We define c_Erealx_Einv to be $\lambda V0T1 \in ty_Erealx_Ereal.(ap\ c_Erealx_Ereal_ABS$

Assume the following.

$$((ap \ c_2Earithmic_2ENUMERAL \ (ap \ c_2Earithmic_2EBIT2 \ c_2Earithmic_2EZERO)) = (ap \ c_2Enum_2ESUC \ (ap \ c_2Earithmic_2ENUMERAL \ (ap \ c_2Earithmic_2EBIT1 \ c_2Earithmic_2EZERO)))) \quad (34)$$

Assume the following.

$$True \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p \ V0t))))) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. (\forall V2z \in ty_2Erealax_2Ereal. ((V0x = (ap \ (ap \ c_2Ereal_2Ereal_sub \ V1y) \ V2z)) \Leftrightarrow ((ap \ (ap \ c_2Erealax_2Ereal_add \ V0x) \ V2z) = V1y)))))) \quad (38)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\forall V1x \in ty_2Erealax_2Ereal. ((p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ c_2Ereal_2Ereal_of_num \ c_2Enum_2E0)) \ V1x)) \Rightarrow ((ap \ (ap \ c_2Etransc_2Eroot \ (ap \ c_2Enum_2ESUC \ V0n)) \ (ap \ (ap \ c_2Ereal_2Epow \ V1x) \ (ap \ c_2Enum_2ESUC \ V0n))) = V1x)))))) \quad (39)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap \ (ap \ c_2Erealax_2Ereal_add \ (ap \ (ap \ c_2Ereal_2Epow \ (ap \ c_2Etransc_2Esin \ V0x)) \ (ap \ c_2Earithmic_2ENUMERAL \ (ap \ c_2Earithmic_2EBIT2 \ c_2Earithmic_2EZERO)))) \ (ap \ (ap \ c_2Ereal_2Epow \ (ap \ c_2Etransc_2Ecos \ V0x)) \ (ap \ c_2Earithmic_2ENUMERAL \ (ap \ c_2Earithmic_2EBIT2 \ c_2Earithmic_2EZERO)))))) = (ap \ c_2Ereal_2Ereal_of_num \ (ap \ c_2Earithmic_2ENUMERAL \ (ap \ c_2Earithmic_2EBIT1 \ c_2Earithmic_2EZERO)))))) \quad (40)$$

Theorem 1

$$(\forall V0x \in ty_2Erealax_2Ereal. ((p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ c_2Ereal_2Ereal_of_num \ c_2Enum_2E0)) \ (ap \ c_2Etransc_2Esin \ V0x)) \Rightarrow ((ap \ c_2Etransc_2Esin \ V0x) = (ap \ c_2Etransc_2Esqrt \ (ap \ c_2Ereal_2Ereal_sub \ (ap \ c_2Ereal_2Ereal_of_num \ (ap \ c_2Earithmic_2ENUMERAL \ (ap \ c_2Earithmic_2EBIT1 \ c_2Earithmic_2EZERO)))) \ (ap \ (ap \ c_2Ereal_2Epow \ (ap \ c_2Etransc_2Ecos \ V0x)) \ (ap \ c_2Earithmic_2ENUMERAL \ (ap \ c_2Earithmic_2EBIT2 \ c_2Earithmic_2EZERO))))))))))$$