

thm_2Etransc_2ESIN__NEGLEMMA (TMHu- UmWgtm4YzasfTiUTEcvbm3h2giAZ79Q)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a}))\ (\lambda V1Q \in 2.V1Q))\ (\lambda V2t \in 2.V2t))\ (\lambda V3t \in 2.V3t))$

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V2t \in 2.V2t))\ (\lambda V3t \in 2.V3t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{4}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{5}$$

Definition 7 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2E$
 Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (6)$$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum})})^{(ty_2Epair_2Eprod\ ty_2Eenum_2Eenum)}) \quad (7)$$

Definition 8 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap\ c_2Emin_2E_2D_2D_2E\ V0t)\ c_2Ebool_2E_2F$

Let $c_2Eenum_2E_2REP_num : \iota$ be given. Assume the following.

$$c_2Eenum_2E_2REP_num \in (\omega^{ty_2Eenum_2Eenum}) \quad (8)$$

Let $c_2Eenum_2E_2SUC_REP : \iota$ be given. Assume the following.

$$c_2Eenum_2E_2SUC_REP \in (\omega^{\omega}) \quad (9)$$

Definition 10 We define $c_2Eenum_2E_2SUC$ to be $\lambda V0m \in ty_2Eenum_2Eenum.(ap\ c_2Eenum_2E_2ABS_num$

Definition 11 We define $c_2Emin_2E_240$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge$
 of type $\iota \Rightarrow \iota$.

Definition 12 We define $c_2Ebool_2E_23F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P (ap (c_2Emin_2E_240$

Definition 13 We define $c_2Eprim_rec_2E_23C$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 14 We define $c_2Earithmic_2E_23E$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Definition 15 We define $c_2Ebool_2E_25C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in$

Definition 16 We define $c_2Earithmic_2E_23E_23D$ to be $\lambda V0m \in ty_2Eenum_2Eenum.\lambda V1n \in ty_2Eenum_2Eenum$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (10)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (11)$$

Definition 17 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_240 (t$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Erealax_2Etrealm_neg \in & ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal \\ & ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \end{aligned} \quad (12)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (13)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (14)$$

Definition 18 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 19 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal)$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Erealax_2Etrealm_add \in & (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal \\ & ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \end{aligned} \quad (15)$$

Definition 20 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 21 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Eenum_2Eenum} \quad (16)$$

Let $c_2Erealax_2Etrealm_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (17)$$

Definition 22 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 23 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 24 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Definition 25 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow & c_2Epair_2ESND \\ & A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (18)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow & c_2Epair_2EFST \\ & A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (19)$$

Definition 26 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})$.
Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (20)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric\ A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \quad (21)$$

Definition 27 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal))\ (ap\ (c_2Emetric_2Edist))$.
Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \quad (22)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (23)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^{A_27a})})}) \quad (24)$$

Definition 28 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap\ (c_2Enets_2Etends))$.
Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A_27b})^{A_27b})}))_{A_27a})_{(A_27a)^{A_27b}} \quad (25)$$

Definition 29 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2Enum_2Enum$.

Definition 30 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2Enum_2Enum$.

Definition 31 We define $c_2Eseq_2Esuminf$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(ap\ (c_2Eseq_2Esums))$.

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})_{ty_2Erealax_2Ereal}) \quad (26)$$

Let $c_2Earithmetic_2EFACT : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EFACT \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \quad (27)$$

Definition 32 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})ty_2Enum_2Enum) \quad (28)$$

Definition 33 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT2))$

Definition 34 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 35 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT1))$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})ty_2Enum_2Enum) \quad (29)$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})ty_2Enum_2Enum) \quad (30)$$

Let $c_2Erealax_2Ereal_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_inv \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (31)$$

Definition 36 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal_ABS)$

Let $c_2Erealax_2Ereal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_mul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}) \quad (32)$$

Definition 37 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 38 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (33)$$

Definition 39 We define $c_2Etransc_2Esin$ to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap c_2Eseq_2Esuminf (\lambda V1n$

Assume the following.

$$(\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1x \in ty_2Erealax_2Ereal.((p (ap (ap c_2Eseq_2Esums V0f) V1x)) \Rightarrow (V1x = (ap c_2Eseq_2Esuminf V0f)))))) \quad (34)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1x0 \in \\
& \quad ty_2Erealax_2Ereal.((p (ap (ap c_2Eseq_2Esums V0x) V1x0)) \Rightarrow (p \\
& (ap (ap c_2Eseq_2Esums (\lambda V2n \in ty_2Enum_2Enum.(ap c_2Erealax_2Ereal_neg \\
& \quad (ap V0x V2n)))) (ap c_2Erealax_2Ereal_neg V1x0))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(p (ap (ap c_2Eseq_2Esums (\lambda V1n \in \\
& \quad ty_2Enum_2Enum.(ap (ap c_2Erealax_2Ereal_mul (ap (\lambda V2n \in \\
& \quad ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2ECOND ty_2Erealax_2Ereal) \\
& \quad (ap c_2Earithmetic_2EEVEN V2n)) (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) (ap (ap c_2Ereal_2E_2F (ap (ap c_2Ereal_2Epow (ap \\
& \quad c_2Erealax_2Ereal_neg (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) (ap (ap \\
& \quad c_2Earithmetic_2EDIV (ap (ap c_2Earithmetic_2E_2D V2n) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))))) (ap c_2Ereal_2Ereal_of_num \\
& \quad (ap c_2Earithmetic_2EFACT V2n)))))) V1n)) (ap (ap c_2Ereal_2Epow \\
& \quad V0x) V1n)))) (ap c_2Etransc_2Esin V0x)))
\end{aligned} \tag{36}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.((ap c_2Erealax_2Ereal_neg \\
& (ap c_2Etransc_2Esin V0x)) = (ap c_2Eseq_2Esuminf (\lambda V1n \in ty_2Enum_2Enum. \\
& \quad (ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_mul (ap \\
& (\lambda V2n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2ECOND ty_2Erealax_2Ereal) \\
& \quad (ap c_2Earithmetic_2EEVEN V2n)) (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) (ap (ap c_2Ereal_2E_2F (ap (ap c_2Ereal_2Epow (ap \\
& \quad c_2Erealax_2Ereal_neg (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) (ap (ap \\
& \quad c_2Earithmetic_2EDIV (ap (ap c_2Earithmetic_2E_2D V2n) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))))) (ap c_2Ereal_2Ereal_of_num \\
& \quad (ap c_2Earithmetic_2EFACT V2n)))))) V1n)) (ap (ap c_2Ereal_2Epow \\
& \quad V0x) V1n))))))
\end{aligned}$$