

thm_2Etransc_2ESIN__ZERO__LEMMA
 (TMZcWJhNKTMPzm-
 MDy4faH3WisqcWVN6n8Ae)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \tag{2}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega)^{ty_2Enum_2Enum} \tag{3}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega)^{omega} \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{omega} \tag{5}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2)^{ty_2Enum_2Enum} \tag{6}$$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{7}$$

Definition 6 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{8}$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))$.

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{9}$$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \tag{10}$$

Let $c_2Earithmetic_2EFACT : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EFACT \in (ty_2Enum_2Enum^{ty_2Enum_2Enum}) \tag{11}$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{12}$$

Definition 8 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 9 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT1\ n))$.

Definition 10 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{13}$$

Let $c_2Earithmetic_2EDIV : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EDIV \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{14}$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{15}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{16}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \tag{17}$$

Definition 11 We define c_Emin_E40 to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 12 We define $c_Erealax_Ereal_REP$ to be $\lambda V0a \in ty_Erealax_Ereal.(ap (c_Emin_E40 (t$

Let $c_Erealax_Etrealm_neg : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_neg \in ((ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)_{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)}) \quad (18)$$

Let $c_Erealax_Etrealm_eq : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_eq \in ((2^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)})_{(ty_Epair_Eprod ty_Ehreal_Ehreal)}) \quad (19)$$

Let $c_Erealax_Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_ABS_CLASS \in (ty_Erealax_Ereal)^{(2^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)})} \quad (20)$$

Definition 13 We define $c_Erealax_Ereal_ABS$ to be $\lambda V0r \in (ty_Epair_Eprod ty_Ehreal_Ehreal ty$

Definition 14 We define $c_Erealax_Ereal_neg$ to be $\lambda V0T1 \in ty_Erealax_Ereal.(ap c_Erealax_Ereal$

Let $c_Erealax_Etrealm_inv : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_inv \in ((ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)_{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)}) \quad (21)$$

Definition 15 We define $c_Erealax_Ereal_Einv$ to be $\lambda V0T1 \in ty_Erealax_Ereal.(ap c_Erealax_Ereal_ABS$

Let $c_Erealax_Etrealm_mul : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_mul \in (((ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)_{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)})_{(ty_Epair_Eprod ty_Ehreal_Ehreal)}) \quad (22)$$

Definition 16 We define $c_Erealax_Ereal_mul$ to be $\lambda V0T1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax$

Definition 17 We define $c_Ereal_E2E_2F$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal.($

Let $c_Earithmic_EEVEN : \iota$ be given. Assume the following.

$$c_Earithmic_EEVEN \in (2^{ty_Eenum_Eenum}) \quad (23)$$

Definition 18 We define $c_Emin_E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 19 We define $c_Ebool_E2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E2E_21 2) (\lambda V2t \in$

Definition 20 We define c_Ebool_E2COND to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (24)$$

Definition 21 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2E_2C\ x\ y))$.
Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})})^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum)}) \quad (25)$$

Definition 22 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E\ t))$

Definition 23 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a\ P))))$

Definition 24 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (c_2Eprim_rec_2E_3C\ m\ n)$

Definition 25 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (c_2Earithmetic_2E_3E\ m\ n)$

Definition 26 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (ap\ V1t2\ t1))))$

Definition 27 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum. (c_2Earithmetic_2E_3E_3D\ m\ n)$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (26)$$

Definition 28 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal. (c_2Erealax_2Ereal_add\ T1\ T2)$

Definition 29 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal. (c_2Ereal_2Ereal_sub\ x\ y)$

Let $c_2Erealax_2Etrealm_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (27)$$

Definition 30 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal. (c_2Erealax_2Ereal_lt\ T1\ T2)$

Definition 31 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal. (c_2Ereal_2Ereal_lte\ x\ y)$

Definition 32 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal. (ap\ (ap\ (ap\ (c_2Ebool_2ECONJ\ x)\ y)\ z))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (28)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (29)$$

Definition 33 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c)^{A_27a})$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Emetric_2Emetric\ A0) \quad (30)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Emetric\ A_27a \in ((ty_2Emetric_2Emetric\ A_27a)^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \quad (31)$$

Definition 34 We define $c_2Emetric_2Emr1$ to be $(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ (ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ ty_2Erealax_2Ereal))$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Emetric_2Edist\ A_27a \in ((ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \quad (32)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Etopology_2Etopology\ A0) \quad (33)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^{A_27a})})}) \quad (34)$$

Definition 35 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota. \lambda V0m \in (ty_2Emetric_2Emetric\ A_27a).(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ ty_2Erealax_2Ereal)$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Enets_2Etends\ A_27a\ A_27b \in (((2^{(ty_2Epair_2Eprod\ (ty_2Etopology_2Etopology\ A_27a)\ (2^{A_27b})^{A_27b})}))^{A_27a})(A_27a^{A_27b}) \quad (35)$$

Definition 36 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}).\lambda V1x \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}).\lambda V1s \in ty_2Erealax_2Ereal$

Definition 37 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}).\lambda V1s \in ty_2Erealax_2Ereal$

Definition 38 We define $c_2Eseq_2Esuminf$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}).(ap\ (c_2Emetric_2Emetric\ ty_2Erealax_2Ereal)\ ty_2Erealax_2Ereal)$

Definition 39 We define $c_2Etransc_2Esin$ to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ c_2Eseq_2Esuminf\ (\lambda V1n \in \mathbb{N}. ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ n))\ ty_2Erealax_2Ereal$

Definition 40 We define $c_2Etransc_2Ecos$ to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ c_2Eseq_2Esuminf\ (\lambda V1n \in \mathbb{N}. ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}\ n))\ ty_2Erealax_2Ereal$

Definition 41 We define $c_2Etransc_2Epi$ to be $(ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Ereal_2Ereal_of_mul)))\ ty_2Erealax_2Ereal$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((ap\ c_2Enum_2ESUC\ V0m) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \quad (36)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((p\ (ap\ c_2Earithmetic_2EODD\ V0n)) \Leftrightarrow (\neg(p\ (ap\ c_2Earithmetic_2EEVEN\ V0n)))))) \quad (37)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p\ (ap\ c_2Earithmetic_2EEVEN\ (ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO)))\ V0n)))))) \quad (38)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((p\ (ap\ c_2Earithmetic_2EODD\ V0n)) \Leftrightarrow (\exists V1m \in ty_2Enum_2Enum.(V0n = (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2A\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO)))\ V1m)))))) \quad (39)$$

Assume the following.

$$True \quad (40)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (41)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (42)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (44)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (45)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (46)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (47)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (48)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y) = (ap\ (ap\ c_2Erealax_2Ereal_add\ V1y)\ V0x)))) \quad (49)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))\ V0x) = V0x)) \quad (50)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. (\forall V2z \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ (ap\ c_2Erealax_2Ereal_add\ V0x)\ V1y))\ V2z) = (ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ V2z))\ (ap\ (ap\ c_2Erealax_2Ereal_mul\ V1y)\ V2z)))))) \quad (51)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \quad (52)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul\ V0x)\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \quad (53)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt V0x) V1y)) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)))))) \quad (54)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. (\forall V2z \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z))) \Rightarrow (p (ap (ap c_2Ereal_2Ereal_lte V0x) V2z)))))) \quad (55)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Ereal_2Ereal_sub V0x) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \quad (56)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap (ap c_2Ereal_2Ereal_sub (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) V0x) = V1y))) \quad (57)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Ereal_2Ereal_lte V0x) (ap (ap c_2Erealax_2Ereal_add V0x) V1y))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V1y)))))) \quad (58)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. ((ap (ap c_2Erealax_2Ereal_add (ap c_2Ereal_2Ereal_of_num V0m)) (ap c_2Ereal_2Ereal_of_num V1n)) = (ap c_2Ereal_2Ereal_of_num (ap (ap c_2Earithmic_2E_2B V0m) V1n)))))) \quad (59)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. (\forall V2z \in ty_2Erealax_2Ereal. ((V0x = (ap (ap c_2Ereal_2Ereal_sub V1y) V2z)) \Leftrightarrow ((ap (ap c_2Erealax_2Ereal_add V0x) V2z) = V1y)))))) \quad (60)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap c_2Etrasc_2Ecos (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) = (ap (ap c_2Ereal_2Ereal_sub (ap (ap c_2Erealax_2Ereal_mul (ap c_2Etrasc_2Ecos V0x)) (ap c_2Etrasc_2Ecos V1y))) (ap (ap c_2Erealax_2Ereal_mul (ap c_2Etrasc_2Esin V0x)) (ap c_2Etrasc_2Esin V1y)))))) \quad (61)$$

Assume the following.

$$\begin{aligned}
& ((ap\ c_2Etransc_2Ecos\ (ap\ (ap\ c_2Ereal_2E_2F\ c_2Etransc_2Epi) \\
& (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (\\
& ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO)))))) = (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))\ (ap\ (ap\ c_2Ereal_2E_2F\ c_2Etransc_2Epi)\ (ap\ c_2Ereal_2Ereal_of_num \\
& (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO)))))) \wedge \\
& (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ (ap\ c_2Ereal_2E_2F\ c_2Etransc_2Epi) \\
& (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (\\
& ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO))))))\ (ap\ c_2Ereal_2Ereal_of_num \\
& (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x)) \wedge ((ap\ c_2Etransc_2Ecos \\
& V0x) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \Rightarrow (\exists V1n \in \\
& ty_2Enum_2Enum.((\neg(p\ (ap\ c_2Earithmetic_2EEVEN\ V1n))) \wedge (V0x = \\
& (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Ereal_2Ereal_of_num \\
& V1n))\ (ap\ (ap\ c_2Ereal_2E_2F\ c_2Etransc_2Epi)\ (ap\ c_2Ereal_2Ereal_of_num \\
& (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO))))))))))
\end{aligned} \tag{64}$$

Theorem 1

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x)) \wedge ((ap\ c_2Etransc_2Esin \\
& V0x) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))) \Rightarrow (\exists V1n \in \\
& ty_2Enum_2Enum.((p\ (ap\ c_2Earithmetic_2EEVEN\ V1n)) \wedge (V0x = (ap \\
& (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Ereal_2Ereal_of_num\ V1n)) \\
& (ap\ (ap\ c_2Ereal_2E_2F\ c_2Etransc_2Epi)\ (ap\ c_2Ereal_2Ereal_of_num \\
& (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT2\ c_2Earithmetic_2EZERO))))))))))
\end{aligned}$$