

thm_2Etransc_2ESQRT__1 (TMSHWF- SjFu2AGyqDFPMxBnS5Z3XPzpEybaQ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda \tau a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 6 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap\ c_2Earithmetic_2E_2B$

Definition 7 We define $c_Earithmic_EZERO$ to be c_Enum_E0 .

Definition 8 We define $c_Earithmic_ENUMERAL$ to be $\lambda V0x \in ty_EEnum_EEnum.V0x$.

Let $ty_Erealax_Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_Erealax_Ereal \quad (7)$$

Let $c_Ereal_Epow : \iota$ be given. Assume the following.

$$c_Ereal_Epow \in ((ty_Erealax_Ereal^{ty_EEnum_EEnum})^{ty_Erealax_Ereal}) \quad (8)$$

Let $c_Ereal_Ereal_of_num : \iota$ be given. Assume the following.

$$c_Ereal_Ereal_of_num \in (ty_Erealax_Ereal^{ty_EEnum_EEnum}) \quad (9)$$

Let $ty_Ehreal_Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_Ehreal_Ehreal \quad (10)$$

Let $ty_Epair_Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_Epair_Eprod\ A0\ A1) \quad (11)$$

Let $c_Erealax_Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_REP_CLASS \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{ty_Erealax_Ereal}) \quad (12)$$

Definition 9 We define c_Emin_E40 to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** *(the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).*

Definition 10 We define $c_Erealax_Ereal_REP$ to be $\lambda V0a \in ty_Erealax_Ereal.(ap\ (c_Emin_E40\ ($

Let $c_Erealax_Etreall_lt : \iota$ be given. Assume the following.

$$c_Erealax_Etreall_lt \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal)}) \quad (13)$$

Definition 11 We define $c_Erealax_Ereal_lt$ to be $\lambda V0T1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax_Ereal$.

Definition 12 We define $c_Emin_E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 13 We define $c_Ebool_E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_Ebool_E21\ 2)\ (\lambda V2t \in 2$

Definition 14 We define $c_Etransc_Eroot$ to be $\lambda V0n \in ty_EEnum_EEnum.\lambda V1x \in ty_Erealax_Ereal$.

Definition 15 We define $c_Etransc_Esqrt$ to be $\lambda V0x \in ty_Erealax_Ereal.(ap\ (ap\ c_Etransc_Eroot\ ($

Definition 16 We define $c_Earithmetic_EBIT1$ to be $\lambda V0n \in ty_Enum_Enum.(ap (ap c_Earithmetic$

Assume the following.

$$\begin{aligned} & ((ap c_Earithmetic_ENUMERAL (ap c_Earithmetic_EBIT2 c_Earithmetic_EZERO)) = \\ & \quad (ap c_Enum_ESUC (ap c_Earithmetic_ENUMERAL (ap c_Earithmetic_EBIT1 \\ & \quad \quad c_Earithmetic_EZERO)))) \end{aligned} \tag{14}$$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow \\ True)) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_Enum_Enum.((ap (ap c_Etransc_Eroot (ap c_Enum_ESUC \\ & \quad V0n)) (ap c_Ereal_Ereal_of_num (ap c_Earithmetic_ENUMERAL \\ & (ap c_Earithmetic_EBIT1 c_Earithmetic_EZERO)))) = (ap c_Ereal_Ereal_of_num \\ & (ap c_Earithmetic_ENUMERAL (ap c_Earithmetic_EBIT1 c_Earithmetic_EZERO)))))) \end{aligned} \tag{17}$$

Theorem 1

$$\begin{aligned} & ((ap c_Etransc_Esqrt (ap c_Ereal_Ereal_of_num (ap c_Earithmetic_ENUMERAL \\ & (ap c_Earithmetic_EBIT1 c_Earithmetic_EZERO)))) = (ap c_Ereal_Ereal_of_num \\ & (ap c_Earithmetic_ENUMERAL (ap c_Earithmetic_EBIT1 c_Earithmetic_EZERO)))) \end{aligned}$$