

# thm\_2Etrasc\_2ESQRT\_\_POS\_\_LE (TM- MyLKASd6nWcNVCXk1fRK6jPQxiwbRJV7j)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

**Definition 3** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P x) \text{ then } (\lambda x. x \in A \wedge P x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } V 0P (\text{ap } (\text{c\_2Emin\_2E\_40 } A)))$

Let `ty_2Ehreal_2Ehreal` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Ehreal\_2Ehreal} \tag{1}$$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A 0 A 1) \tag{2}$$

Let `ty_2Erealax_2Ereal` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Erealax\_2Ereal} \tag{3}$$

Let `c_2Erealax_2Ereal__REP__CLASS` :  $\iota$  be given. Assume the following.

$$\text{c\_2Erealax\_2Ereal\_REP\_CLASS} \in ((2^{(\text{ty\_2Epair\_2Eprod } \text{ty\_2Ehreal\_2Ehreal } \text{ty\_2Ehreal\_2Ehreal}) \text{ty\_2Erealax}})) \tag{4}$$

**Definition 5** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A-27a})))$

**Definition 6** We define `c_2Erealax_2Ereal__REP` to be  $\lambda V 0a \in \text{ty\_2Erealax\_2Ereal}. (\text{ap } (\text{c\_2Emin\_2E\_40 } (\text{ty\_2Erealax\_2Ereal\_REP\_CLASS } V 0a)))$

Let `c_2Erealax_2Etrealt__lt` :  $\iota$  be given. Assume the following.

$$\text{c\_2Erealax\_2Etrealt\_lt} \in ((2^{(\text{ty\_2Epair\_2Eprod } \text{ty\_2Ehreal\_2Ehreal } \text{ty\_2Ehreal\_2Ehreal}) \text{ty\_2Epair\_2Eprod } \text{ty\_2Erealax}})) \tag{5}$$

**Definition 7** We define  $c\_Erealax\_Ereal\_lt$  to be  $\lambda V0T1 \in ty\_Erealax\_Ereal.\lambda V1T2 \in ty\_Erealax\_Ereal$ .

**Definition 8** We define  $c\_Ebool\_EF$  to be  $(ap (c\_Ebool\_E\_21) 2) (\lambda V0t \in 2.V0t)$ .

**Definition 9** We define  $c\_Emin\_E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_Ebool\_E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_E\_3D\_3D\_3E V0t) c\_Ebool\_E\_21))$ .

**Definition 11** We define  $c\_Ereal\_Ereal\_lte$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.\lambda V1y \in ty\_Erealax\_Ereal$ .

**Definition 12** We define  $c\_Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21) 2) (\lambda V2t \in 2.V2t)))$ .

**Definition 13** We define  $c\_Ebool\_E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21) 2) (\lambda V2t \in 2.V2t)))$ .

Let  $c\_Enum\_EZERO\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_EZERO\_REP \in \omega \tag{6}$$

Let  $ty\_Enum\_Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_Enum\_Enum \tag{7}$$

Let  $c\_Enum\_EABS\_num : \iota$  be given. Assume the following.

$$c\_Enum\_EABS\_num \in (ty\_Enum\_Enum^{\omega}) \tag{8}$$

**Definition 14** We define  $c\_Enum\_E0$  to be  $(ap c\_Enum\_EABS\_num c\_Enum\_EZERO\_REP)$ .

**Definition 15** We define  $c\_Earithmetic\_EZERO$  to be  $c\_Enum\_E0$ .

Let  $c\_Enum\_EREP\_num : \iota$  be given. Assume the following.

$$c\_Enum\_EREP\_num \in (\omega^{ty\_Enum\_Enum}) \tag{9}$$

Let  $c\_Enum\_ESUC\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_ESUC\_REP \in (\omega^{\omega}) \tag{10}$$

**Definition 16** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap c\_Enum\_EABS\_num m)$ .

Let  $c\_Earithmetic\_E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2B \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \tag{11}$$

**Definition 17** We define  $c\_Earithmetic\_EBIT2$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap (ap c\_Earithmetic\_E\_2B n))$ .

**Definition 18** We define  $c\_Earithmetic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})^{ty\_2Erealax\_2Ereal}) \quad (12)$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 19** We define  $c\_2Etransc\_2Eroot$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. \lambda V1x \in ty\_2Erealax\_2Ereal$

**Definition 20** We define  $c\_2Etransc\_2Esqrt$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. (ap (ap c\_2Etransc\_2Eroot ($

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg (p V0t)))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg (p V0t)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg (p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (22)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x))))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge (((\neg(p V0A)) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))) \quad (29)$$

Assume the following.

$$(\forall V0x \in ty.2Erealax.2Ereal.(\forall V1y \in ty.2Erealax.2Ereal.((p (ap (ap c.2Ereal.2Ereal_lte V0x) V1y)) \Leftrightarrow ((p (ap (ap c.2Erealax.2Ereal_lte V0x) V1y)) \vee (V0x = V1y)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))) \quad (40)$$

Assume the following.

$$((ap c\_2Etransc\_2Esqrt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) = (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \quad (41)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0x \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt \\
 & (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt \\
 & (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Etransc\_2Esqrt \\
 & V0x))))))
 \end{aligned} \tag{42}$$

**Theorem 1**

$$\begin{aligned}
 & (\forall V0x \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Ereal\_2Ereal\_lte \\
 & (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0x)) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte \\
 & (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) (ap c\_2Etransc\_2Esqrt \\
 & V0x))))))
 \end{aligned}$$